# Kitchen and Equipment



| Allergen Cookware and Kitchen Prep70-7   | 1      |
|--|--------|
| Baking Supplies                          |        |
| Blast Chillers                           |        |
| Brushes/Scrapers Ovens and Grills        |        |
| Build                                    |        |
| Bun/Sheet Pans and Racks                 | 8      |
| Butane Fuel and Stoves 5                 |        |
| Can Openers                              |        |
| Can Racks                                |        |
| Carts                                    |        |
| Convection Ovens                         |        |
| Cook and Hold Ovens                      | 7      |
| Cookware                                 | 4      |
| Cutting Boards                           |        |
| Deli Sheets                              |        |
| Delivery Bags                            |        |
| Dish and Glass Racks                     |        |
| Dishers/Portioners                       | 2      |
| Dishwashers                              |        |
| Display Cases2                           |        |
| Display Warmers5                         |        |
| Drop Ins                                 |        |
| Film/Foil, Dispensers                    |        |
| Food Carriers/Transport                  | 1      |
| Food Mill8                               | 5      |
| Food Pans/Storage70, 92-9                |        |
| Food Processors                          |        |
| Food Warmers                             |        |
| Fry Pans                                 | 0      |
| Gas Connectors/Hoses                     | 3      |
| Gloves                                   |        |
| Grills Outdoors                          | 0      |
| Grills/Griddles10-1                      |        |
| Heated Lockers/Shelves                   |        |
| Heated/Holding Cabinets1<br>Ice Machines |        |
| Induction Cooking                        | 5      |
| Kettles, Soup                            |        |
| Kitchen Prep60-8                         |        |
| Knives/Sharpeners73-7                    |        |
| Labels                                   |        |
| Matting                                  | 1<br>2 |
| Microwave Ovens                          |        |
| Mixers                                   |        |
| Mixing Bowls                             |        |
| Mops/Buckets 10                          |        |
| New Products                             |        |
| Oven Mitts/Hot Pads                      | о<br>0 |
| Pancake Dispenser                        |        |
| Pizza Prep/Supplies                      |        |
| Pots/Pans                                |        |
| Rapi-Kool                                |        |
| Refrigeration                            |        |
| Scales                                   |        |
| Sink, Portable                           |        |
| Slicers                                  |        |
| Sneeze Guard 5                           |        |
| Sous Vide Cooking                        |        |
| Squeeze Bottles                          | 4      |
| Thermometers                             |        |
| Tilt Kettles Skillets                    |        |
| Toasters                                 |        |
| Tongs71-72, 8                            |        |
| Trash Liners                             |        |
| Vacuum Packing                           |        |
| Waffle Makers5<br>Warewashing            |        |
| Warmers/Warming Drawer                   |        |
| Water Filter Systems 2                   | 1      |
| Wine Rack                                | er     |
|  |        |

# **NEW PRODUCTS** KITCHEN AND EQUIPMENT 2024





HydroVection<sup>™</sup> Ovens, Page 11



QuickFry Fryer, Page 14



Crisp 'N Hold, Page 15

Page 4



Cook 'N Hold Cabinets, Page 16



Pick-Up Cabinets, Page 39



Heated Smart Order Cabinets, Page 39



Oasis Refrigerated Self-Service Case, Page 28



Heavy Duty 20 Qt Mixer, Page 47



Drop-In Induction Dry Well, Page 54



CeramiDon Anodized Fry Pans, Page 60



Palletti<sup>®</sup> Countertop Induction Warmers, Page 55



Hatco<sup>®</sup>/Suntec Flip Waffle Makers, Page 58



🔎 don.com



# FROM INSPIRATION TO INSTALLATION



Planning | Procurement | Consolidation | Installation Post-Installation | Replacement Equipment | File Storage

## **Experience That Counts**

When it comes to new kitchen planning, construction, remodeling and replacement equipment, **DON BUILD can manage the process from start to finish.** 

## Efficiency and Excellence Since 1921

Beginning with your concept and continuing through completion, we collaborate with you to see your vision realized.

donbuild@don.com



## Plexor M2 Oven NEW

#### Turbo Chef

- Order of cavities are listed (Top/Bottom): IMP = Impingement Module; RC = Rapid Cook Module
- Two (2) cooking technologies in one (1) appliance: rapid cook or impingement
- Operated by one (1) 50A or two (2) 30A plugs
- Modular design
- One-touch user interface with customizable icons
- Ventless UL<sup>®</sup> (KNLZ) listed ventless operation

| DON#          | Desc        | Module  | Size                           | Volts   | Qty  |
|---------------|-------------|---------|--------------------------------|---------|------|
| A. 1248562    | 1 Cord      | IMP/IMP | 26 <b>%</b> "₩ x 31%"H x 31%"D | 208/240 | 1 ea |
| 1248563       | 1 Cord      | RC/IMP  | 26⅍"W x 31%"H x 31⅔"D          | 208/240 | 1 ea |
| 1248564       | 1 Cord      | RC/RC   | 26⅍"W x 31%"H x 31⅔"D          | 208/240 | 1 ea |
| 1248565       | 2 Cord      | IMP/IMP | 26⅍"W x 31%"H x 31⅔"D          | 208/240 | 1 ea |
| 1248566       | 2 Cord      | RC/IMP  | 26⅓"W x 31%"H x 31⅔"D          | 208/240 | 1 ea |
| 1248567       | 2 Cord      | RC/RC   | 26⅓"W x 31%"H x 31⅔"D          | 208/240 | 1 ea |
| NOTE: Shipped | FOB from TX | (75007) |                                |         |      |



## XpressChef<sup>®</sup> High Speed Ovens

#### From the Manufacturer of Amana® Commercial

- · Combines baking, browning and crisping qualities of impingement convection and infra-red radiant cooking
- Cooks 15 times faster than conventional ovens
- Certified for ventless cooking
- HD True-Touch<sup>™</sup> screen can be customized with intuitive photos and icons
- Easily transfer +1200 recipes via USB, WiFi or ethernet
- · Pre-installed non-stick liners make for easy clean-up

|               |                               |                             |       | ANSI/NSF | 4    |
|---------------|-------------------------------|-----------------------------|-------|----------|------|
| DON#          | Desc                          | Size                        | Watts | Volts    | Qty  |
| 1163264       | Xpress IQ True Touch          | 141⁄8"W x 223⁄4"H x 291⁄4"D | 2000  | 208/240  | 1 ea |
| 1119792       | Ventless, Touchpad            | 191⁄4"W x 181⁄9"H x 261⁄2"D | 1400  | 208/240  | 1 ea |
| C. 1119809    | Ventless, Touch w/full Teflon | 251/s"W x 203/s"H x 271/2"D | 2200  | 208/240  | 1 ea |
| NOTE: Shipped | FOB from IA (52404) or neare  | est distribution center     |       |          |      |

NS



## ECO EL Bandido and ECO ST El Bandido

#### Turbo Chef

- · Panini press mechanism with aluminum anodized upper and lower griddle press plates
- Cool-to-touch exterior; all surfaces below 122° F/50° C
- Smart menu system capable of storing up to 256 recipes
- Customizable menu settings via Wi-Fi (additional fees apply), USB, or manual entry
- Warranty 1 year parts and labor
- 16"L x 16"W x 25"H x 294∕₅"D

| DON#             | Color             | Desc                 | Volts   | Qty  |
|------------------|-------------------|----------------------|---------|------|
| B. 1228820       | Black             | Oven                 | 208/240 | 1 ea |
| 1228818          | Black             | Oven w/ Panini Press | 208/240 | 1 ea |
| 1228817          | Stainless Steel   | Oven w/ Panini Press | 208/240 | 1 ea |
| NOTE: Shipped FO | B from TX (75007) |                      |         |      |



## **XpressChef®**

#### By the Manufacturer of Amana® Commercial

- · Cooks 8-10 times faster than convectional ovens a combination of microwave and convection
- USB Port compatible with standard flash drives; stores up to 100 menu items; ample oven capacity with 1-1/4 cu ft interior
- Ventless cooking option on select models
- Uses less energy than a conventional oven; simplifies cooking with programmable touch pad operation
- Uses standard metal trays, pans and screens; one rack 2 positions, removable; stainless steel exterior and interior for easy cleaning
- Microwave output 1400 or 1900 watt options; convection output 2700 watts

| DON#            | Style                   | Size                        | Watts | Volts   | Qty  |
|-----------------|-------------------------|-----------------------------|-------|---------|------|
| D. 1163264      | Xpress IQ True Touch    | 141⁄8"W x 223⁄4"H x 291⁄4"D | 2000  | 208/240 | 1 ea |
| E. 1119792      | Ventless, Touchpad      | 19¼"W x 181⁄9"H x 261⁄2"D   | 1400  | 208/240 | 1 ea |
| 1119794         | Ventless, Touchpad      | 19¼"W x 181⁄9"H x 261⁄2"D   | 1900  | 208/240 | 1 ea |
| 1119793         | Touchpad                | 19¼"W x 181⁄9"H x 261⁄2"D   | 1900  | 208/240 | 1 ea |
| NOTE: Shinned F | OB from IA (52404) or r | earest distribution center  |       |         |      |

## Increase Production and Output with Heavy Volume Microwaves

- Higher microwave wattage means increased production and more output in your kitchen
- Use high volume ovens to retherm portions or to boost the temperature of the food on a plate
- Holds up to one 1/2 size by 6" deep food pan or 12" plate



(A))

Chef Line - High Volume



Restaurant Line – Medium Volume

#### **Commercial Microwaves**

#### Amana® Commercial

- Stainless steel construction inside and out, with a Grab-N-Go handle
- Ten touchpad control panels with 100 programmable menu items, 4 stages of cooking and 5 power levels
- Larger than comparable ovens fits a 14" platter
- Front air filter for easy cleaning

| Restaura                    | Restaurant Line – Medium Volume                     |  |       |       |      |  |  |  |
|-----------------------------|---|--|-------|-------|------|--|--|--|
| DON#                        | Desc  | Size   | Watts | Volts | Qty  |  |  |  |
| 1044198                     | Medium Duty Dial                                    | 22"L x 19"W x 13¾"H                                | 1000  | 120   | 1 ea |  |  |  |
| 1038815                     | Countertop Medium Vol                               | 227/8"L x 253/4"W x 181/2"H                        | 1800  | 240   | 1 ea |  |  |  |
| Value Line                  | e – Low Volume                                      |  |       |       |      |  |  |  |
| <b>1024326</b><br>NOTE: Ask | 10 Touch Control Panel<br>your DON Sales Representa | 22"W x 13¾"H x 19"D<br>tive for stocking locations | 1000  | 120   | 1 ea |  |  |  |

Don't Forget Mir-O-Spray 1J983





Value Line - Low Volume

## DOOR OPENINGS PER DAY

Under 100 Times - Medium Volume

Over 100 Times - High Volume



## **Imperial Ranges with Ovens**

#### Imperial

- Gas Range:
- Pyrocentric<sup>™</sup> anti-clogging burners lift-off and separate for cleaning. No gaskets or screws.
- Burner baffle distributes heat flow to provide even temps throughout the oven
- Stamped inner door liner provides extra strength, optimizes heat retention
- Electric Range:
- Provides a solid flat surface for fast, even heating
- Solid top prevents spills from entering unit making clean-up easy
- Infinite heat controls for maximum cooking flexibility

| DON#    | Desc  | Gas     | Size                     | BTU     | Amps | Qty  |
|---------|---|---------|--------------------------|---------|------|------|
| 1017798 | 6 Burners                                       | LP      | 36"W x 561⁄2"H x 287⁄8"D | 202,000 | _    | 1 ea |
| 1017799 | 6 Burners                                       | Natural | 36"W x 56½"H x 28%"D     | 202,000 | _    | 1 ea |
| 1161946 | Commercial - 6 Burners                          | LP      | 36"W x 56½"H x 31¼"D     | 220,000 | —    | 1 ea |
| 1161947 | Commercial - 6 Burners                          | Natural | 36"W x 561⁄2"H x 311⁄4"D | 220,000 | _    | 1 ea |
| 1161991 | Electric - 6 Plates                             | —       | 36"W x 56½"H x 31¼"D     | —       | 48 A | 1 ea |
|         | Electric - 6 Plates<br>oped FOB from CA (92879) | —       | 36"W x 56½"H x 31¼"D     | _       | 88 A | 1 ea |



## Heavy Duty Gas Ranges with Standard Oven

#### Vulcan

- Modular design allows for complete customization from 12" up to 108" battery line up with countless configurations of tops and bases
- Field-replacable components make it a breeze to retrofit if there is a change in concept, chef, or ownership
- Knife Edge Heavy Duty cast iron grates with 12" x 12" in front and 12" x 14" in the rear to accommodate large pans and stock pots
- Patented Grab-and-Go racks with notched design allows pans to be removed with added safety to minimize burns
- Flame delivery to the burner provides a wide range of adjustability to allow for a low simmer or a robust flame
- Deep 7½" front top ledge allows for easy and convienient plating with optional telescoping condidment rail available



| Natural Gas  | •                        |         |                          |      |
|--------------|--------------------------|---------|--------------------------|------|
| DON#         | Desc                     | BTU     | Size                     | Qty  |
| 1010992      | 18" Hot Tops (2)         | 110,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| 1010994      | 4 Burners                | 190,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| 1010996      | 6 Burners                | 260,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| 1010998      | 36" Thermostatic Griddle | 140,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| LP Gas       |                          |         |                          |      |
| 1010993      | 18" Hot Tops (2)         | 110,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| 1010995      | 4 Burners                | 190,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| 1010997      | 6 Burners                | 260,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| 1010999      | 36" Thermostatic Griddle | 140,000 | 36"W x 401⁄2"H x 363⁄4"D | 1 ea |
| NOTE: Shippe | ed FREE from KY (41017)  |         |                          |      |





## Endurance<sup>™</sup> Gas Ranges

#### Vulcan

- Heavy duty cast iron grates in the rear accommodate large pans and stock pots
- Flash tube pilot assembly protects pilot light from accidental extinguishment and cuts standing pilots gas usage in half for every 2 burners

NSF

- High shelf standard with all Endurance Ranges for ready access to cooking essentials as needed
- Oven fits 18" x 26" pans and has an excellent **FREE** air flow to assist in even browning **FREE**

| Natural Ga | as                              |         |                     |      |
|------------|---------------------------------|---------|---------------------|------|
| DON#       | Desc                            | BTU     | Size                | Qty  |
| X7000      | 6 Burners, 1 Oven               | 227,000 | 36"W x 58"H x 34%"D | 1 ea |
| 1001827    | 6 Burners, 2 Ovens, 24" Griddle | 278,000 | 60"W x 58"H x 34%"D | 1 ea |
| X7002      | 10 Burners, 2 Ovens             | 358,000 | 60"W x 58"H x 34%"D | 1 ea |
| LP Gas     |                                 |         |                     |      |
| X7001      | 6 Burners, 1 Oven               | 227,000 | 36"W x 36"H x 34"D  | 1 ea |
| 1001828    | 6 Burners, 2 Ovens, 24" Griddle | 278,000 | 60"W x 58"H x 34"D  | 1 ea |
| X7007      | 6 Burners, 2 Ovens, 24" Broiler | 268,000 | 60"W x 36"H x 34"D  | 1 ea |
| X7003      | 10 Burners, 2 Ovens             | 358,000 | 60"W x 36"H x 34"D  | 1 ea |
| NOTE: Ship | ped FREE from KY (41017)        |         |                     |      |



## **Versatile Chef Station**

#### Vulcan

 VCS offers versitle cooking applications allowing the operator to sear, braise, simmer, steam, boil, shallow fry, sauté and retherm

0

- Compact footprint; single 18" or double 36" uses minimal space when space is a premium under the hood
- Ideal in small to medium concept restaurant where full-size equipment will not suffice
- Stainless steel construction is ideal for durability and easy cleaning of equipment interior and exterior

| DON#         | Desc                       | Size                | Volts   | Qty  |
|--------------|----------------------------|---------------------|---------|------|
| 1178765      | Single Tank- Front to Back | 37"L x 18"W x 40¾"H | 208/240 | 1 ea |
| 1178767      | Double Tank- Front to Back | 37"L x 36"W x 40¾"H | 208/240 | 1 ea |
| NOTE: Shippe | d FREE from KY (41017)     |                     |         |      |



## Platinum Convection Ovens and Ventless Ovens

## Southbend

- Intuitive Touchscreen Controls with 3 cooking modes manual, recipe or rack modes
- Patented "plug-in, plug-out" control panel easy to service. Slide out control panel for full view servicing
- Energy saving high efficiency glass windows and heat keeping dual door seal system
- 11-position rack guides and 5 plated oven racks
- 1 year limited parts and labor warranty

| DON#                              | Desc                              | Size                     | Qty  |
|-----------------------------------|-----------------------------------|--------------------------|------|
| 1217442                           | Oven                              | 38"L x 38"W x 69"H       | 1 ea |
| A. 1228322<br>NOTE: Shipped FOB f | Convection Oven<br>rom NC (27526) | 381⁄2"L x 38"W x 641⁄5"H | 1 ea |



## **Platinum Electric Convection Ovens**

Southbend

- Energy saving high efficiency glass windows
- Heat keeping dual door seal system
- Soft Air, two speed, 1/2 hp, fan motor
- 11-position rack guides and 5 plated oven racks
- Electronic ignition
- Forced cool down fan mode

| DON#                        | Desc                          | Style                   | Qty  |
|-----------------------------|-------------------------------|-------------------------|------|
| 1119750                     | Gas                           | Single Deck-Energy Star | 1 ea |
| B. 1119751                  | Gas                           | Double Deck             | 1 ea |
| C. 1136200                  | Electric                      | Single Deck             | 1 ea |
| 1136201<br>NOTE: Shipped FO | Electric<br>B from NC (27526) | Double Deck             | 1 ea |



## **Ultimate Restaurant Ranges**

#### Southbend

- Fully stainless steel burner box with higher BTU and high-efficiency snap action thermostat
- Heavy duty spring assist oven door; metal knobs
- Optional electronic ignition on open tops
- Manual gas shut off valve for entire range; factory installed regulator

| DON#          | Desc                          | BTU     | Size                     | Qty  |
|---------------|-------------------------------|---------|--------------------------|------|
| 1125481       | Opentop with 2 ft Charbroiler | 175,000 | 361⁄2"W x 591⁄2"H x 34"D | 1 ea |
| 1125480       | Opentop with 12" Griddle      | 192,000 | 361⁄2"W x 591⁄2"H x 34"D | 1 ea |
| 1125482       | Opentop Range                 | 215,000 | 361⁄2"W x 591⁄2"H x 34"D | 1 ea |
| D. 1125479    | Opentop Range                 | 244,000 | 361⁄2"W x 591⁄2"H x 34"D | 1 ea |
| NOTE: Shipped | FOB from NC (27526)           |         |                          |      |



## **Platinum Convection Ovens**

## Southbend

SE:

NSF;

- Patented, high efficiency, non-clog Inshot burners
- Patented "plug-in, plug-out" control panel easy to service
- Slide out control panel for full view servicing
- Dependent glass doors (Full 180° opening)

| DON#              | Size                                    | BTU                         | Qty  |
|-------------------|---|-----------------------------|------|
| 1198321           | 371⁄4"L x 38"W x 571⁄2"H                | 70,000                      | 1 ea |
| NOTE: Shipped FOB | from NC (27526). Touchscreen controls a | are available as an option. |      |

NS



H Series Countertop Oven - 4 in 1 cooking

Programmable recipes and an intuitive control ensures consistency between cooks



## Vector<sup>®</sup> Multi-Cook Ovens

#### Alto-Shaam

- ChefLinc<sup>™</sup> remote oven management puts operators in control of their ovens, menu and business
- Place the H Series countertop ovens anywhere with a small, 21" footprint and ventless design, 24" wide option also available

| H Series ( | Countertop | Ovens |
|------------|------------|-------|

| DON#       | Desc              | Cap'y               | Size*                      | Volts   | Qty  |
|------------|-------------------|---------------------|----------------------------|---------|------|
| 1143569    | 2 in 1 Cooking    | 2 Half Size Pans    | 21"W x 28½"H x 371⁄8"D     | 208/240 | 1 ea |
| 1143570    | 3 in 1 Cooking    | 3 Half Size Pans    | 21"W x 35%"H x 371⁄8"D     | 208/240 | 1 ea |
| 1143571    | 4 in 1 Cooking    | 4 Half Size Pans    | 21"W x 42%"H x 371⁄8"D     | 208/240 | 1 ea |
| 161449     | 2 in 1 Cooking    | 2 Full Hotel Pans   | 21"W x 28½"H x 391⁄8"D     | 208/240 | 1 ea |
| 161450     | 3 in 1 Cooking    | 3 Full Hotel Pans   | 21"W x 35%"H x 391⁄%"D     | 208/240 | 1 e  |
| 161451     | 4 in 1 Cooking    | 4 Full Hotel Pans   | 21"W x 42%"H x 391⁄8"D     | 208/240 | 1 e  |
| Series Fi  | ull Size Ovens    |                     |                            |         |      |
| 161447     | 3 in 1 Cooking    | 6 Full Size Pans    | 40¾"W x 32¼"H x 42½"D      | 208/240 | 1 e  |
| 161448     | 4 in 1 Cooking    | 8 Full Size Pans    | 40¾"W x 39%"H x 421⁄2"D    | 208/240 | 1 e  |
| 214690     | 2 in 1 Cooking    | 2 Chamber           | 211⁄2"W x 295%"H x 391⁄2"D | 208/240 | 1 e  |
| 214691     | 3 in 1 Cooking    | 3 Chamber           | 211⁄2"W x 365%"H x 391⁄2"D | 208/240 | 1 e  |
| VOTE: Ship | ped FOB from WI ( | 53052). 24" wide op | tion also available.       |         |      |



#### **Converge Multi-Cook Oven**

#### Alto-Shaam

- Three cooking modes—steam, convection and combination
- Single-point probe on Deluxe control models
- Programmable, touchscreen control
- Easy recipe upload/download via USB port
- Four fully automated cleaning cycles

| DON#          | Desc                | Size                   | Volts   | Qty  |
|---------------|---------------------|------------------------|---------|------|
| A. 1229087    | Two Chamber Oven    | 24%"W x 39"H x 401/4"D | 208/240 | 1 ea |
| B. 1229088    | Three Chamber Oven  | 24%"W x 46"H x 401⁄4"D | 208/240 | 1 ea |
| NOTE: Shipped | FOB from WI (53052) |                        |         |      |

Vector<sup>®</sup> Multi-Cook Ovens provide unmatched food volume and variety with up to four ovens in one. Exclusive Structured Air Technology<sup>®</sup> within independent oven chambers allow operators to cook food items at different temperatures, fan speeds and cook times – cooking each food the way it is meant to be cooked. Structured Air Technology evenly distributes heat, eliminating the need to rely on microwave, rapid-cook ovens or other cooking applications that typically degrade food quality. This unique airflow eliminates the need for employees to watch and rotate pans – increasing productivity in the kitchen.

Add value to your foodservice operation with a waterless, stackable design. For front-of-the-house cooking or limited kitchen space, **Vector H Series countertop ovens have a compact, 21" footprint and a ventless design**, eliminating the need for costly exhaust hoods and allowing greater freedom for placement. Looking for flexible, highvolume food production? Look no further than Vector F Series full size ovens.



## Prodigi Combi Ovens

## Alto-Shaam

- Boilerless steam generation
- Absolute Humidity Control<sup>™</sup> for selecting any humidity level from 0-100%
- Three cooking modes—steam, convection and combination
- 10.1" programmable, touchscreen control with customizable home screen options, recipe categorization and filtering, lockout features and more
- Easy recipe upload/download via USB port

| Classic         |                 |        |                                      |      |
|-----------------|-----------------|--------|--------------------------------------|------|
| Electric#       | Gas#            | Cap'y  | Size                                 | Qty  |
| 1229079         | 1229081         | 7 Pan  | 41%"W x 351/5"H x 44%"D              | 1 ea |
| 1229083         | 1229085         | 8 Pan  | 43¾"W x 37 <del>%</del> "H x 461∕5"D | 1 ea |
| 1229071         | 1229073         | 10 Pan | 43¾"W x 455⁄7"H x 461⁄5"D            | 1 ea |
| 1229067         | 1229069         | 11 Pan | 355⁄7"W x 455⁄7"H x 414⁄9"D          | 1 ea |
| 1229075         | 1229077         | 20 Pan | 43¾"W x 79¼"H x 47"D                 | 1 ea |
| Pro             |                 |        |                                      |      |
| 1229080         | 1229082         | 7 Pan  | 41%"W x 351/5"H x 44%"D              | 1 ea |
| C. 1229084      | 1229086         | 8 Pan  | 43¾"W x 37⁵₅"H x 461∕₅"D             | 1 ea |
| 1229072         | 1229074         | 10 Pan | 43¾"W x 455⁄5"H x 461⁄5"D            | 1 ea |
| 1229068         | 1229070         | 11 Pan | 355⁄7"W x 455⁄7"H x 414⁄9"D          | 1 ea |
| 1229076         | 1229078         | 20 Pan | 43¾"W x 79¼"H x 47"D                 | 1 ea |
| NOTE: Shipped I | OB from WI (530 | 52)    |                                      |      |

8



#### Hoodini

#### Blodaett

Α. Β. NC

- · Hoodini models feature a Blodgett Combi oven with the ventless hood with zero top clearance required
- Cook proteins without being under a hood. Raw bacon, raw bone-in, skin on chicken and pepperoni pizza have all been tested and approved
- Door is not on a timed lock
- One year parts and labor oven warranty

| DON#            | Cap'y              | Size                     | Volts   | Qty  |
|-----------------|--------------------|--------------------------|---------|------|
| 1124819         | 5 Full Hotel Pans  | 20%"W x 45%"H x 31%"D    | 208/240 | 1 ea |
| 1124814         | 10 Full Hotel Pans | 20% "W x 54% "H x 31% "D | 208/240 | 1 ea |
| OTE: Shipped F( | OB from VT (05401) |                          |         |      |





## HydroVection<sup>™</sup> Ovens NEW

#### Blodgett

В

NSF

- · Forces air into the oven cavity, improves product quality, decreases cook times
- · Standard touchscreen control allows cooking with timer and core probe simultaneously; includes shelf timing, cooking compensation and multi shelf recipes, holds up to 255 recipes
- Increases yields by as much as 25% and cooks 15% faster than convection
- Patented door latch and gasket locks in steam and heat; removable core temperature probe
- Four-speed, auto-reversing fan; retractable hand shower for easy cleaning

| Gas#          | Electric#         | Desc                | Size                        | Qty  |
|---------------|-------------------|---------------------|-----------------------------|------|
| C. 1124825    | 1124823           | Single Deck         | 381⁄9"W x 505⁄9"H x 481⁄2"D | 1 ea |
| 1124824       | 1124822           | Double Deck         | 381⁄9"W x 661⁄8"H x 51"D    | 1 ea |
| 1124829       | 1124827           | Single Deck w/Helix | 381⁄9"W x 505⁄9"H x 481⁄2"D | 1 ea |
| 1124828       | D. 1124826        | Double Deck w/Helix | 381⁄9"W x 661⁄8"H x 51"D    | 1 ea |
| NOTE: Shipped | I FOB from VT (05 | 5401)               |                             |      |

RATIONA icc R 0

Size

|                           |                        |      | Electric |                              |
|---------------------------|------------------------|------|----------|------------------------------|
| Size                      | BTU                    | Qty  | DON#     | Cap'y                        |
| 331⁄2"W x 295⁄8"H x 301⁄2 | <sup>2</sup> "D 48,000 | 1 ea | 1141707  | 4 13" x 18" 1/2 sheet pans   |
| 331⁄2"W x 397⁄8"H x 301⁄2 | <sup>2</sup> "D 84,000 | 1 ea | 1149939  | 6 13" x 18" 1/2 Sheet Pans   |
| 421⁄4"W x 295⁄8"H x 383⁄8 | s"D 105,000            | 1 ea | 1165001  | 10 Half Sheet or 10 Steam 2  |
| 421⁄4"W x 397⁄8"H x 383⁄8 | s"D 170,000            | 1 ea | 1165005  | 20 Half Sheet/20 Steam 21/2" |
| 341⁄2"W x 711⁄8"H x 33¾   | "D 167,000             | 1 ea | 1165010  | 6 Full Sheet/12 Steam 21/2"  |
| 425/8"W x 711/8"H x 413/  | s"D 330,000            | 1 ea | 1165003  | 10 Sheet or 20 Steam 21/2"   |
|                           |                        |      | 1165007  | 20 Full Sheet/40 Steam 21/2" |

## iCombi Pro® Combi Oven

Cap'y

6 Half Size Pans

10 Half Size Pans

6 Full Size Pans

10 Full Size Pans

20 Half Size Pans

40 Full Size Pans

#### Rational

Gas DON#

1165009

1165002

1165011

1165004

1165006

1165008

- Fry, roast, grill, steam, poach, bake and more; select product, set desired result
- Cook a variety of foods at the same time maximum flexibility and up to 70% in energy savings compared to conventional cooking technology
- All electric models, single and stacked, are available with our UltraVent (TBD) or UltraVent Plus (TBD) recirculating hoods
- AutoDose offers an integrated cleaning and care system as an option for the iCombi Pro tabletop units
- · Get autonomous cleaning, either at the push of a button or according to a cleaning schedule with the AutoDose option

| 1165001<br>1165005<br>1165010<br>1165003<br>1165007 | 10 Half Sheet or 10 Steam 2"<br>20 Half Sheet/20 Steam 2½"<br>6 Full Sheet/12 Steam 2½"<br>10 Sheet or 20 Steam 2½"<br>20 Full Sheet/40 Steam 2½" | 331/2"W x 3976"H x 301/2"D<br>341/2"W x 711/6"H x 33%"D<br>421/4"W x 2956"H x 38%"D<br>421/4"W x 3976"H x 38%"D<br>4256"W x 711/6"H x 41%"D | 21.9 Kw<br>36 Kw<br>11.7 Kw<br>36 Kw<br>66 Kw | 1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea |
|---|---|---|---|--------------------------------------|
| Exhaust A   | ir Hoods  |   |   |                                      |
| DON#  | Desc  | Size  | Watts   | Qty                                  |
| 1149937   | Ventless Exhaust  | 25"W x 14"H x 22"D  | 200   | 1 ea                                 |
| 1164522   | UltraVent Hood  | 257⁄8"W x 13"H x 223⁄4"D  | 200   | 1 ea                                 |
| NOTE: Ship  | ped FOB from IL (60123). Warran   | ty: <b>2 Years</b> P&L, <b>5 Years</b> Steam (  | Generator.                                    |                                      |
|   |   | pm 800.7  | 777.4DON                                      | 9                                    |

25¾"W x 22%"H x 21%"D

331⁄2"W x 295⁄8"H x 301⁄2"D

Watts

5.4 Kw

11.0 Kw

Qty

1 ea

1 ea



#### **Countertop Gas Griddles with Mechanical Snap Action Controls**

#### Vulcan

• Mechanical snap action model provides precise temperature control and response to surface temperature changes as food is taken on and off the griddle providing quicker cook time and product consistency

| <ul> <li>Flame safety control prevents gas from entering the kitchen by</li> </ul> | shutting d | own |
|--|------------|-----|
| the valve if the pilot goes out  |            |     |

• Easy to light ignition ensures simplicity of operation and maintenance



| Natural Gas       |                  |                       |         |      |
|-------------------|------------------|-----------------------|---------|------|
| DON#              | Burners          | Size                  | BTU     | Qty  |
| A. 1014832        | 2                | 24"W x 151⁄2"H x 33"D | 54,000  | 1 ea |
| B. 1014834        | 3                | 36"W x 151⁄₂"H x 33"D | 81,000  | 1 ea |
| C. 1014836        | 4                | 48"W x 151⁄2"H x 33"D | 108,000 | 1 ea |
| D. 1014838        | 5                | 60"W x 15½"H x 33"D   | 135,000 | 1 ea |
| E. 1014840        | 6                | 72"W x 15½"H x 33"D   | 162,000 | 1 ea |
| NOTE: Shipped FRE | E from KY (4101) | 7)                    |         |      |

| LP Gas  |         |                       |         |      |
|---------|---------|-----------------------|---------|------|
| DON#    | Burners | Size                  | BTU     | Qty  |
| 1014833 | 2       | 24"W x 151⁄₂"H x 33"D | 54,000  | 1 ea |
| 1014835 | 3       | 36"W x 151⁄₂"H x 33"D | 81,000  | 1 ea |
| 1014837 | 4       | 48"W x 151⁄2"H x 33"D | 108,000 | 1 ea |
| 1014839 | 5       | 60"W x 151⁄2"H x 33"D | 135,000 | 1 ea |
| 1014841 | 6       | 72"W x 15½"H x 33"D   | 162,000 | 1 ea |





## **Universal Griddle Rail**

#### AllPoints

- Stainless steel griddle rail increases speed and efficiency while maximizing space
- Fits 1/9, 1/6 and 1/3 size pans; pans sold separately
- Easy to install and clean, fits most manufacturers and models
- Includes Allen wrench and 2 set screws

| DON#                              | Size                     | Qty  |  |  |  |  |
|-----------------------------------|--------------------------|------|--|--|--|--|
| 1142216                           | 36"W x 2%"H x 8" to 13"D | 1 ea |  |  |  |  |
| NOTE: Shipped FOB from NJ (08048) |                          |      |  |  |  |  |

(NSF:



## **Ultra Max Gas Countertop Charbroilers**

#### Star Manufacturing

- Ultra Max is 20,000 BTUs per 6" of width providing excellent broiling performance, better heat distribution and maximum sectional control
- Available in radiant or lava rock style
- Heavy duty cast iron grates can be individually positioned
- (flat or slanted) to accommodate a variety of broiling needs



• Specify Natural or LP gas

|    |                 |                 |                       | ANS     | /NSF 4 |
|----|-----------------|-----------------|-----------------------|---------|--------|
|    | DON#            | Burners         | Size                  | BTU     | Qty    |
|    | 1143310         | 4               | 24"W x 18"H x 351⁄₅"D | 80,000  | 1 ea   |
|    | 1143311         | 6               | 36"W x 18"H x 351∕₅"D | 120,000 | 1 ea   |
|    | 1143312         | 8               | 48"W x 18"H x 351∕₅"D | 160,000 | 1 ea   |
|    | 1149602         | 10              | 60"W x 18"H x 351∕₅"D | 200,000 | 1 ea   |
| Α. | 1143313         | 12              | 72"W x 18"H x 351∕₅"D | 240,000 | 1 ea   |
| NC | TE: Shipped FOE | from TN (37166) |                       |         |        |



## **Ultra Max Gas Countertop Griddles and Hot Plates**

#### Star Manufacturing

- Designed to be reliable, efficient and accurate
- Highly polished 1" thick polished stainless steel plate for superior heat distribution, fast recovery and energy-efficient operation; available in chrome
- Heavy duty body construction with stainless steel front, bull nose and 41/2" high tapered splash guard
- Double wall construction and enclosed bottom helps reduce heat loss; longer-lasting heavy-duty metal knobs
- Cool-to-the-touch stainless steel bull nose front provides knob protection and a comfortable work zone



• 43/8" (111 mm) rear and side splash guard and a 31/2" x 1 (89 mm x 25 mm) grease trough for easy cleanup

| DON#            | Burners    | Size                      | BTU     | Qty  |
|-----------------|------------|---------------------------|---------|------|
| 1143537         | 2          | 24"W x 18"H x 341⁄5"D     | 60,000  | 1 ea |
| 1119964         | 3          | 36"W x 18"H x 341∕₅"D     | 90,000  | 1 ea |
| 3. 1143538      | 4          | 48"W x 18"H x 341⁄₅"D     | 120,000 | 1 ea |
| 1143539         | 5          | 60"W x 18"H x 341⁄₅"D     | 150,000 | 1 ea |
| 1143540         | 6          | 72"W x 18"H x 341⁄₅"D     | 180,000 | 1 ea |
| Gas Standard I  | Hot Plates |                           |         |      |
| 1143306         | 2          | 12"W x 151⁄10"H x 321⁄4"D | 60,000  | 1 ea |
| 1143307         | 4          | 24"W x 151⁄10"H x 321⁄4"D | 120,000 | 1 ea |
| C. 1143308      | 6          | 36"W x 151⁄10"H x 321⁄4"D | 180,000 | 1 ea |
| 1143309         | 8          | 48"W x 151⁄10"H x 321⁄4"D | 240,000 | 1 ea |
| NOTE: Shipped F | -          |                           | 240,000 |      |




## **Achiever Heavy Duty Gas Charbroilers**

#### Vulcan

 Heavy duty, high performance models deliver precise, uniform heat distribution across the entire cooking surface

 Cooking area heats 550° F to 700° F FREE

• Uses cast iron grates,



| Natural Gas      |                     |                          |         |      |
|------------------|---------------------|--------------------------|---------|------|
| DON#             | Size                | Size                     | BTU     | Qty  |
| 1015028          | 4 Burners           | 25%"W x 15%"H x 33"D     | 68,000  | 1 ea |
| 1015030          | 6 Burners           | 361⁄%"W x 153%"H x 33"D  | 100,000 | 1 ea |
| 1015032          | 8 Burners           | 46¾"W x 15¾"H x 33"D     | 135,000 | 1 ea |
| D. 1015034       | 11 Burners          | 60%"W x 15%"H x 33"D     | 188,500 | 1 ea |
| 1015036          | 13 Burners          | 72%"W x 15%"H x 33"D     | 220,000 | 1 ea |
| LP Gas           |                     |                          |         |      |
| 1015029          | 4 Burners           | 25% "W x 15% "H x 33"D   | 64,000  | 1 ea |
| 1015031          | 6 Burners           | 361⁄8"W x 153⁄8"H x 33"D | 96,000  | 1 ea |
| 1015033          | 8 Burners           | 46¾"W x 15%"H x 33"D     | 128,000 | 1 ea |
| 1015035          | 11 Burners          | 60% "W x 15% "H x 33"D   | 176,000 | 1 ea |
| 1015037          | 13 Burners          | 725⁄8"W x 153⁄8"H x 33"D | 202,000 | 1 ea |
| NOTE: Shipped Fl | REE from KY (41017) |                          |         |      |



## **Medium Duty Gas Charbroilers**

#### Vulcan

SP

- Low profile unit with full 22" deep cooking grate meets the production needs of the independent operator
- Heavy cast iron burners, radiants, and grates provide durability and dependable performance
- Full-width crumb trays and standard under-burner heat deflectors improve cooking performance and help protect under-counter refrigeration
- · Easily convertible from Natural Gas to LP in the field

| DON#                     | Desc              | Size                     | BTU    | Ship Wt | Qty  |
|--------------------------|-------------------|--------------------------|--------|---------|------|
| E. 1018246               | 4 Burners         | 251⁄4"W x 131⁄3"H x 27"D | 58,000 | 234 lbs | 1 ea |
| 1018247                  | 6 Burners         | 36"W x 131⁄3"H x 27"D    | 87,000 | 320 lbs | 1 ea |
| <b>Gas Connector</b>     | r Choices         |                          |        |         |      |
| DON#                     |                   | Length                   |        | Ship Wt | Qty  |
| 1X118<br>NOTE: Shipped F | REE from KY (4101 | 36" <sup>-</sup><br>7)   |        | 5 lbs   | 1 ea |

NSF

FREE





## Low Profile Gas Countertop Charbroilers

#### Vulcan

- 13" working height-ideal for use on refrigerator bases
- Heavy duty reversible cast iron grates in 51/4"W; when flat you're maximizing the char flavor profile, when flipped fats are channeled away from the flame minimizing flare ups
- ¾" rear gas connection and gas pressure regulator provided at no charge



| Natural Gas#    | LP Gas#       | Burners | Size                  | BTU     | Qty  |
|-----------------|---------------|---------|-----------------------|---------|------|
| X1502           | X6311         | 4       | 25¼"W x 12"H x 27¼"D  | 58,000  | 1 ea |
| X1503           | X6312         | 6       | 36"W x 12"H x 271⁄4"D | 87,000  | 1 ea |
| X1504           | X6313         | 8       | 46¾"W x 12"H x 27¼"D  | 116,000 | 1 ea |
| X1505           | X6314         | 11      | 60"W x 12"H x 2714"D  | 159,500 | 1 ea |
| X1506           | X6315         | 13      | 72"W x 12"H x 271⁄4"D | 188,500 | 1 ea |
| NOTE: Shipped F | REE from KY ( | 41017)  |                       |         |      |





## **Electric Upright Broilers**

#### Southbend

- 1420° F ceramic infrared element temp
- 1000° F top rack position temp
- No flare-ups elements are unaffected by grease splatter
- Front serviceability

| DON#                              | Desc                     | Size                  | Watts | Qty  |  |  |  |
|-----------------------------------|--------------------------|-----------------------|-------|------|--|--|--|
| A. 1228274                        | Single Deck Broiler      | 39"L x 34"W x 631⁄2"H | 12000 | 1 ea |  |  |  |
| 1228275                           | Single Deck w/ Warm Oven | 39"L x 34"W x 74"H    | 12000 | 1 ea |  |  |  |
| B. <b>1228276</b>                 | Double Deck Broiler      | 39"L x 34"W x 751⁄2"H | 23400 | 1 ea |  |  |  |
| NOTE: Shipped FOB from NC (27526) |                          |                       |       |      |  |  |  |



| 1K40   | Grill Scraper     | 6"W | 1 ea |  |  |  |
|--|-------------------|-----|------|--|--|--|
| 1K41   | Replacement Blade |     | 1 ea |  |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |                   |     |      |  |  |  |
|  |                   |     |      |  |  |  |
|  |                   |     |      |  |  |  |



## Oven/Grill Scrapers and Brushes

| Wire Brushes   |                       | Wire Brushes with Scraper |    |         |                    |      |  |
|--|-----------------------|---------------------------|----|---------|--------------------|------|--|
| DON#   | Desc                  | Qty                       |    | DON#    | Desc               | Qty  |  |
| C. 2J2762  | 4" x 9" Butcher Block | 1 ea                      | E. | 1036554 | Heavy Duty         | 1 ea |  |
| 2J1317   | 30" Broiler Master    | 1 ea                      |    | 2J2682  | 20" Wood Handle/HD | 1 ea |  |
| D. 2J1184  | 48" Grill Brush       | 1 ea                      | F. | 2J1307  | 42" Oven/Grill     | 1 ea |  |
| NOTE: Ask your DON Sales Representative for stocking locations |                       |                           |    |         |                    |      |  |

## The Dormont Difference - Peace of Mind

- ISO-certified factory based in the USA
- Over 180 million safe installations worldwide
- Every connector leak tested
- Inventor of commercial connector
- Exceeds CSA and ANSI standards

## Swivel MAX®

- Provides a full 360° range of motion
- Reduces stress on connector
- Increases kitchen aisle space by allowing connector to be positioned closer to the wall
- Prevents transmission of strain to connector

#### SnapFast®

- The only push-to-connect quick-disconnect fitting designed for commercial kitchens
- Thermal shut-off when internal temperature exceeds 350° F

#### Blue Hose®

- Stress Guard<sup>®</sup> rotation technology reduces stress on both ends of the hose
- Antimicrobial PVC coating that inhibits growth of bacteria, mold and mildew on the gas connector
- Stainless steel construction- heavy-duty, flexible, corrugated stainless steel tubing
- Stainless steel tight-weave braid prevents corrugations from stretching as equipment is moved




1022660 - Optional Safety-Set® Positioning System

- Returns kitchen equipment to design specified
   locations under fire suppression and ventilation systems
- Required by NFPA Codes 17A and 96

## **Gas Connectors**

#### Dormont

| DON#        | Hose I.D. | Hose Length       | BTU     | Kit       | Install Method | Quick Disconnect | # of Swivels | Qty  |
|-------------|-----------|-------------------|---------|-----------|----------------|------------------|--------------|------|
| 1X118       | 1⁄2"      | 36"               | 77,000  | Complete  | Mobile         | Yes              | 0            | 1 ea |
| 1049262     | 1/2"      | 48"               | 60,000  | Complete  | Mobile         | Yes              | 2            | 1 ea |
| 1049264     | 1⁄2"      | 48"               | 63,000  | Complete  | Mobile         | Yes              | 1            | 1 ea |
| 1X112       | 1/2"      | 48"               | 68,000  | Complete  | Mobile         | Yes              | 0            | 1 ea |
| 1049120     | 3⁄4"      | 36"               | 193,000 | Complete  | Mobile         | Yes              | 1            | 1 ea |
| 1049122     | 3⁄4"      | 36"               | 203,000 | Complete  | Mobile         | Yes              | 1            | 1 ea |
| 1049121     | 3⁄4"      | 36"               | 218,000 | Complete  | Mobile         | Yes              | 0            | 1 ea |
| 1049119     | 3⁄4"      | 36"               | 256,000 | Hose Only | Stationary     | No               | 0            | 1 ea |
| 1049239     | 3⁄4"      | 48"               | 160,000 | Complete  | Mobile         | Yes              | 2            | 1 ea |
| 1X115       | 3⁄4"      | 48"               | 167,000 | Complete  | Mobile         | Yes              | 1            | 1 ea |
| 1X110       | 3⁄4"      | 48"               | 180,000 | Complete  | Mobile         | Yes              | 0            | 1 ea |
| 1X113       | 3⁄4"      | 48"               | 160,000 | Complete  | Mobile         | Yes              | 2            | 1 ea |
| 1X121       | 1"        | 48"               | 310,000 | Complete  | Mobile         | Yes              | 0            | 1 ea |
| 1X120       | 1"        | 48"               | 334,000 | Complete  | Mobile         | Yes              | 1            | 1 ea |
| 1049116     | 11⁄4"     | 48"               | 482,000 | Complete  | Mobile         | Yes              | 2            | 1 ea |
| 1049118     | 11⁄4"     | 48"               | 482,000 | Complete  | Mobile         | Yes              | 1            | 1 ea |
| 1049117     | 11⁄4"     | 48"               | 541,000 | Complete  | Mobile         | Yes              | 0            | 1 ea |
| Safety-Set® |           |                   |         |           |                |                  |              |      |
| DON#        |           | Size              |         | Qty       |                |                  |              |      |
| 1022660     |           | 77⁄16"L x 35⁄8" W |         | 1 ea      |                |                  |              |      |



**Restraining Device** 

Safety Quik®



## Kleenscreen PLUS® Gas Fryer Battery and Filtration System

#### Vulcan

- All in one system that comes standard with a mesh screen and optional reusable fabric filter enabling filtering down to .5 microns. No messy filter paper to handle or dispose.
- 45 lb two battery heavy duty fryer produces up 60 lbs production per tank per hour
- Solid drawn one-piece filter pan construction for easy cleaning and added durability
- Oil discharge hose for easy oil disposalcan also be used as a flushing hose
- Specify natural or LP gas when ordering

| DON#        | Cap'y                       | Size  | BTU     | Qty  |
|-------------|-----------------------------|---|---------|------|
| 1X249       | 2-45 lb Fryers              | 31"W x 471⁄2"H x 301⁄2"D                                | 240,000 | 1 ea |
| Filter Pape | er                          |   |         |      |
| DON#        | Desc                        | Size  |         | Qty  |
| 1036609     | For 2, 3, 4 Fryer Batteries | 171/4"L x 121/2"W<br>017). Specify natural or LP gas wh |         | 6/pk |





bout our Equipmen Leasing Program!

Heat energy passes through the oil tank five times for maximum use of energy dollars

## PowerFry5<sup>™</sup> Energy Efficient Gas Fryers

#### Vulcan

NSE

- Five Pass<sup>™</sup> heat transfer system for maximum efficiency and shorter cooking time
- Heats cold oil gently, extending oil life
- SoftStart<sup>™</sup> electronic ignition system with standard 1-power button starts the fryer instantly
- Stainless steel cabinet and fry tank
- 10-year limited tank warranty



| DON#    | Cap'y  | Size                        | BTU    | Qty  |
|---------|--------|-----------------------------|--------|------|
| 1038614 | 45 lbs | 151⁄2"W x 361⁄4"H x 301⁄4"D | 70,000 | 1 ea |
| 1038616 | 65 lbs | 21"W x 36¼"H x 30¼"D        | 80,000 | 1 ea |
| 1038618 | 85 lbs | 21"W x 36¼"H x 34½"D        | 90,000 | 1 ea |
| LP Gas  |        |                             |        |      |
| 1038613 | 45 lbs | 151⁄2"W x 361⁄4"H x 301⁄4"D | 70,000 | 1 ea |
| 1038615 | 65 lbs | 21"W x 36¼"H x 30¼"D        | 80,000 | 1 ea |
| 1038617 | 85 lbs | 21"W x 36¼"H x 35%"D        | 90,000 | 1 ea |



## **Dean PowerRunner SPV**

#### Frvmaster

- These all-purpose fryers feature outstanding Dean reliability and durability and achieve long and dependable life through simplicity of design
- This stand-alone economy fryer, with 120,000 BTU/hr, has been specifically redesigned to meet shorter profile needs and has a special top connecting strip that allows it to be connected to other fryers already in the field
- The 50-lb. oil capacity accommodates a wide range of frying needs--everything from French fries to breaded products and specialty foods

| DON#                          | Size                        | Qty  |
|-------------------------------|-----------------------------|------|
| 1217607                       | 151⁄2"W x 441⁄2"H x 303⁄4"D | 1 ea |
| NOTE: Shipped FOB from LA (71 | 106)                        |      |

Stainless steel cabinet and fry tank; includes 10-year limited tank warranty



## QuickFry<sup>™</sup> Fryer NEW

#### Vulcan

• Drain valve interlock switch (turns off gas burners automatically when draining oil)

FREE

FREIGHT

- 11/4" full port ball type drain valve
- 6" adjustable casters (locking and non-locking)
- Twin fry baskets with plastic coated handles
- KleenScreen PLUS® built in filtration system available in some models

| DON#         | Style                         | Cap'y      | BTU           | Qty  |
|--------------|-------------------------------|------------|---------------|------|
| 1248825      | Digital Control               | 50 lbs     | 75,000        | 1 ea |
| 1248826*     | Digital Control               | 50 lbs     | 75,000        | 1 ea |
| 1248835*     | Digital Control               | 50 lbs     | 150,000       | 1 ea |
| 1248831      | Digital Control               | 75 lbs     | 110,000       | 1 ea |
| 1248832*     | Digital Control               | 75 lbs     | 110,000       | 1 ea |
| 1248838*     | Digital Control               | 75 lbs     | 220,000       | 1 ea |
| 1248821      | Knob Control                  | 50 lbs     | 75,000        | 1 ea |
| 1248822*     | Knob Control                  | 50 lbs     | 75,000        | 1 ea |
| 1248827      | Knob Control                  | 75 lbs     | 110,000       | 1 ea |
| 1248833*     | Knob Control                  | 50 lbs     | 150,000       | 1 ea |
| 1248828*     | Knob Control                  | 75 lbs     | 110,000       | 1 ea |
| 1248836*     | Knob Control                  | 75 lbs     | 220,000       | 1 ea |
| 1248823      | Programmable Comp Control     | 50 lbs     | 75,000        | 1 ea |
| 1248824*     | Programmable Comp Control     | 50 lbs     | 75,000        | 1 ea |
| 1248834      | Programmable Comp Control     | 50 lbs     | 150,000       | 1 ea |
| 1248829      | Programmable Comp Control     | 75 lbs     | 110,000       | 1 ea |
| 1248830*     | Programmable Comp Control     | 75 lbs     | 110,000       | 1 ea |
| 1248837*     | Programmable Comp Control     | 75 lbs     | 220,000       | 1 ea |
| NOTE: Shippe | ed FREE FREIGHT from KY (4101 | 7). *Kleen | Screen PLUS®. |      |



## Fryer Baskets

- Evenly distributed wire mesh ensures even shortening circulation for better tasting fried food
- Long-lasting, heavy-gauge wire with nickel-plated finish for protection against corrosion
- Red vinyl-coated handle

| DON#     | Size                        | Qty  |
|----------|-----------------------------|------|
| X4273    | 5¾"W x 5¾"H x 13¼"D         | 1/cs |
| 3. X4272 | 65⁄16"W x 55⁄16"H x 121⁄8"D | 1/cs |
| 1060746  | 61⁄2"W x 41⁄4"H x 13"D      | 1 ea |
| X4270    | 61⁄2"W x 6"H x 131⁄4"D      | 1/cs |
| 1030095  | 83%"W x 534"H x 171%"D      | 1 ea |
| C. X4514 | 121⁄4"W x 53⁄8"H x 13"D     | 1 ea |





#### Crisp 'N Hold NEW

#### Carter-Hoffman

(NSF)

- Extends the life of your fried foods 3x longer than a traditional heat lamp
- Gentle heated air, flows over and around the product keeping it crunchy without drying out the inside
- Internal grease filter to contain any grease and crumb migration
- Reduced food waste keeping your food quality consistent

| DON#    | Desc                   | Style      | Width | Qt  |
|---------|------------------------|------------|-------|-----|
| 1248652 | Countertop             | 2 Sections | 14"   | 1 e |
| 248654  | Countertop             | 3 Sections | 14"   | 1 e |
| 248657  | Countertop             | 4 Sections | 28"   | 1 e |
| 248661  | Countertop             | 6 Sections | 40"   | 1 e |
| 248649  | Countertop Low Profile | 1 Section  | 10"   | 1 e |
| 248651  | Countertop Low Profile | 1 Section  | 12"   | 1 e |
| 248659  | Countertop Low Profile | 6 Sections | 28"   | 1 e |
| 248653  | Countertop Extra Deep  | 2 Sections | 14"   | 1 e |
| 1248656 | Countertop Extra Deep  | 3 Sections | 18"   | 1 e |
| 1248660 | Countertop Extra Deep  | 4 Sections | 28"   | 1 e |
| 248650  | Drop In                | 2 Sections | 12"   | 1 e |
| 248655  | Drop In                | 2 Sections | 18"   | 1 e |
| 248658  | Drop In                | 6 Sections | 28"   | 1 e |





## **Gas Fryers**

#### Pitco

- Tank stainless steel construction
- Cabinet stainless front, door and sides
- Solstice Burner Technology, no blower or ceramics
- Millivolt Thermostat (T-Stat) 200° F to 400° F (190° C to 93° C CE)
- Themo-Safety pilot with built in regulator

| DON#            | Cap'y              | Size                    | Qty  |
|-----------------|--------------------|-------------------------|------|
| 1137348         | 40-50 lbs          | 34%"L x 15%"W x 461∕9"H | 1 ea |
| D. 1229335      | 50 lb              | 37"L x 19"W x 45"H      | 1 ea |
| E. 1229336      | 90 lb              | 37"L x 23"W x 45"H      | 1 ea |
| NOTE: Shipped F | OB from NH (03304) |                         |      |



## Cook 'N Hold Cabinets NEW

#### Carter-Hoffman

- Increased vields: shrinkage is reduced to 7-10%, down from 25% in a standard convection oven
- · Cook to time or product temperature Meat probe included
- Increased product quality: gentle circulated air allows the meat to caramelize and retain moisture, cooking more consistently
- Lower energy costs: much lower BTUs than a standard convection oven; food can be cooked overnight, at off-peak energy rates
- Multi-faceted, will reach temperatures of 325° F (160° C), a variety of items can be cooked, baked, or roasted

| DON#          | Cap'y                         | Size                        | Qty  |
|---------------|-------------------------------|-----------------------------|------|
| A. 1248645    | 6 18" x 26" sheet pans        | 261⁄2"W x 381⁄2"H x 323⁄4"D | 1 ea |
| 1248647       | 8 18" x 26" sheet pans        | 261/8"W x 391/2"H x 323/4"D | 1 ea |
| 1248648       | 9 18" x 26" pans              | 261/8"W x 471/2"H x 323/4"D | 1 ea |
| 1248646       | 10 12" x 20" steam table pans | 28¾"W x 30"H x 32¾"D        | 1 ea |
| 1248642       | 16 18" x 26" sheet pans       | 261/8"W x 763/8"H x 323/4"D | 1 ea |
| 1248643       | 16 12" x 20" steam table pans | 29%"W x 76%"H x 32%"D       | 1 ea |
| B. 1248644    | 18 18" x 26" sheet pans       | 261/8"W x 78"H x 323/4"D    | 1 ea |
| NOTE: Shipped | d FOB from MI (49858)         |                             |      |



## The Original Cook and Hold Ovens

Alto-Shaam

- Low-temperature slow cooking and holding for hours with improved food quality
- Halo Heat<sup>®</sup> technology, powered by exclusive thermal cabling, produces gentle, precise heat to evenly cook your food - no fans, forced air or added humidity
- Very low emissions and energy usage with no hood required
- Intuitive controls and simple operation can help reduce prep time and labor costs; dual compartment models are individually controlled
- Deluxe control models also feature SureTemp<sup>™</sup> automatic temperature recovery-oven immediately begins heat recovery when a door is opened; alarm sounds if door is open more than three minutes; temperature range 200° F to 325° F

D

• Stainless steel exterior with magnetic door latch and heavy-duty casters-two stationary and two swivel with brake



|    | DON#    | Desc                        | Style     | Cap'y                  | Size                        | Volts | Qty  |
|----|---------|-----------------------------|-----------|------------------------|-----------------------------|-------|------|
| C. | 1028269 | Electric - Low Temp         | Full Size | (4) 20" x 12" x 21/2"  | 2315/16"W x 755%"H x 315%"D | 208   | 1 ea |
|    | 1028346 | Low Temp, Simple Controls   | Full Size | (4) 20" x 12" x 21⁄2"  | 2315/16"W x 755%"H x 315%"D | 240   | 1 ea |
|    | 1028359 | Low Temp Electronic         | Full Size | (4) 20" x 12" x 21⁄2"  | 2315/16"W x 755%"H x 315%"D | 208   | 1 ea |
|    | 1028360 | Programmable Display        | Full Size | (4) 20" x 12" x 21⁄2"  | 2315/16"W x 755%"H x 315%"D | 240   | 1 ea |
| D. | 1026930 | Electronic - Deluxe Control | Half Size | (10) 20" x 12" x 21/2" | 26% "W x 31% "H x 31% "D    | 240   | 1 ea |

D. 102693 NOTE: Shipped FOB from WI (53052)

| 1        |   |
|----------|---|
| 10<br>10 |   |
|          | 0 |

## Aqua-Temp<sup>™</sup> Hot Holding Cabinet

Cres Cor

Size

- Aqua-Temp<sup>™</sup> system lets you regulate cabinet humidity for superior holding for barbecue, Mexican and rotisserie menu items; max temperature of 200° F allows for humidity up to 95%
- Universal angles allow for mixing and matching all sizes of pans
- · Large four-gallon water tank for four to six hours of use
- Includes casters, two with brakes



| Size                        | Volts | Temp Range   | Qty  |
|-----------------------------|-------|--------------|------|
| 281⁄4"W x 433⁄8"H x 333⁄8"D | 120   | Up to 200° F | 1 ea |
| 25¾"W x 69¾"H x 33½"D       | 120   | Up to 200° F | 1 ea |

#### Ventless Cook-N-Hold Ovens

Cres Cor

- Air fry, roast, cook, bake, rethermalize and hold with precise temperature and humidity control
- Reaches 350° F in under eight minutes
- Non-venting oven which passes the UL grease laden emission test
- Up to six blowers with a power switch to increase or decrease air flow
- Optional pass thru door, door windows, and security panel with locks
- Deluxe controls for probe cooking, (NSE Uı and up to 18 recipes

| DON#       | Style        | Cap'y        | Siz |
|------------|--------------|--------------|-----|
| 1169332    | Deluxe       | 5 Pan        | 281 |
| 1169326    | Deluxe       | 6 Pan        | 283 |
| NOTE: Ship | ped FOB from | n OH (44060) |     |



DON# Desc Cap'y 1055783 Half Size (6) 14" x 18" 1042667 Full Size (11) 14" x 18" NOTE: Shipped FOB from OH (44060)



## Insulated Holding and Proofing Cabinets

#### Metro

- Patented Insulation Armour<sup>™</sup> technology retains heat, saves energy and provides a cool-to-touch exterior
- Includes moisture model, which delivers five times the moisture generating power of a standard door cabinet
- Durable polymer exterior is dent, impact and stain resistant
- Built-in handles for easy transport
- $\bullet$  All models include 18 sets of adjustable universal slides to hold 18" x 26" and 12" x 20" pans
- Useful for hot holding, high moisture holding or proofing
- Overall size: 71"H x 27%"W x 311/2"D

#### **Heated Cabinets**

| DON#          | Desc                      | Color | Volts | Temp Range | Qty  |
|---------------|---------------------------|-------|-------|------------|------|
| A. 1019539    | Full Length Clear Door    | Red   | 120   | 80-200° F  | 1 ea |
| 1019540       | Full Length Clear Door    | Grey  | 120   | 80-200° F  | 1 ea |
| 1019537       | Two Half Size Solid Doors | Red   | 120   | 80-200° F  | 1 ea |
| B. 1019538    | Two Half Size Solid Doors | Grey  | 120   | 80-200° F  | 1 ea |
| NOTE: Shipped | FREE from PA (18705)      |       |       |            |      |





Includes rear push handle for easy movement

## Heated Holding and Proofing Cabinet

#### Metro

U

NS

- Go from heated holding mode to proofing mode with the flip of a switch
- Clear door prevents heat loss by allowing interior view with no opening necessary
- $\bullet$  Fixed wire shelves hold 18 pans sized 18" x 26" or 34 pans sized 12" x 20" x 2½"
- Includes easy-to-read digital thermometer, recessed control dials, master on/off switch, power indicator lights and push bar

| $\mathbf{\mathbf{G}}$ |
|-----------------------|
|                       |

| DON#                     | Size   | Temp Range | Volts | Qty  |
|--------------------------|--|------------|-------|------|
| E4863<br>NOTE: Shipped F | 251/8"W x 693/4"H x 301/4"D<br>FOB from regional warehouse | 80-190° F  | 120   | 1 ea |



## 6-Pan Countertop Convection Steamer

#### Southbend

- Six pan capacity in the footprint of a five pan unit to offer more production in the same space
- Energy Star models in select markets offer sizable rebates to your customers
- Water treatment systems included at no charge help your customer protect their investment with a new treatment system

| DO      | N#                                | Desc                      | Size                  | Watts  | Volts   | Qty  |
|---------|-----------------------------------|---------------------------|-----------------------|--------|---------|------|
| A. 120  | )8887                             | Manual Fill, Manual Drain | 29"L x 18"W x 261⁄2"H | 15,000 | 208/240 | 1 ea |
| 120     | 8888                              | Manual Fill, Manual Drain | 29"L x 24"W x 261⁄2"H | 15,000 | 208/240 | 1 ea |
| 120     | )8889                             | Auto Fill, Auto Drain     | 25"L x 24"W x 251⁄2"H | 15,000 | 208/240 | 1 ea |
| NOTE: S | NOTE: Shipped FOB from NC (27526) |                           |                       |        |         |      |





1 ea

## SteamChef<sup>™</sup> Broiler-Free Convection Steamer

#### Cleveland

- Cooking capacity for up to six 12" x 20" x 21/2" deep steam table pans
- Features KleanShield<sup>™</sup> cooking compartment design that collects and removes condensate waste from the cooking compartment
- Automatic water level controls fills when main power switch is turned on



115

| DON#       | Cap'y       | Size                   | BTU    |
|------------|-------------|------------------------|--------|
| 2X4148     | 6 Pan       | 21¾"W x 35"H x 281⁄6"D | 32,000 |
| NOTE: Ship | ped FREE Fr | eight from OH (44110)  |        |



#### Cleveland

- Cooking capacity for up to ten 12" x 20" x 21/2" deep cafeteria pans
- 80% efficient vertical atmospheric generator design
- · Easy access cleaning port located on the outside, top of unit
- Audible signal for cooking time completion



|                       | REIGHT  |       | ANSI/NSF 4 |
|-----------------------|---------|-------|------------|
| Size                  | BTU     | Volts | Qty        |
| 24"W x 651⁄2"H x 35"D | 125,000 | 115   | 1 ea       |



## LWE Convection Steamers

#### Vulcan Hart

- SmartDrain PowerFlush<sup>®</sup> system eliminates scale not normally eliminated with other steamers
- External deliming port simplfies deliming
- 2 Staged water fill optimizes water fill assuring no loss in recovery time for continual use
- · Heavy duty door and latch mechanism with exclusive pan quard stands up to the demands of the kitchen environment
- · Exclusive silicone gasket with self healing qualities increases longevity beyond standard gaskets
- LWE Uses 90% less water vs. traditional steamer models; energy Star certified, and uses 50% less energy vs.traditional models





В





| DON#                  | Size                        | Qty  |
|-----------------------|-----------------------------|------|
| A. 1210085            | 431⁄4"W x 191⁄8"H x 293⁄4"D | 1 ea |
| B. <b>1210086</b>     | 431⁄4"W x 191⁄8"H x 367⁄8"D | 1 ea |
| C. 1210087            | 401⁄2"W x 421⁄2"H x 351⁄4"D | 1 ea |
| D. 1210088            | 53¾"W x 42½"H x 35¼"D       | 1 ea |
| NOTE: Shipped FOB fro | m IL (60123)                |      |

## **iVario Tilt Skillets**

Rational

- Intuitive control concept Two pans, two display views. Simple, logical, efficient, so working with the iVario Pro 2-S is effortless.
- Core temperature probe Each pan has its own core temperature probe. Precise food preparation with no monitoring required.
- Effective energy management The iVarioBoost heating system combines power, speed, and precision. Plenty of reserve energy and precise heat distribution across the entire surface, so every cooking process runs perfectly.
- Speed The optional pressure-cooking function\* reduces cooking times by up to 35%. Automatic pressure buildup and release features make the iVario Pro quick and convenient.





## **Direct Steam Tilting Tri-Leg and Quad-Leg Kettles**

#### Crown

- Stainless steel tilt mechanism permits the kettle to tilt forward a full 90° for complete emptying
- Unit includes a steam control kit and steam trap

| DON#             | Cap'y              | Size                        | Qty  |
|------------------|--------------------|-----------------------------|------|
| 1143428          | 20 gal             | 39¾"W x 34¾"H x 29%"D       | 1 ea |
| 1143429          | 30 gal             | 431⁄4"W x 341⁄2"H x 33%10"D | 1 ea |
| 1143430          | 40 gal             | 46¾"W x 33¾"H x 34%"D       | 1 ea |
| 1143431          | 60 gal             | 491⁄2"W x 35"H x 391⁄2"D    | 1 ea |
| NOTE: Shipped FC | )B from OH (44110) |                             |      |



(NSF:

## **AI Fresco**

Warm weather means the beginning of the outdoor dining season! Grills, outdoor fryers, portable sinks and patio heaters will make sure your establishment and diners won't get left out in the cold.



## **Professional Quality Grills**

#### Crown Verity

- All grills constructed of 18 gauge, 304 stainless steel including grids, burners and all fasteners, and come fully assembled
- Independent 15,000 BTU stainless steel burners allow the grill to reach full cooking temperature in less than 6 minutes

FREE

• 1-year parts/labor warranty, lifetime warranty on body, cooking grids and 10-year warranty on burners

| DON#          | Cooking Surface    | Burners     | Size (W x H x D)   | BTU     | Qty  |
|---------------|--------------------|-------------|--------------------|---------|------|
| X7115         | 28" x 21"          | 4           | 38" x 36" x 28"    | 64,500  | 1 ea |
| X7116         | 34" x 21"          | 5           | 44" x 36" x 28"    | 79,500  | 1 ea |
| X7117         | 46" x 21"          | 6           | 56" x 36" x 28"    | 99,000  | 1 ea |
| X7118         | 58" x 21"          | 8           | 69" x 36" x 28"    | 129,000 | 1 ea |
| 1248618       | 58" x 21"          | 8           | 69" x 28" x 36"    | 129,000 | 1 ea |
| X7119         | 70" x 21"          | 10          | 81" x 36" x 28"    | 159,000 | 1 ea |
| Grills with I | Hood/Dome, 2 End S | Shelves and | d Cabinet Base w/S | torage  |      |
| 1151879       | 28" x 21"          | 4           | 34"x 55" x 25"     | 64,500  | 1 ea |
| 1151880       | 34" x 21"          | 5           | 40"x 55" x 25"     | 79,500  | 1 ea |
| Grills witho  | ut Hoods/Domes     |             |                    |         |      |
| X7200         | 28" x 21"          | 4           | 38" x 36" x 28"    | 64,500  | 1 ea |
| X7201         | 34" x 21"          | 5           | 44" x 36" x 28"    | 79,500  | 1 ea |
| X7202         | 46" x 21"          | 6           | 56" x 36" x 28"    | 99,000  | 1 ea |
| X7203         | 58" x 21"          | 8           | 70" x 36" x 28"    | 129,000 | 1 ea |
| X7205*        | 58" x 21"          | 8           | 70" x 36" x 28"    | 129,000 | 1 ea |
| X7204         | 70" x 21"          | 10          | 82" x 36" x 28"    | 159,000 | 1 ea |
| Portable Ch   | arcoal Grill       |             |                    |         |      |
| X7114         | 60" x 24"          | _           | 72" x 31" x 24"    | _       | 1 ea |

NOTE: Shipped FREE from Ontario (N3S-7V8). Ask your DON Sales Representative for additional grill options.



## **Portable Outdoor Fryers**

#### Crown Verity

- High volume outdoor fryer great for caterers, party rentals and special events
- Large 14" wheels for easy transport
- Runs on one 30 lb tank of LP gas
- Three heat exchanger tubes positioned for easy cleaning

| FREE<br>FREIGHT | (NSF) |  |
|-----------------|-------|--|
|                 |       |  |

| DON#  | Tanks | Cap'y        | Size (W x H x D)  | BTU       | Qty  |  |
|---|-------|--------------|-------------------|-----------|------|--|
| 1012230   | 1     | 35-40 lbs    | 38" x 48¾" x 30½" | 90,000 ea | 1 ea |  |
| 1012231   | 2     | 35-40 lbs ea | 53" x 48¾" x 30½" | 90,000 ea | 1 ea |  |
| NOTE: Shipped EREE from Ontario, Canada (N35,7V8) |       |              |                   |           |      |  |



## **Portable Sinks**

#### Crown Verity

- All stainless steel construction comes fully assembled and crated
- Lockable access door for storage
- Choose one, two or three compartment sinks
- 120 V water pump and water heater
- 160 lbs

| DON#  | Desc          | Size               | Qty  |  |  |
|---|---------------|--------------------|------|--|--|
| E1100   | 1 Compartment | 34"W x 38"H x 24"D | 1 ea |  |  |
| E1101   | 2 Compartment | 34"W x 38"H x 24"D | 1 ea |  |  |
| E1102   | 3 Compartment | 34"W x 38"H x 24"D | 1 ea |  |  |
| NOTE: Shipped FREE from Ontario, Canada (N35 7V8) |               |                    |      |  |  |

(NSE



## The Benefits of Leasing an Ice Machine

Get Your Ice the Easy Way


- They're affordable. Leasing comes with manageable monthly payments that help conserve cash flow.
- Maintenance and Repairs are Included. On average, preventive maintenance on an ice machine is required at least twice a year to work reliably. Maintenance and unexpected repair costs are eliminated when leasing.
- Your capital can be preserved. Your customers expect you to have ice, but they don't expect to pay extra for it. Leasing allows you to invest your money elsewhere for other returns on your business.

## **GET STARTED**





easyice.com 855-550-7792



Browse our Ice Machines





## Buy an Everpure Filter When You Buy New Equipment

A water filter is a necessity for all ice, steam and beverage equipment. Make sure you buy the correct filter whenever you purchase a water system.

Water systems require ongoing maintenance. Change all your water filters at least twice a year to avoid breakdowns. Replacing filters is easier than replacing equipment.

## Water Filter Systems and Cartridges

#### Everpure

- A necessity for all ice, steam and beverage equipment
- Filters should be changed at least twice per year
- Protects your equipment from impurities in water

| Systems fo          | r Ice Makers                                       |                           |      |
|---------------------|--|---------------------------|------|
| DON#                | Desc   | Size                      | Qty  |
| E40                 | Insurice Single i2000 Water Filter System          | 8"W x 51⁄4"D x 26%"H      | 1 ea |
| E41                 | Insurice Twin i2000 Water Filter System            | 16¾"W x 5½"D x 25¼"H      | 1 ea |
| E42                 | i2000 2 Cartridge Filter I2000                     | 31⁄4"D x 203⁄4"H          | 1 ea |
| Systems fo          | r Steam Equipment                                  |                           |      |
| A. E43              | Kleensteam CT Water Filter System                  | 13¾"W x 6¼"D x 15¼"H      | 1 ea |
| E44                 | Kleensteam Single Water Filter System              | 201⁄2"W x 7"D x 251⁄2"H   | 1 ea |
| E45                 | Kleensteam Twin Water Filter System                | 201⁄2"W x 7"D x 251⁄2"H   | 1 ea |
| E47                 | 7CB5 Filter Cartridge                              | 31⁄4"D x 203⁄4"H          | 1 ea |
| E48                 | SS-10 Scale Inhibitor Cartridge                    | 1%"D x 10"H               | 1 ea |
| <b>Prefilter Sy</b> | stems  |                           |      |
| E53                 | E-20 Coarse Prefilter System                       | 51/8"W x 51/2"D x 223/8"H | 1 ea |
| E54                 | EC210 Prefilter Cartridge                          | 20"H                      | 1 ea |
| NOTE: Ask yo        | our DON Sales Representative for stocking location | ons                       |      |
|                     |  |                           |      |



## **Correct Filter?** Easy! Match the easy to read

Everpure model number to the chart.





## **Crescent Style** Ice Machines

#### Hoshizaki

- Durable stainless steel exterior with built in storage
- All units are air cooled except 1119605, which is water cooled
- Produces crescent ice

NSF

• Choose from undercounter or modular designs





#### **ModWater Dispenser**

#### Hoshizaki

- Four water options: Sparkling, Chilled, Hot, and Alkaline
- High capacity flow (20 gal/hour) with compact size (fits under cabinets)
- Attractive modern design with LED touch buttons

| DON#             | Desc                        | Size                     |
|------------------|-----------------------------|--------------------------|
| 1197790          | Water Dispenser             | 15"W x 163/5"H x 211/2"D |
| NOTE: Shipped FC | )B from nearest distributor |                          |



## Saf-T-Ice® Tote, Scoop® and Guardian<sup>™</sup> System San Jamar

- Durable, transparent polycarbonate with bail handle for easy carrying and emptying
- Protects ice from food borne illness
- Tri-Grip<sup>™</sup> grab points on bottom provide easy, secure handling
- · Shorty Tote fits in dishwasher
- Saf-T-Scoop® prevents cross-contamination for safe scooping

#### Cof T loog Tate

| Sat-1-Ice® lot                  | es  |                     |      |
|---------------------------------|---|---------------------|------|
| DON#                            | Desc  | Cap'y               | Qty  |
| K123                            | Shorty  | 5 gal               | 1 ea |
| K112                            | Original  | 6 gal               | 1 ea |
| Saf-T-Scoops                    | and Guardian™ Systems   |                     |      |
| 1129053                         | Saf-T-Scoop   | 6-10 oz             | 1 ea |
| K316                            | Saf-T-Scoop Guardian System                                       | 2% qt               | 1 ea |
| <b>K317</b><br>Note: Ask your D | Saf-T-Scoop Replacement<br>ON Sales Representative for stocking I | 25∕s qt<br>ocations | 1 ea |





NSE

Ice Cube Shape

## **Cube-Style Ice Machines**

• Can produce 500 lbs/day of cube-style ice

• Includes up to 50 lbs of built-in storage capacity

Hoshizaki

Qty

1 ea

NSF

Ice Machines DON# Production/Cap'y Size Volts Qty 1162319 412 lbs of ice/day 22"W x 22"H x 273/5"D 115 1 ea Ice Bins DON# Cap'y Qty Size 1142856 500 lbs 30"W x 46"H x 321/2"D 1 ea 1132730 700 lbs 44"W x 46"H x 321/2"D 1 ea

NOTE: Shipped FOB from nearest distributor



## Quickchiller<sup>™</sup> Blast Chiller

#### Alto-Shaam

- Increase food safety and production by rapidly cooling food through the danger zone
- Save labor with downloadable HACCP data and a USB port
- Touch screen control with 20 present menu options
- Quick freeze, soft chill, hard chill and holding modes with an automatic defrost cycle

| DON#                      | Desc                       | Cap'y                     | Size                             | Volts | Qty  |
|---------------------------|----------------------------|---------------------------|----------------------------------|-------|------|
| 1143567                   | 3 pan                      | 36 lb                     | 27"W x 38"H x 30"D               | 115   | 1 ea |
| 1143566                   | 9 pan                      | 60 lb                     | 57"W x 42"H x 36"D               | 115   | 1 ea |
| 1143568                   | 18 Pan                     | 240 lb                    | 40"W x 70"H x 39"D               | 115   | 1 ea |
| 1143564                   | 40 pan                     | 480 lb                    | 51"W x 96¾"H x 42"D              | 208   | 1 ea |
| 1143565*<br>NOTE: Shipped | 20 pan<br>FOB from WI (530 | 480 lb<br>052). *Remote ( | 51"W x 86"H x 42"D<br>Condenser. | 208   | 1 ea |




## **Cube-Style Ice Machine**

#### Hoshizaki

ŰI

NSF

• High production ice machine can produce 500 lbs/day of cube-style ice - well suited to high volume operations



| Ice Machin  | ies             |                               |       |      |
|-------------|-----------------|-------------------------------|-------|------|
| DON#        |                 | Size                          | Volts | Qty  |
| 1217302     |                 | 24¾"L x 24¾"W x 39½"H x 20¾"D | 115   | 1 ea |
| Storage Bi  | n               |                               |       |      |
| DON#        | Cap'y           | Size                          |       | Qty  |
| 1132730     | 700 lbs         | 44"W x 46"H x 321⁄2"D         |       | 1 ea |
| 1142856     | 500 lbs         | 30"W x 46"H x 321⁄2"D         |       | 1 ea |
| NOTE: Shipp | ed FOB from nea | rest Distributor              |       |      |

## Indigo<sup>™</sup> NXT Series Ice Makers

#### Manitowoc Ice


- State-of-the-art diagnostics provide constant and reliable monitoring to customize ice production, use and maintenance
- Customizable ice production levels ensure ice is there when needed and production is shut off when it's not needed
- Easy-touch display takes the guesswork out of owning an ice machine
- Monitor and control energy efficiency with key technologies
- Streamlined cleaning process with the simple push of a button and automatically returns to ice production mode when finished;
   Alpha San<sup>®</sup> antimicrobial protection is molded into select key plastic components
- Collection of real-time data enables quick and accurate diagnosis of any problem



#### Ice Machines

| ILE MALI   | 11165                  |                       |          |       |      |
|--|------------------------|-----------------------|----------|-------|------|
| DON#   | Desc                   | Size                  | Cap'y    | Volts | Qty  |
| 3E344*   | 490 lb 1/2 Dice w/bin  | 30"W x 711⁄2"H x 34"D | 490 lbs  | 115   | 1 ea |
| 3E314*   | 856 lb ½ Dice w/bin    | 30"W x 761⁄2"H x 34"D | 865 lbs  | 208   | 1 ea |
| 3E311  | 1213 lb 1/2 Dice w/bin | 30"W x 761⁄2"H x 34"D | 1213 lbs | 208   | 1 ea |
| Cleaner/S  | Sanitizer Refills      |                       |          |       |      |
| DON#   | Desc                   | Size                  |          |       | Qty  |
| 1002365  | Ice Machine Cleaner    | 16 oz                 |          |       | 4/cs |
| 1002366  | Ice Machine Sanitizer  | 16 oz                 |          |       | 4/cs |
| NOTE: Shipped FOB from nearest distribution center. *EnergyStar. |                        |                       |          |       |      |





DON partners with four great walkin manufacturers to provide a great variety of shipping points for shorter lead times, flexibility in construction, and strong warranties to fit any business need. Whether it's providing reliable bulk storage, accommodation for rolling racks and mobile shelving or availability in a variety of sizes as well as flooring and cooling system options, walk-in refrigerators provide a wide array of benefits for operators and are an essential part of any foodservice establishment. But equally as important is having the right type of walk-in refrigeration unit for your business needs. While we work with the best suppliers in the industry, each offers its own unique advantages. Take a look at the below suppliers to help you decide which walk-in refrigerator makes sense for you.

#### Arctic

- Polyurethane foamed-in-place panels with hard rail urethane perimeters providing additional strength and manufacturing flexibility. Available in 4" and 5%" thick profiles
- Numerous metal skin options available in various patterns and colors. Most common finishes are Galvalume, Aluminum (smooth and embossed), Stainless Steel, DTP (floors) and Paint Grip
- Single panel spans up to 25 feet long
- Signature Series features 36" high interior and exterior kickplates on doors, one-piece corners, LED digital thermometer, center-mounted VP light with interior safety night light,

pre-assembly and inspection for quality control

- Blue Line features 34" wide doors with 24" high interior and exterior kickplates, one-piece corners, LED digital thermometer, free standard freight
- 15 year panel warranty, 5 year compressor warranty, one year parts and labor warranty

#### **Imperial Brown**

- Ability to mix hard nose and soft nose construction to provide the high strength of hard nose and the cost savings of soft nose
- Five skin types available (Aluminum, Galvanealed, Galvalume and Galvanized Stainless Steel)
- Features LED lights, flush mount door with three self-closing adjustable hinges, door closer, aluminum diamond tread kick plates inside and outside of the door leaf and high density construction for all floors and doors
- 15-year panel warranty; 3-4 year extended warranty on compressor

#### Kolpak

- Polyurethane insulation with soft nose panels providing max R value
- Several skin types available (Galvalume, Embossed Aluminum, Stainless Steel and Paint Grip)
- Able to span 20' indoors with Kolpak super ceiling panel construction
- Features adjustable hinges, ERA floor rated for up to 1,000 pounds of cart traffic, two hinges per door, LED door light and single-watt continual burn on safety light
- Kolpak doors come standard with steel door frame perimeter that is foamed in place
- One-year parts and labor warranty on pre-charged refrigeration systems; one-year labor warranty on door and panels; 10-year panel warranty

#### Norlake

- Actual Dimensions: More Inside Space
- Maximize your profit per square foot
- If you specify an 8' x 10' walk-in, you'll get the full 8' x 10' surface area instead of a nominal 7'9" x 9'8" size
- Best Insulation and Airtight Fit: Soft Nose Polyurethane Insulation
  - Save on both electricity and food waste with high-performance construction
- Norlake uses foamed-in-place polyurethane because it provides many advantages over other types, such as polystyrene:
- Highest R-value: polyurethane has the best R-value, which measures a panel's ability to resist heat flow. This results in optimal energy savings
- Added strength and reliability: polyurethane foam permanently adheres to metal panels for solid construction
- Superior moisture resistance: its 97% closed cell content limits the passage of moisture through the panel
- Fire resistance: Polyurethane is a thermoset material, so it won't melt.
- Because of its ability to resist fire, polyurethane earns a UL Class 1 rating. • Easiest installation: up and running quickly
- Reduced walk-in and refrigeration system installation time saves you time and money
- In-house manufacturing: Norlake builds its own refrigeration systems

   Ensures customization, innovation, and timely delivery
- Exclusive Technology: only walk-ins with R290 systems on the market
- Get ahead of government standards and save money on utilities
- Our patented self-contained Capsule Pak ECO models set the standard for sustainability
- Eco-friendly R290 refrigerant with a global warming potential of only 3

#### ThermalRite

- ThermalRite walk-ins utilize hard nose tongue and groove polyurethane foam rail panels for maximum durability and rigidity
- Optimized for longer and heavier span loads especially if roof-mounting compressors, snow load with outdoor walk-ins, or integrating glass doors Offers ease of install and potential future re-configuration vs. soft nose panels
- Unlimited design flexibility sized to ¼" dimensions, to customize the walkin to the space / shelving to maximize real estate ROI
- Manufactured with non-HCFC, an environmentally sensitive urethane foam, with a choice of 3½", 4", 5" or 6" panel thickness for high-efficiency insulating properties
- Numerous metal panel and floor finishes including standard plywood reinforced flooring; 10,000 psf SuperFloor and the exclusive US supplier of SaniSteel<sup>™</sup> for floors or interior panels. SaniSteel<sup>™</sup> is a slip-resistant, NSFcertified anti-microbial pre-coated steel for floors, ceilings and wall panels.
- 10-year panel warranty, 1-year refrigeration parts warranty, 1-year paint/ finish, door, and door hardware parts warranty



High performance, energy efficient refrigeration system located on top of the unit



## **G Series Reach-In Refrigerators and Freezers**

#### Traulsen

- Reliable microprocessor control with LED temperature display
- Durable stainless steel front and doors; anodized aluminum sides and interior
- Includes three epoxy-coated adjustable shelves per section (factory installed); 6" high locking casters
- 6-year parts and labor warranty, 7-year compressor warranty

#### Refrigerators

| neiliyeiai | 015                       |                           |       |      |
|------------|---------------------------|---------------------------|-------|------|
| DON#       | Style                     | Size                      | Volts | Qty  |
| E2600      | One Section, Hinged Right | 297⁄8"W x 831⁄4"H x 35"D  | 115   | 1 ea |
| E2601      | Two Section               | 521⁄8"W x 831⁄4"H x 35"D  | 115   | 1 ea |
| E2602      | Three Section             | 76⁵⁄16"W x 831⁄4"H x 35"D | 115   | 1 ea |
| Freezers   |                           |                           |       |      |
| E2603      | One Section, Hinged Right | 297/s"W x 831/4"H x 35"D  | 115   | 1 ea |
| E2604      | Two Section               | 521⁄8"W x 831⁄4"H x 35"D  | 115   | 1 ea |
| E2605      | Three Section             | 76⁵⁄16"W x 831⁄4"H x 35"D | 208   | 1 ea |
| NOTE: Ship | ped FREE from TX (76106)  |                           |       |      |
|            |                           |                           |       |      |



## **Centerline<sup>™</sup> Reach-In Refrigerators and Freezers**

Traulsen

- · Stainless steel exterior; anodized aluminum interior
- Self-closing/stay-open doors
- Electronic control with LED display for easy monitoring
- 6-year parts and labor warranty, 7-year compressor warranty



| Refrigerato             | rs - Glass Doors                                     |                       |       |      |
|-------------------------|--|-----------------------|-------|------|
| DON#                    | Desc   | Size                  | Volts | Qty  |
| 1209819                 | One Section, Right Hinged                            | 27"L x 78"H x 33½"D   | 115   | 1 ea |
| 1209833                 | Two Section  | 53¾"L x 78"H x 33½"D  | 115   | 1 ea |
| Refrigerato             | rs - Solid Doors                                     |                       |       |      |
| 1209821                 | One Section, Right Hinged                            | 27"L x 78"H x 331⁄2"D | 115   | 1 ea |
| 1209836                 | Two Section  | 53¾"L x 78"H x 33½"D  | 115   | 1 ea |
| Freezers Se             | olid Door  |                       |       |      |
| 1209827                 | Two Section  | 53¾"L x 78"H x 33½"D  | 115   | 1 ea |
| 1209815<br>NOTE: Shippe | One Section, Right Hinged<br>ed FREE from TX (76106) | 27"L x 78"H x 33½"D   | 115   | 1 ea |







## **6000XL Reach-in Refrigerators and Freezers**

#### Delfield

- ABS interior extremely durable and easy to clean. Backed by a limited lifetime warranty.
- EnergyStar listed environmentally friendly construction, refrigeration, and energy efficient operation

| DON#              | Desc            | Style                     |
|-------------------|-----------------|---------------------------|
| A. <b>E2788</b>   | Refrigerator    | 1-Section, Half Height Do |
| B. <b>E2790</b>   | Refrigerator    | 1-Section, Full Height Do |
| C. <b>E2789</b>   | Refrigerator    | 2-Section, Half Height Do |
| E2791             | Refrigirator    | 2-Section, Full Height Do |
| E2793             | Freezer         | 1-Section, Full Height Do |
| E2794             | Freezer         | 2-Section, Full Height Do |
| NOTE: Shipped FOB | from TN (38019) | -                         |

- Small footprint, more space top-mounted, space saving design with more useable space
- · Easily move through standard doorways on casters
- Three-year parts and labor warranty additional four year compressor parts warranty

| N#         | Desc         | Style                        | Size                        | Qty  |
|------------|--------------|------------------------------|-----------------------------|------|
| 788        | Refrigerator | 1-Section, Half Height Doors | 251⁄2"L x 791⁄2"H x 321⁄2"D | 1 ea |
| 790        | Refrigerator | 1-Section, Full Height Doors | 251⁄2"W x 791⁄2"H x 321⁄3"D | 1 ea |
| 789        | Refrigerator | 2-Section, Half Height Doors | 51"L x 79½"H x 32½"D        | 1 ea |
| 791        | Refrigirator | 2-Section, Full Height Doors | 51 "W x 791⁄2"H x 321⁄3"D   | 1 ea |
| 793        | Freezer      | 1-Section, Full Height Doors | 251⁄2"W x 791⁄2"H x 321⁄3"D | 1 ea |
| 794        | Freezer      | 2-Section, Full Height Doors | 51 "W x 791⁄2"H x 321⁄3"D   | 1 ea |
| 01.1.1.1.1 |              |                              |                             |      |



## **Two Section Cross-Temp® Refrigerators**

#### Beverage Air

- Exterior is stainless steel front with continuous coil coated sides
- Interior liner is made of corrosion resistant aluminum
- Expansion valve technology
- Easily converts from refrigerator to freezer
- Double cabinet configurable to all menu initiatives, temperature range of -15° F to 40° F

| DON#         | Size                  | Amps | Qty  |
|--------------|-----------------------|------|------|
| 1229036      | 52"W x 85"H x 33%"D   | 13.2 | 1 ea |
| NOTE: Shippe | d FOB from PA (15825) |      |      |



## **Reach-In Refrigerators**

#### Hoshizaki

- Exclusive stepped door design protects recessed magnetic door gasket, spring assisted self closing lockable doors with stay open feature
- Full stainless steel doors come standard with locks, one piece full length extruded aluminum flush mount handles
- Unique "ducted" air distribution system
- Solid state control system with temperature alarms and LED display in °F and °C
- Stainless steel interior with stainless steel exterior front and sides, insulated with 23%" CFC free foamed in place polyurethane



| Refrigera  | tors         |             |                               |       |                    |      |
|------------|--------------|-------------|-------------------------------|-------|--------------------|------|
| DON#       | Desc         | Cap'y       | Size                          | Volts | Compressor HP/Type | Qty  |
| 1119599    | Single Door  | 23 cu ft    | 271⁄2"W x 79¾"H x 33¾"D       | 115   | 1/5 hp             | 1 ea |
| 1119600    | Two Door     | 50 cu ft    | 55"W x 79¾"H x 33¾"D          | 115   | 1/4 hp             | 1 ea |
| Freezers   |              |             |                               |       |                    |      |
| 1119597    | Single Door  | 23 cu ft    | 33¾"L x 27½"W x 79¾"H x 33¾"D | 115   | 1/2 hp             | 1 ea |
| 1119598    |              |             | 33¾"L x 55"W x 79¾"H x 33¾"D  | 115   | 3/5 hp             | 1 ea |
| NOTE: Ship | ped FOB from | ı nearest d | istributor                    |       |                    |      |



#### **Undercounter Refrigerators and Freezers**

#### True

- Energy efficient, environmentally friendly R290 forced air refrigeration holding between 33° F and 38° F
- Exterior stainless steel front, top and ends with clear coated aluminum interior and stainless steel floor
- NSF/ANSI Standard 7 compliant for open food product
- Adjustable PVC coated wire shelves
- Seven-year warranty on compressor; six-year on parts; five-year on labor



| DON#   | Size                        | Volts | Qty  |
|--|-----------------------------|-------|------|
| A. 1028165   | 27%"W x 29¾"H x 301/8"D     | 115   | 1 ea |
| B. 1035557   | 483/s"W x 293/4"H x 301/s"D | 115   | 1 ea |
| C. 1168506   | 723/8"W x 293/4"H x 301/8"D | 115   | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |                             |       |      |



## **Solid Door Reach-In Refrigerators and Freezers**

#### True

- Environmentally friendly bottom mount refrigeration
- 300 series stainless steel door and front, anodized aluminum sides; clear coated aluminum liner with stainless steel floor
- Adjustable PVC coated shelves
- Seven-year warranty on compressor; six-year on parts; five-year on labor



|            |                        |           |                             | Allowing | -    |
|------------|------------------------|-----------|-----------------------------|----------|------|
| Refrigerat | ors                    |           |                             |          |      |
| DON#       | Desc                   | Cap'y     | Size                        | Volts    | Qty  |
| E2555      | 1 Section, 3 Shelves   | 23 cu ft  | 27"W x 78%"H x 291⁄2"D      | 115      | 1 ea |
| 1031451    | 2 Section, 6 Shelves   | 38½ cu ft | 47"W x 78%"H x 291⁄2"D      | 115      | 1 ea |
| E2556      | 2 Section, 6 Shelves   | 49 cu ft  | 541⁄8"W x 783⁄8"H x 291⁄2"D | 115      | 1 ea |
| E2557      | 3 Section, 9 Shelves   | 72 cu ft  | 78"W x 78%"H x 291⁄2"D      | 115      | 1 ea |
| Freezers   |                        |           |                             |          |      |
| E2558      | 1 Section, 3 Shelves   | 23 cu ft  | 27"W x 78%"H x 291⁄2"D      | 115      | 1 ea |
| 1031452    | 2 Section, 6 Shelves   | 38½ cu ft | 47"W x 83%"H x 29%"D        | 115      | 1 ea |
| E2559      | 2 Section, 6 Shelves   | 49 cu ft  | 541⁄8"W x 783⁄8"H x 291⁄2"D | 115      | 1 ea |
| E2560      | 3 Section, 9 Shelves   | 72 cu ft  | 78"W x 79¼"H x 29½"D        | 115      | 1 ea |
| NUTE: Ship | ped FREE from MO (6336 | (סכ       |                             |          |      |

Stainless steel, fully insulated, sealing lids



#### True

- Environmentally friendly refrigeration systems hold between 33° F and 41° F while maintaining uniform airflow throughout the system
- Standard with an extra-wide 191/2" cutting board
- 1/3-size clear food pans included

#### Pizza Pren Tables

| 1 1220 1 100 | Tubics                |                      |                                 |          |      |
|--------------|-----------------------|----------------------|---------------------------------|----------|------|
| DON#         | Style                 | Cap'y                | Size                            | Volts    | Qty  |
| E2455        | 1 Door                | (6) 1/3 Pans         | 44%"W x 38%"H x 33%"D           | 115      | 1 ea |
| E2456        | 2 Door, 4 Shelves     | (8) 1/3 Pans         | 601⁄4"W x 387⁄8"H x 335⁄8"D     | 115      | 1 ea |
| E2505        | 2-Door, 4 Shelves     | (9) 1/3 Pans         | 67%"W x 38%"H x 33%"D           | 115      | 1 ea |
| E2506        | 3-Door                | (12) 1/3 Pans        | 931⁄2"W x 387⁄8"H x 335⁄8"D     | 115      | 1 ea |
| E2507        | 4-Door                | (15) 1/3 Pans        | 1191⁄4"W x 387⁄8"H x 335⁄8"D    | 115      | 1 ea |
| Salad/San    | dwich Table           |                      |                                 |          |      |
| 3E1396       | 1 Door                | (8) 1/6 Pans         | 275/8"W x 363/4"H x 301/8"D     | 115      | 1 ea |
| 3E1397       | 2 Door, 4 Shelves     | (12) 1/6 Pans        | 483/8"W x 363/4"H x 301/8"D     | 115      | 1 ea |
| 3E1398       | 2 Door, 4 Shelves     | (16) 1/6 Pans        | 603/8"W x 363/4"H x 301/8"D     | 115      | 1 ea |
| 3E1399       | 3 Door                | (18) 1/6 Pans        | 723/8"W x 363/4"H x 301/8"D     | 115      | 1 ea |
| NOTE: Shipp  | ped FREE from MO (633 | 366). 5-year parts a | and labor, 7-year compressor wa | arranty, |      |



## **TS Series Full-Size Refrigerated Prep Tables**

#### Traulsen

- TempAssure® air-flow system surrounds food with a cool blanket of air at the proper temperature without drying it out for up to 15 hours of consistent cool temperatures while in use
- · Front-breathing design for zero-clearance installation
- Holds both high-fat and high-water-content foods equally well
- Accommodates standard full, 1/2 or 1/3 size pans without adapter bars
- NSF rated for use with 6" deep pans
- Exceeds NSF7 performance requirements;
- · keeps food fresh longer

| DON#   | Desc                     | Cap'y         | Size                | Volts | Qty  |
|--|--------------------------|---------------|---------------------|-------|------|
| 1028285  | One Section - Reach In   | (6) 1/3 Pans  | 48"L x 48%"H x 36"D | 115   | 1 ea |
| 1028288  | Two Section - Reach In   | (9) 1/3 Pans  | 66"L x 48%"H x 36"D | 115   | 1 ea |
| 1028289  | Two Section - Reach In   | (10) 1/3 Pans | 72"L x 48%"H x 36"D | 115   | 1 ea |
| 1028290  | Three Section - Reach In | (12) 1/3 Pans | 90"L x 48%"H x 36"D | 115   | 1 ea |
| NOTE: Shipped FREE from TX (76106). Three-year parts and labor warranty. |                          |               |                     |       |      |

FREE



#### Flex Drawer Refrigerator/Freezers

#### Traulsen

- · High quality stainless steel exterior top, sides, drawers and interior
- Using two systems, this convertible unit allows the switch from refrigerator to freezer at the touch of a button
- · Faster temperature recovery means less potential for food waste to help reduce costs



| <ul> <li>Magnetic snap-in EZ-Clean door gasket(s)</li> </ul> |  |
|--|--|
|--|--|

| DON#                   | Size                            | Qty  |
|------------------------|---------------------------------|------|
| 1209844                | 301⁄2"L x 3511⁄16"H x 2915⁄16"D | 1 ea |
| NOTE: Shipped FREE fro | om TX (76106)                   |      |



## **Mega Top Prep Tables**

#### Delfield

- Designed to be easy to work from, they provide a compact area where storage and assembly areas are combined to create an efficient production system
- Provide an integrated design solution to your salad, sandwich and other meal preparation needs
- Food is kept at safe, consistent temperatures, keeping your meal quality high and your food waste costs low

| DON#      | Desc                         | Cap'y  | Size                         | Qty  |
|-----------|------------------------------|--------|------------------------------|------|
| 1228788   | Salad Refrigerator           | 6 Pan  | 48"L x 31½"W x 44½"H x 31½"D | 1 ea |
| 1228787   | Salad Refrigerator           | 12 pan | 48"L x 31½"W x 44½"H x 31½"D | 1 ea |
| 1228791   | Salad Refrigerator w/ Drawer | 6 Pan  | 48"L x 31½"W x 44½"H x 31½"D | 1 ea |
| 1228789   | Salad Refrigerator w/ Drawer | 12 pan | 48"L x 31½"W x 44½"H x 31½"D | 1 ea |
|           | Salad Refrigerator w/ Drawer | 18 Pan | 48"L x 31½"W x 44½"H x 31½"D | 1 ea |
| NOTE: Shi | oped FOB from MI (48858)     |        |                              |      |



## Oasis Refrigerated Self-Service Case NEW

#### Structural Concepts

- Hydrocarbon refrigerant
- One piece formed ABS plastic tub
- E-Coated evaporator coil
- Top light (LED 4000K)
- Warmest average product temperature of 40° F or less
- One year parts and labor; 5 year compressor warranty

| DON#                   | Size                      | Qty  |
|------------------------|---------------------------|------|
| 1248671                | 35%"L x 341⁄4"W x 821⁄4"H | 1 ea |
| NOTE: Shipped FOB from | MI (49441)                |      |



#### Structural Concepts

- Three levels of clear glass shelving removable and adjustable on 1" centers
- Convection heat and LED top and shelf lights
- · Stainless steel interior
- UV bonded frameless glass
- Glass warranty only applicable to first point of delivery
- One year parts and labor warranty

| DON#                              | Size                                 | Qty  |
|-----------------------------------|--------------------------------------|------|
| 1217622                           | 35¾"L x 33"W x 35¾"H                 | 1 ea |
| 1217625<br>NOTE: Shipped FOB from | 35¾"L x 33"W x 35%"H<br>I MI (49441) | 1 ea |



#### Reveal® Combo Convertible Self-Service Case

Structural Concepts

- Breeze~E (Type-II) self-contained refrigeration
- Blue Fin coated coil
- Clear glass shelf, lighted (LED 3500K) in upper display
- Convertible baffle in upper display
- One piece formed ABS plastic tub
- Integrated average product temperature of 40° F or less

| DON#                              | Size                 | Qty  |  |  |
|-----------------------------------|----------------------|------|--|--|
| 1248990                           | 35¾"L x 33"W x 57½"H | 1 ea |  |  |
| 1248991                           | 47¾"L x 33"W x 57½"H | 1 ea |  |  |
| NOTE: Shipped FOB from MI (49441) |                      |      |  |  |

## Slide Top Mug Froster

#### Krowne

- 34"H x 24" front to back depth
- Automatic defrost timer with push button manual mode
- All stainless steel coved corner interior
- Includes floor racks and digital thermostat
- R290 hydrocarbon refrigerant
- · Eco-friendly refrigerant and insulation

| DON#              | Size               | Volts | Qty  |
|-------------------|--------------------|-------|------|
| 1183667           | 48"W x 34"H x 24"D | 115   | 1 ea |
| NOTE: Shipped FOB | from NJ (07470)    |       |      |





## **Taffer Command Stations**

#### Krowne

- Includes new Dual Hybrid Speed Sink with Diamond Series Sensor Faucet, built with space-saving tiered sink design with dedicated drains and faucets for each bowl
- Removable garnish station with integrated cover & pint cups
- Insulated elixir station with stainless steel dividers & perforated bottom for ice separation
- Ice bin dividers which allow for storage of different types of ice

| DON#     | Size         | Qty  |
|----------|--------------|------|
| 1229199  | 66" x 361⁄2" | 1 ea |
| 1229201  | 72" x 361⁄2" | 1 ea |
| 1229203  | 76" x 361⁄2" | 1 ea |
| 1229200* | 70" x 361⁄2" | 1 ea |
| 1229202* | 76" x 36½"   | 1 ea |
| 1229204* | 80" x 361⁄2" | 1 ea |





## **Food Waste Disposers**

#### Salvajor

- · Corrosion-resistant housing permanently molded from heat treated aluminum alloy

**SP** 

operation and shock absorption • Water-cooled motor provides maximum efficiency and longer life

• Tapered roller bearing provides quiet

- Short body standard on all 1 hp to 2 hp units allowing installation under 14" deep sinks; optional support leg can be purchased
- 3 hp and 5 hp units come with a support leg
- Optional short top housing for allows installation under 14" deep sinks

| DON#         | Size                 | Motor HP | Volts | Phase | Qty  |
|--------------|----------------------|----------|-------|-------|------|
| 1119097      | 15"W x 15¹¾16"H      | 2 hp     | 115   | 1 ph  | 1 ea |
| A. 1119098   | 15"W x 19"H          | 3 hp     | 208   | 3 ph  | 1 ea |
| 1119099      | 15"W x 19"H          | 5 hp     | 208   | 3 ph  | 1 ea |
| NOTE: Shinno | d EOR from MO (6/12) | )<br>)   |       |       |      |

NOTE: Shipped FOB from M0 (64132)



## **Reach-In Wine Refrigerators**

#### Victory

B. 11

NOTE:

- · Full electronic control with touchpoint interfact
- Separate controllers for each temperature zon
- Expansion valve technology
- Manager's lockout feature
- Anti-condensate door perimeter heaters
- Variable speed compressor technology

| ce |                              |       |
|----|------------------------------|-------|
|    | Size                         | Volts |
|    |                              |       |
|    | 261⁄2"W x 841⁄8"H x 347⁄8"D  | 115   |
| 2  | 261⁄2"W" x 841⁄8"H x 347⁄8"D | 115   |
|    |                              |       |

521/8"W x 841/8"H x 347/8"D

| DON#            | Desc                       |
|-----------------|----------------------------|
| 1125012         | Single Section Single Temp |
| 1125014         | Single Section Dual Temp   |
| 1125015         | Two Section Dual Temp      |
| TE: Shipped FOB | from PA (15825)            |

115

В

Qty

1 ea

1 ea

1 ea



## **2010** Super Jet Solv<sup>®</sup> Cleaner Degreaser

- Heavy duty formula removes dirt, grease, soot, resins, ink and food soils
- Safe on most washable surfaces
- Ideal to remove grease, dirt and oil from food equipment and degreasing floors

| DON#   | Desc         | Size  | Qty  |
|--|--------------|-------|------|
| 1J313  | Ready-To-Use | 32 oz | 6/cs |
| 1J320  | Concentrate  | 1 gal | 2/cs |
| 1J322  | Concentrate  | 5 gal | 1/cs |
| NOTE: Ask your DON Sales Representative for stocking locations |              |       |      |





## 2 Citrus Solv™ Heavy Duty Cleaner Degreaser

- Our most powerful degreaser for food service
- Fresh orange citrus scent
- Natural orange base cleans grease, oil, ink, dirt and food soils from food equipment and floors

| DON#   | Desc         | Size  | Qty  |
|--|--------------|-------|------|
| 1J605  | Aerosol      | 19 oz | 6/cs |
| 1J336  | Ready-To-Use | 32 oz | 6/cs |
| 1J335  | Concentrate  | 1 gal | 2/cs |
| NOTE: Ask your DON Sales Representative for stocking locations |              |       |      |





## Citrus Peroxy Degreaser


- Breaks down grease and grime
- Use on: tile and grout, restrooms, shower rooms, glass, stainless steel, carpet, upholstery, equipment
- Dilution: 4 oz per mop bucket, 4 oz per gallon light cleaning , 8 oz per gallon heavy cleaning

| DON#                        | Size                                | Qty  |
|-----------------------------|-------------------------------------|------|
| 1139577                     | 1 gal                               | 4/cs |
| NOTE: Ask your DON Sales Re | presentative for stocking locations |      |

## All-Purpose Low Foam Delimer

- Ideal for manual deliming tasks around the kitchen and bath
- Phosphoric acid solution

| DON#          | Size  | Qty  |
|---------------|---|------|
| 1J16          | 1 gal   | 4/cs |
| NOTE: Ask you | DON Sales Representative for stocking locations |      |




## San Eze®

#### Notrax

- Heavy duty, 100% grease-resistant, 7/8" thickness to reduce breakage of fragile items
- Unique MicroStop<sup>™</sup> antimicrobial rubber compound inhibits growth of bacteria and fungi, extending the life of your matting
- Provides superior foot comfort and excellent drainage
- 7-year prorated warranty against breakdown from grease and oil



| DON#       | Color          | Size      | Qty  |
|------------|----------------|-----------|------|
| R1497      | Brown          | 29" x 39" | 1 ea |
| R1498      | Brown          | 39" x 58" | 1 ea |
| NOTE: Ship | ped FOB from I | L (60674) |      |



## Superflow<sup>®</sup> Matting

#### Notrax

- Lightweight and reversible
- · Built-in drainage system keeps liquid and debris out of work areas
- 100% nitrile grease resistant on red mat
- Black for general purpose, red for heavy duty
- Limited warranty against breakdown from grease or oil; 1-year prorated on black, 2-year prorated warranty on red


| DON#                              | Color | Size    | Qty  |
|-----------------------------------|-------|---------|------|
| R1542                             | Black | 3' x 5' | 1 ea |
| R1044                             | Black | 4' x 6' | 1 ea |
| R1543                             | Red   | 3' x 5' | 1 ea |
| R1043                             | Red   | 4' x 6' | 1 ea |
| NOTE: Shipped FOB from IL (60674) |       |         |      |

## San Eze II®

#### Notrax

- Our best matting for long wear in high grease areas features MicroStop<sup>™</sup> antimicrobial protection
- 100% grease-proof red matting
- Heavy duty, yet lightweight 7/8" thick treated rubber to resist the growth of mold and mildew
- 7-year prorated warranty against grease and (NSE oil breakdown

| DON#   | Size      | Qty  |
|--|-----------|------|
| R1503  | 29" x 39" | 1 ea |
| R1504  | 39" x 58" | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |           |      |






#### Notrax

- Lightweight modular anti-fatigue mat system has molded-in connectors for easy on-site custom configurations and longer lengths
- Large hole design for excellent drainage, lightweight construction for easy handling
- 1-year prorated warranty

| DON#               | Size                     | Qty                |
|--------------------|--------------------------|--------------------|
| 1106558            | 3' x 3'                  | 1 ea               |
| NOTE: Ask your DON | Sales Representative for | stocking locations |



## Tek Tough Jr® Floor Matting

#### Notrax

- Lightweight 1/2" thick design makes handling and cleaning easy
- · Built-in beveled edge on all sides improves safety and makes cart traffic easy
- · Recommended for use at deli counters and other areas that require foot traction and safety
- T14 Black 1-year prorated warranty; T14 Red 3-year prorated warranty

| DON#   | Color | Size    | Qty  |
|--|-------|---------|------|
| R1487  | Black | 3' x 5' | 1 ea |
| R1488  | Red   | 3' x 5' | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |       |         |      |



## Superfoam® Matting

#### Notrax

- · Nitrile foam-blended mat repels liquids
- Strong resistance to oils and grease; beveled sides reduce tripping
- · Offered in solid top or perforated version to help remove liquids and debris

| Solid#                            | Perforated# | Size    | Qty  |  |
|-----------------------------------|-------------|---------|------|--|
| R1065                             | R1066       | 2' x 3' | 1 ea |  |
| R1064                             | R1063       | 3' x 3' | 1 ea |  |
| R1068                             | R1067       | 4' x 3' | 1 ea |  |
| R1057                             | R1058       | 5' x 3' | 1 ea |  |
| R1060                             | R1059       | 6' x 3' | 1 ea |  |
| R1062                             | R1061       | 8' x 3' | 1 ea |  |
| NOTE: Shipped FOB from IL (60674) |             |         |      |  |

# GET READY FOR A WHOLE NEW CLEAN Dishroom Lease Program



# HIGH PERFORMANCE DISHROOM RENTAL PROGRAM

- High Performance Commercial Dishwashers: Great results with a low operating cost.
- Confidence: Program backed by dedicated service & support so you're always up and running.
- **Save Money:** Concentrated dish machine chemicals and efficient dishwashers provide a lower cost per rack than competitive options.
- **Affordable:** Lease with one, easy monthly payment, with the option to own the equipment at the end of 5 years.



AM16 Door-Type (Base Model)



LXnH Undercounter (Base Model)

## Choose your Hobart Commercial Dishwasher

Features include high temperature sanitization, smart touchscreen with SmartConnect App, high performance washing, low cost of operation, and Ventless option.



## **High Temperature, Hot Water Sanitization:** The Facts

One of the most popular warewashing methods is known as "High Temperature, Hot Water" sanitization. Here are a few things to keep in mind when considering whether high temp, hot water sanitization is right for you:

#### **Pros:**

- Best results
- Removes tough stains such as lipstick, oils and grease better than ٠ low temp
- No chemical or bleach sanitizer residue
- Less caustic easier on your machine and items being washed
- Lower chemical costs

#### Cons:

- Additional costs
- Larger electrical and power requirements
- Door-type and larger machines require hoods for proper use

## Low Temperature, Chemical Sanitization: The Facts

Another popular warewashing method is known as "Low Temperature, Chemical Sanitization." Just like high temp, hot water sanitization, it is important that you review the advantages and disadvantages.

#### **Pros:**

- Requires less power
- Lower purchase price as no booster heater is required
- Easier handling due to dishes being cooler to the touch

#### Cons

- High chemical cost
- Stronger chemicals can limit the service life of your dishwasher and may leave residue as well as a "chemical smell"
- Can lead to less desirable results with tough stains like lipstick, proteins or fats
- Not recommended for stemware

## Advansys<sup>™</sup> LXnR Two-Level Rack **Undercounter Dishwasher**

#### Hohart

- Best-In-Class wash performance cleans tough, heavy food soils
- Includes energy recovery technology virtually eliminating vapor steam cloud by recycling the steam back into the dish machine to save money
- Second level rack kit boosts capacity to 48 racks per hour
- Smart Touchscreen provides simple and intuitive operation, & integrated WiFi connects to the Hobart SmartConnect app
- Low Chemical Alerts and Complete Delime<sup>™</sup> with Booster Guard<sup>™</sup> ensures peak cleaning performance with safer chemical handling
- 17" opening with NSF Pot & Pan Rating washes heavy food soils off a variety of ware

| DON#                               | Desc                         |  |
|------------------------------------|------------------------------|--|
| 1047521                            | High Temp Dishwasher         |  |
| 1047520                            | Chemical Sanitizing Dishwash |  |
| 1047523                            | Two-Level Rack Dishwasher    |  |
| NOTE: Shipped FREE from KY (41017) |                              |  |





#### Qty Size Cap'y Volts 257/10"W x 321/2"H x 239/10"D 32 Racks/Hr 120 1 ea 257/10"W x 321/2"H x 239/10"D 34 Racks/Hr 120 1 ea her 264/5"W x 321/2"H x 23%10"D 30 Racks/Hr 120 1 ea



## Centerline<sup>™</sup> High and Low Temp Dish Machines and Accessories

Hohart

#### • Undercounter Dishmachines


- Wash up to 24 racks per hour, with just .84 gallons of rinse water per rack
- Sense-a-Temp<sup>™</sup> booster heater ensures 180° F final rinse temp
- Delime notification and cycle alerts
- Convenient 14.46" door opening

#### • Door Type Dishmachines

- Wash up to 51 racks per hour, with just .73 gallons of water per rack
- Top-mounted user interface with digital temp display - 18" pillarless door opening



| <b>Door Type</b> | Dishmachines     |                     |             |         |      |
|------------------|------------------|---------------------|-------------|---------|------|
| DON#             | Desc             | Size                | Cap'y       | Volts   | Qty  |
| 1228272          | High Temp        | 30"L x 33"W x 62"H  | 51 Racks/hr | 208/240 | 1 ea |
| 1228273          | High Temp        | 30"L x 33"W x 62"H  | 51 Racks/hr | 120     | 1 ea |
| Undercour        | nter Dishmachi   | nes                 |             |         |      |
| 1179933          | High Temp        | 27"L x 28"W x 39"H  | 24 Racks/hr | 208/240 | 1 ea |
| 1199680          | Low Temp         | 23"W x 33"H x 24"D  | 24 Racks/hr | 120     | 1 ea |
| Accessori        | es               |                     |             |         |      |
| DON#             | Desc             | Size                |             | Volts   | Qty  |
| 1196284          | Arm Rinse        | 22"L x 2"W x 11⁄2"H |             | _       | 1 ea |
| 1196297          | Indicator        | 22"L x 9"W x 3"H    |             | _       | 1 ea |
| 1196298          | Kit              | 11"L x 11"W x 9"H   |             | _       | 1 ea |
| 1196301          | Stand            | 24"L x 24"W         |             | _       | 1 ea |
| 1196300          |                  | 13"L x 9"W x 5"H    |             | 208/240 | 1 ea |
| NOTE: Ship       | oed Free from KY | (41017)             |             |         |      |



## Advansys<sup>™</sup> High Temp Ventless Dish Machines

#### Hobart

- Unique energy recovery condensing cycle eliminates the need for a vent hood
- NSF certified for cleaning pots and pans, dishes and glasses
- · Easy-to-use controls to select cycle times of 1, 2, 4 and 6 minutes-uses only .67 gallon of water per rack
- Built-in booster heater; stainless steel construction

| DON#                               | Size                  |  |
|------------------------------------|-----------------------|--|
| 1015666                            | 291⁄4"W x 69"H x 35"D |  |
| 1015661                            | 291⁄4"W x 69"H x 35"D |  |
| NOTE: Shipped FREE from KY (41017) |                       |  |



|     | Cap'y       | Volts | Qty  |
|-----|-------------|-------|------|
| 5"D | 45 Racks/Hr | 208   | 1 ea |
| 5"D | 45 Racks/Hr | 208   | 1 ea |

## **Choose from Open and Closed Style Racks**



## CleanGard<sup>™</sup> Dish and Glass Racks

• Three-component warewashing rack system offers a combination of base rack with open or divided color-coded extenders

| Glass Racks - Grey   |             |         |                   |                    |      |
|--|-------------|---------|-------------------|--------------------|------|
| DON#   | Style       | Cap'y   | Comp Size         | Rack Size          | Qty  |
| A. 1158778   | _           | 9 Comp  | 57∕≋"W x 31⁄2"H   | 19% "Sq x 4"H      | 1 ea |
| 1158775  | 1 Extender  | 9 Comp  | 51⁄8"W x 43⁄4"H   | 197∕≋"Sq x 51⁄₂"H  | 1 ea |
| 1158776  | 2 Extenders | 9 Comp  | 57∕≋"W x 61⁄₂"H   | 197∕≋"Sq x 7"H     | 1 ea |
| 1158777  | 3 Extenders | 9 Comp  | 57∕8"W x 77∕8"H   | 197∕≋"Sq x 81⁄2"H  | 1 ea |
| 2E7456   | —           | 16 Comp | 41⁄2"W x 31⁄2"H   | 197⁄8"Sq x 51⁄2"H  | 1 ea |
| 1158764  | 1 Extender  | 16 Comp | 41⁄2"W x 43⁄4"H   | 197⁄8"Sq x 51⁄2"H  | 1 ea |
| 1158765  | 2 Extenders | 16 Comp | 41⁄2"W x 61⁄2"H   | 197∕≋"Sq x 7"H     | 1 ea |
| 1158766  | 3 Extenders | 16 Comp | 41⁄2"W x 715⁄16"H | 197⁄8"Sq x 81⁄2"H  | 1 ea |
| 1158767  | 4 Extenders | 16 Comp | 41⁄2"W x 91⁄2"H   | 197⁄8"Sq x 101⁄2"H | 1 ea |
| 2E7460   | _           | 25 Comp | 31⁄2"W x 715⁄16"H | 197∕≋"Sq x 4"H     | 1 ea |
| 1158768  | 1 Extender  | 25 Comp | 31⁄2"W x 43⁄4"H   | 197⁄8"Sq x 51⁄2"H  | 1 ea |
| 1158769  | 2 Extenders | 25 Comp | 3¾"W x 61⁄₂"H     | 197∕≋"Sq x 7"H     | 1 ea |
| 1158770  | 3 Extenders | 25 Comp | 33⁄5"W x 715⁄16"H | 197⁄8"Sq x 81⁄2"H  | 1 ea |
| 1158771  | 4 Extenders | 25 Comp | 33∕5"W x 91⁄2"H   | 197∕≋"Sq x 101⁄₂"H | 1 ea |
| 1042771  | _           | 36 Comp | 215⁄16"W x 31⁄5"H | 19¾"Sq x 4"H       | 1 ea |
| 1158772  | 1 Extender  | 36 Comp | 3"W x 31∕₂"H      | 197⁄8"Sq x 51⁄2"H  | 1 ea |
| 1158774  | 3 Extenders | 36 Comp | 3"W x 77∕8"H      | 197⁄8"Sq x 81⁄2"H  | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |             |         |                   |                    |      |



| DON#   | Desc          | Comp    | Comp Size       | Glass Ht | Qty  |
|--------|---------------|---------|-----------------|----------|------|
| 2E7250 | Flatware Back | Open    | 19¾" x 19¾"     | 4"       | 1 ea |
| 2E7252 | Flatware Rack | 8 Comp  | 31/2" x 31/2"   |          | 1 ea |
| 2E7255 | Glass Rack    | 16 Comp | 43/8" x 43/8"   | 81/8"    | 1 ea |
| 2E7257 | Glass Rack    | 16 Comp | 43⁄8" x 43⁄8"   | 101⁄2"   | 1 ea |
| 2E7272 | Glass Rack    | 25 Comp | З7⁄16" X З7⁄16" | 5%"      | 1 ea |
| 2E7256 | Glass Rack    | 25 Comp | З7⁄16" X З7⁄16" | 71⁄4"    | 1 ea |
| 2E7253 | Glass Rack    | 25 Comp | З7⁄16" X З7⁄16" | 87⁄4"    | 1 ea |
| 2E7260 | Glass Rack    | 25 Comp | З7⁄16" X З7⁄16" | 101⁄2"   | 1 ea |
| 2E7254 | Glass Rack    | 36 Comp | 21/8" x 21/8"   | 51⁄4"    | 1 ea |
| 2E7273 | Glass Rack    | 36 Comp | 21/8" x 21/8"   | 5%"      | 1 ea |
| 2E7258 | Glass Rack    | 36 Comp | 21/8" x 21/8"   | 81⁄8"    | 1 ea |
| 2E7259 | Glass Rack    | 36 Comp | 21/8" x 21/8"   | 101⁄2"   | 1 ea |
| 2E7259 | Glass Rack    |         |                 | 101⁄2"   | 1 ea |



- Positive stacking from either direction, open honeycomb design for superior washing and comfort-grip handles on all four sides
- Rack extenders and dividers accommodate all your warewashing needs

(NSF)

NSF

| Cı       | ıp Racks   | - Grey  |  |   |  |  |
|----------|--|---|--|---|--|--|
| B.       | DON#<br>2E7450<br>2E7451                               | Cap'y<br>16 Comp<br>20 Comp                                     |  | <b>Comp Size</b><br>45⁄16"W x 31⁄4"H<br>33⁄8"W x 43⁄4"H                         | <b>Rack Size</b><br>19¾"Sq x 4"H<br>19¾"Sq x 5%6"H   | <b>Qty</b><br>1 ea<br>1 ea                         |
| W        | arewashi   | ng Racks - Grey   |  |   |  |  |
|          |  | Tall Peg Plate/Tray<br>Open Bowl<br>Flatware<br>Flatware Basket | Open<br>Open<br>Open<br>8 Comp                           | Comp Size<br>31/4"H<br>31/4"H<br>31/4"H<br>31/4"H<br>31/4"H<br>31/2"W x 47/16"H | <b>Rack Size</b><br>19%"Sq x 4"H<br>19%"Sq x 3%6"H<br>19%"Sq x 4"H<br>19%"Sq x 4"H<br>17"L x 7%1"W x 67%"H | <b>Qty</b><br>1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea |
| Ac       |  | Rack Extenders - G  | rey  |   |  |  |
| D.<br>E. | DON#<br>115876<br>115876<br>115876<br>115876<br>2E7470 | 0<br>1<br>2   | Cap'y<br>9 Comp<br>16 Comp<br>25 Comp<br>36 Comp<br>Open | 4½"₩ x 1½"H<br>3%"₩ x 1½"H  | <b>Rack Size</b><br>197%"Sq x 1¾"H<br>197%"Sq x 1¾"H<br>197%"Sq x 1¾"H<br>197%"Sq x 1¾"H<br>197%"Sq x 1¾"H | <b>Qty</b><br>1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea |
| Po       | lypropyle  | ene Rack Dolly - Gr   | ey   |   |  |  |
|          | DON#<br>100627   | 3   |  | <b>Size</b><br>22½"Sq x 8"H   |  | <b>Qty</b><br>1 ea                                 |

#### Camrack<sup>®</sup> 4-in-1 System

- Open inside compartments to ensure thorough cleaning
- Closed external walls keep fingers and contaminants out
- Inventory includes ten base rack colors with hot stamping and ID clips available
- Easily transport anywhere as a complete system

| DON#       | Desc          | Comp    | Comp Size           | Glass Ht | Qty  |
|------------|---------------|---------|---------------------|----------|------|
| 2E7271     | Cup Rack      | 20 Comp | 43⁄8" x 37⁄16"      | 4"       | 1 ea |
| 2E7251     | Peg Rack      | _       | 19¾" x 19¾"         | 4"       | 1 ea |
| 2E7266     | Rack Extender | 25 Comp | _                   | 2"       | 1 ea |
| 2E7265     | Rack Extender | 36 Comp | —                   | 2"       | 1 ea |
| Dolly      |               |         |                     |          |      |
| DON#       | Desc          | Color   | Size                |          | Qty  |
| K2048      | Camdolly      | Grey    | 21%/"L x 21%/"W x 8 | "Н       | 1 ea |
| Rack Cover |               |         |                     |          |      |
| 2E4099     | Rack Cover    | White   | 19%"L x 19%"W       |          | 1 ea |

Note: Ask your DON Sales Representative for stocking locations

34

| OPPORT™ Utility   |  |                    |
|---|--|--------------------|
| <ul> <li>Ergonomic contoured ha</li> <li>Shelf cutaway for better</li> <li>Built-in tray for smaller i</li> </ul> | leg clearance  | NSF                |
| DON#<br>1055243<br>NOTE: Ask your DON Sales Repr  | Size<br>31½"W x 35½"H x 185%6"D<br>esentative for stocking locations | <b>Qty</b><br>1 ea |



## **Poly Bus Boxes**

(NSF.)

- Contoured lid design for easy stacking, saving storage space
- · Reinforced rims to reduce bending, breaking and bowing

| DON#         | Color              | Size                             | Qty  |
|--------------|--------------------|----------------------------------|------|
| K9435        | Black              | 20"L x 15"W x 5"H                | 1 ea |
| K9953        | Black              | 20"L x 15"W x 7"H                | 1 ea |
| K9951        | Grey               | 20"L x 15"W x 7"H                | 1 ea |
| NOTE: Ask yo | ur DON Sales Repre | sentative for stocking locations |      |



## 2 Adjustable Polymer Poker Chip Dish Dolly

- Unique system of adjustable, removable dividers provides flexibility and maximizes loading density
- Divider adjustment is made on underside to minimize tampering with settings
- Holds up to 320 plates, capacity varies depending on plate size
- Vinyl dust cover included
- Standard 5" swivel casters for easy mobility

| DON#                            | Size                            | Qty  |
|---------------------------------|---------------------------------|------|
| E3169                           | 26%"W x 3115/16"H x 26%"D       | 1 ea |
| NOTE: Ask your DON Sales Repres | entative for stocking locations |      |



- Stain resistant, easy-to-clean shelf surfaces
- Center shelf is easy to position and adjusts in 1" increments

| DON#   | Size                 | Cap'y   | Qty  |
|--|----------------------|---------|------|
| E2901  | 32¾"W x 41"H x 21½"D | 400 lbs | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |                      |         |      |

NSF



## 💯 Bun Pan Racks

А

- Holds full size bun pans, 18" x 26" end loading
- Tough riveted aluminum construction
- Extra strength, lightweight
- Ships knocked down; easy assembly
- Casters included. Check for inner carton.

#### **Bun Pan Racks**

| DON#                | Desc                 | Cap'y               | Size                     | Qty   |
|---------------------|----------------------|---------------------|--------------------------|-------|
| 1141733             | 3" Spacing           | 7 Pan               | 26"W x 331⁄4"H x 201⁄4"D | 1 ea  |
| 1141731             | 5" Spacing           | 11 Pan              | 26"W x 67¾"H x 20¼"D     | 1 ea  |
| A. 1141732          | 3" Spacing           | 18 Pan              | 26"W x 67¾"H x 20¼"D     | 1 ea  |
| <b>Rack Cover -</b> | <b>Heavy Duty Zi</b> | ppered              |                          |       |
| DON#                |                      |                     | Size                     | Qty   |
| E3004               |                      |                     | 23"W x 64"H x 28"D       | 1 ea  |
| Accessories         |                      |                     |                          |       |
| DON#                | Desc                 |                     | Size                     | Qty   |
| J1761               | Bun Pan Rack         | Cover               | 34"W x 78"H x 26"D       | 50/cs |
| 1133245             | Double Bun Pa        | an Rack Cover       | 38"W x 76"H x 30"D       | 50/cs |
| 1200653             | Caster Set F/ E      | 3un Pan Rack        | 5"L x 5"W x 6½"H         | 1 ea  |
| NOTE: Ask you       | r DON Sales Rep      | resentative for sto | ocking locations         |       |



## 2 Polymer Bow Tie<sup>™</sup> Dunnage Racks

- Durable, versatile racks hold up to 3,000 lbs per unit
- Bow Tie<sup>™</sup> feature joins racks together easily without using tools
- Rust- and corrosion-proof polyethylene construction

| DON#   | Cap'y     | Size               | Qty  |
|--|-----------|--------------------|------|
| F9238  | 1,500 lbs | 36"W x 12"H x 22"D | 1 ea |
| F9244  | 3,000 lbs | 48"W x 12"H x 22"D | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |           |                    |      |



## Aluminum Dunnage Racks

| DON#   | Cap'y    | Size               | Qty  |  |
|--|----------|--------------------|------|--|
| 1141729  | 2,000 lb | 36"L x 18"W x 12"H | 1 ea |  |
| 1141730  | 2,000 lb | 48"L x 18"W x 12"H | 1 ea |  |
| NOTE: Ask your DON Sales Representative for stocking locations |          |                    |      |  |





NSF

## **Ultimate Sheet Pan Racks**

Cambro

(NSE)

NSF

- Heat-resistant rails
- $\bullet$  Able to defrost, stage, hold or cool down food products
- Durable and rust-proof polypropylene construction

| DON#                              | Desc           | Size                        | Cap'y | Rail Space | Qty  |
|-----------------------------------|----------------|-----------------------------|-------|------------|------|
| 1176732                           | Half           | 331⁄₃"L x 25%"W x 48"H      | 12 pc | 3"         | 1 ea |
| 1176729                           | Full           | 331⁄3"L x 254⁄9"W x 723⁄8"H | 20 pc | 3"         | 1 ea |
| 1176731                           | Full Assembled | 331⁄3"L x 25%"W x 72%"H     | 20 pc | 3"         | 1 ea |
| 1176733                           | Half           | 331⁄₃"L x 25%"W x 48"H      | 20 pc | 11⁄2"      | 1 ea |
| 1176730                           | Full           | 331⁄3"L x 251⁄9"W x 723⁄8"H | 40 pc | 11⁄2"      | 1 ea |
| NOTE: Shipped FOB from CA (92647) |                |                             |       |            |      |

#### 2 DonGard2<sup>™</sup> Shelving

#### Metro

- 2,000 lbs unit capacity, 800 lbs per shelf up to 48" length, 600 lbs capacity 60" shelf length
- Easy-to-clean, removable polymer shelf mats easily lift off for cleaning in dish machine; embedded antimicrobial protection
- Antimicrobial protection in mats inhibits the growth of bacteria
- · Vented design minimizes dust accumulation and allows a free circulation of air
- Casters add greater flexibility and easy mobility
- 12-year warranty on rust and corrosion on shelf frames and posts

| Stationary Po       | sts (With Leveling Bolts)         |                     |      |
|---------------------|-----------------------------------|---------------------|------|
| DON#                |                                   | Length              | Qty  |
| 1217992             |                                   | 741⁄2"              | 4/cs |
| <b>Mobile Posts</b> | (For Stem Casters - Not Included) |                     |      |
| 1217991             |                                   | 621⁄2"              | 4/cs |
| Shelves             |                                   |                     |      |
| DON#                |                                   | Size                | Qty  |
| 1217993             |                                   | 36"L x 18¼"W x 6½"H | 4/cs |
| 1217994             |                                   | 48"L x 18¼"W x 6½"H | 4/cs |
| 1217995             |                                   | 36"L x 24¼"W x 6½"H | 4/cs |
| 1217996             |                                   | 48"L x 24¼"W x 6½"H | 4/cs |
| 1217997             |                                   | 60"L x 24¼"W x 6¼"H | 4/cs |
| Casters and A       | Accessories                       |                     |      |
| DON#                | Desc                              | Size                | Qty  |
| F9282               | Swivel Caster                     | 5" x 1¼"            | 1 ea |
| F9283               | Swivel with Brake Caster w/ Brake | 5" x 1¼"            | 1 ea |
| F9284               | Heavy Load Caster                 | 5" x 1¼"            | 1 ea |
| F9285               | Caster with Brake                 | 5" x 1¼"            | 1 ea |





#### **Security Carts**

#### Metro

- Keeps unauthorized personnel away from valuable or hazardous stock
- Heavy-gauge wire keeps contents secure while leaving them visible for inventory purposes
- Does not include intermediate shelves
- Chrome shelving, posts, caps and 5" polyurethane casters

| Mobile Units                |                             |      |
|-----------------------------|-----------------------------|------|
| DON#                        | Size                        | Qty  |
| F9341                       | 271⁄4"W x 681⁄2"H x 403⁄4"D | 1 ea |
| F9342                       | 271⁄4"W x 681⁄2"H x 523⁄4"D | 1 ea |
| F9340                       | 271⁄4"W x 681⁄2"H x 65"D    | 1 ea |
| Stationary Units            |                             |      |
| F9343                       | 28"W x 67"H x 38"D          | 1 ea |
| F9344                       | 28"W x 67"H x 50"D          | 1 ea |
| <b>Intermediate Shelves</b> |                             |      |
| F9265                       | 36"L x 24"W                 | 1 ea |
| F9267                       | 48"L x 24"W                 | 1 ea |
| F9268                       | 60"L x 24"W                 | 1 ea |
| NOTE: Shipped FOB from      | regional warehouse          |      |

#### DONepoxy Shelving

#### Metro

(NSF;)

NSE

- Open wire design minimizes dust, improves air circulation, and increases light
- NSF for all environments and carries a 7-year corrosion warranty
- 2,000 lb unit capacity, 800 lb per shelf up to 48" length, 600 lb capacity 60" shelf length
- Stationary and mobile posts provide 1" adjustment, 8" double groove for ease of assembly
- 63" post adds easy mobility

| Mobile Posts                |                                     |      |
|-----------------------------|-------------------------------------|------|
| DON#                        | Size                                | Qty  |
| 1217984                     | 621⁄2"L x 41⁄4"W                    | 4/cs |
| Stationary Posts            |                                     |      |
| 1217985                     | 741⁄2"L x 41⁄4"W                    | 4/cs |
| Shelves                     |                                     |      |
| 1217986                     | 36"L x 181⁄4"W                      | 4/cs |
| 1217988                     | 36"L x 241⁄4"W                      | 4/cs |
| 1217987                     | 48"L x 18¼"W                        | 4/cs |
| 1217989                     | 48"L x 241⁄4"W                      | 4/cs |
| 1217990                     | 60"L x 241⁄4"W                      | 4/cs |
| NOTE: Ask your DON Sales Re | presentative for stocking locations |      |

es a 7-year corrosion warranty



#### Glo-Ray® Heated Shelves with ThruShelf Mounting Kit Hatco

- Mounts to any wire shelf providing a great option to create a heated shelving option for pick up or to-go staging
- Hundreds of sizes available to fit any size shelving unit
- Uniform heat distribution with blanket-type element
- Built-in adjustable thermostat controls surface temperature

|             |                         |                       |       | ANSI/NSF 4 |  |  |
|-------------|-------------------------|-----------------------|-------|------------|--|--|
| DON#        | Desc                    | Size                  | Volts | Qty        |  |  |
| 1164515     | Heated Shelf            | 18"W x 2%"H x 7¾"D    | 120   | 1 ea       |  |  |
| 1138345     | Heated Shelf            | 24"W x 2%"H x 13¾"D   | 120   | 1 ea       |  |  |
| 1039239     | Heated Shelf            | 24"W x 2%"H x 19½"D   | 120   | 1 ea       |  |  |
| 1033708     | Heated Shelf            | 36"W x 2%"H x 19½"D   | 120   | 1 ea       |  |  |
| 1122165     | Shelf                   | 48"W x 5%"H x 251⁄2"D | 120   | 1 ea       |  |  |
| NOTE: Shipp | oed FOB from WI (54235) |                       |       |            |  |  |
|             |                         |                       |       |            |  |  |



#### **Glo-Ray 2-Go® Heated Shelves**

#### Hatco

- · Handles pick-up, third-party delivery or any food to-go situation
- Heated shelves are 39" (991 mm) wide and 20" (508 mm) deep, large enough for pizza boxes and bags, which will fit easily into the 13" (330 mm) clearance of each shelf
- Touchscreen control with digital readout displays heat and timer for each shelf; can be configured at chef's left or chef's right to fit any operation
- Standard units feature shelves with heated bases that are thermostatically controlled and have a stainless steel frame
- The cord is recessed into the bottom shelf at a 45° angle, allowing the (Ur unit to be flush against the wall

| DON#          | Style                             | Size                  | Volts | Qty  |  |  |  |
|---------------|-----------------------------------|-----------------------|-------|------|--|--|--|
| 1205956       | 2 Shelves                         | 43"W x 211⁄2"H x 20"D | 120   | 1 ea |  |  |  |
| 1205957       | 3 Shelves                         | 43"W x 35¾"H x 20"D   | 120   | 1 ea |  |  |  |
| 1205958       | 4 Shelves                         | 43"W x 50"H x 20"D    | 120   | 1 ea |  |  |  |
| 1205959       | 5 Shelves                         | 43"W x 641⁄4"H x 20"D | 120   | 1 ea |  |  |  |
| NOTE: Shipped | NOTE: Shipped FOB from WI (54235) |                       |       |      |  |  |  |



## Super Erecta Heated Shelving

#### Metro

- · Keep food hot while preparing, serving, or staging hot food items
- Each shelf is self-contained with an adjustable thermostat to control temperatures up to 200° F (93° C)
- Customizable spacing with adjustable shelves; 11/2"H
- 120 volts

| DON#         | Size                   | Qty      | DON#         | Size         | Qty  |
|--------------|------------------------|----------|--------------|--------------|------|
| 1205411      | 24"L x 14%"W           | 1 ea     | 1205413      | 36"L x 14%"W | 1 ea |
| 1205419      | 24"L x 18%"W           | 1 ea     | 1205421      | 36"L x 18%"W | 1 ea |
| 1205428      | 24"L x 24%"W           | 1 ea     | 1205430      | 36"L x 24%"W | 1 ea |
| 1205412      | 30"L x 14%"W           | 1 ea     | 1205415      | 42"L x 14%"W | 1 ea |
| 1205420      | 30"L x 18% "W          | 1 ea     | 1205423      | 42"L x 18%"W | 1 ea |
| 1205429      | 30"L x 24%"W           | 1 ea     | 1205432      | 42"L x 24%"W | 1 ea |
| DON#         |                        |          | Size         |              | Qty  |
| 1205340      |                        |          | 48"L x 14"W  |              | 1 ea |
| 1205425      |                        |          | 48"L x 18%"W | 1            | 1 ea |
| 1205434      |                        |          | 48"L x 24%"W | 1            | 1 ea |
| 1205418      |                        |          | 60"L x 14%"W | 1            | 1 ea |
| 1205427      |                        |          | 60"L x 18%"W | 1            | 1 ea |
| 1205436      |                        |          | 60"L x 24%"W | 1            | 1 ea |
| NOTE: Shippe | d FOB from regional wa | irehouse |              |              |      |





#### **To-Go and Delivery Smart Solutions** Metro

- The To-Go and Order Pick-Up wire shelving workstations are specially designed to create an organized and simplistic order pick-up system
- The Delivery-Staging and Drive-Thru wire shelving workstations come complete with a worktable, overhead storage system and an additional shelving area below the worksurface

| Ordering, Deli | very and Pick-Up                    |                       |      |
|----------------|-------------------------------------|-----------------------|------|
| DON#           | Desc                                | Size                  | Qty  |
| 1194852        | To-Go Station                       | 63"L x 18"W x 36"H    | 1 ea |
| 1198809        | Delivery/Drive-Thru Workstation     | 31¾"L x 27¾"W x 65¾"H | 1 ea |
| A. 1198810     | Delivery/Drive-Thru Workstation     | 49¾"L x 27¾"W x 65¾"H | 1 ea |
| 1198806*       | To-Go/Order Pick-Up Workstation     | 23¾"L x 18"W x 62¼"H  | 1 ea |
| B. 1198807*    | To-Go/Order Pick-Up Workstation     | 35¾"L x 18"W x 62¼"H  | 1 ea |
| 1198808*       | To-Go/Order Pick-Up Workstation     | 47¾"L x 18"W x 62¼"H  | 1 ea |
| NOTE: Shipped  | FOB from regional warehouse. *Comes | with signage.         |      |

#### Pick-Up Cabinets NEW

Carter-Hoffmann

- Floor or countertop models
- · Ambient or heated lockers with product sensors and interior lighting
- Expandable modular design; additional cabinets can be connected to the master cabinet
- Front-loading and pass-through options; transparent cabinet doors; auto-open, manual close
- QR code scanner and capacitive touchscreen tablet; standalone or POS integration

| DON#       | Style                   | Cap'y  | Size                      | Volts | Qty  |
|------------|-------------------------|--------|---------------------------|-------|------|
| 123816     | 9 Ambient Front Load    | 6 Unit | 441⁄4"W x 56"H x 15%"D    | 120   | 1 ea |
| 123817     | O Ambient Pass Thru     | 6 Unit | 441⁄4"W x 56"H x 15%"D    | 120   | 1 ea |
| 123817     | 1 Ambient Front Load    | 8 Unit | 44¼"W x 78½"H x 16%"D     | 120   | 1 ea |
| A. 123817  | 2 Ambient Pass Thru     | 8 Unit | 441⁄4"W x 781⁄2"H x 16%"D | 120   | 1 ea |
| 123817     | '3 Heated Front Load    | 6 Unit | 441⁄4"W x 56"H x 15%"D    | 120   | 1 ea |
| 123817     | 4 Heated Pass Thru      | 6 Unit | 441⁄4"W x 56"H x 15%"D    | 120   | 1 ea |
| NOTE: Ship | ped FOB from MI (49858) |        |                           |       |      |



#### Metro2Go Hot Stations

#### Metro

- · Perfect for prepaid, self-service carryout orders, take-out or delivery order staging, or grab and go applications
- · Pass-thru design increases operational efficiency by minimizing unnecessary employee motion
- · Low wattage design, all models operate on a single 15 amp circuit

| DON#         | Style             | Desc               | Size                    | Volts | Qty  |
|--------------|-------------------|--------------------|-------------------------|-------|------|
| B. 1203882   | Grab and Go       | 4 Compartment      | 425/7"W x 36%"H x 20%"D | 120   | 1 ea |
| 1205406      | Grab and Go       | 2-Shelf            | 425⁄5"W x 36%"H x 20%"D | 120   | 1 ea |
| 1205407      | Grab and Go       | 2-Shelf With Doors | 425⁄7"W x 36%"H x 20%"D | 120   | 1 ea |
| 1205437      | Order Staging     | 8 Compartment      | 425⁄7"W x 36%"H x 20%"D | 120   | 1 ea |
| NOTE: Shippe | d FOB from regior | nal warehouse      |                         |       |      |

Capacitive touchscreen tablet with QR code scanner

А

PUC

nterte




#### Heated Smart Order Cabinets NEW

Carter-Hoffman

- Designed for automated pick-up, carry-out and drop-off, including 3rd party delivery services
- Cabinets are connected via Ethernet or Wi-Fi to generate an order QR code
- Stainless steel construction with anti-microbial, powder-coated exterior; standard color is black
- Software includes order management, programmable residence time alarm, customer notification and cleaning cycle notifications
- Front-loading cabinets have stainless steel back; pass-through cabinets are open in back

| DON#         | Desc               | Cap'y  | Size                  | Qty  |
|--------------|--------------------|--------|-----------------------|------|
| 1238175      | Front Load         | 8 Unit | 44¼"W x 78½"H x 16%"D | 1 ea |
| 1238176      | Pass Thru          | 8 Unit | 44¼"W x 78½"H x 16%"D | 1 ea |
| NOTE: Shippe | ed FOB from MI (49 | 858)   |                       |      |




#### Flav-R 2-Go® Locker System

#### Hatco

NSI

- Ideal for handling pick-up, third-party delivery and to-go orders that minimizes human interactions to keep both customers and employees safe
- · Individual lockers offer heated or ambient storage
- Each locker has a timer that will hold prepared and packaged food for up to 45 minutes
- Large 10" (254 mm) touchscreen for easy viewing (front and/or back)



| DON      | #      | Desc                | Lockers | Size                        | Volts | Qty  |
|----------|--------|---------------------|---------|-----------------------------|-------|------|
| 1205     | 5955   | Heated Food Locker  | 3       | 61"W x 161/8"H x 143/4"D    | 120   | 1 ea |
| C. 120   | 5954   | Heated Food Locker  | 4       | 431⁄8"W x 313⁄4"H x 143⁄4"D | 120   | 1 ea |
| NOTE: SI | hipped | FOB from WI (54235) |         |                             |       |      |

ANSI/NSE 4



#### **Table Mount Can Openers** Edlund

- Removable blade assembly
- Meet safe and sanitary HACCP standards
- · Made in the USA
- Stainless steel construction
- K5618 and K5617 have SS shafts, cast aluminum housing

| <b>Cast Iron Can</b>                                | Openers                                  |  |                                     |                            |
|---|--|--|-------------------------------------|----------------------------|
| <b>DON#</b><br>A. <b>K5612</b><br>B. <b>K5810**</b> | <b>Desc</b><br>Medium Duty<br>Heavy Duty | Stainless Shaft,<br>Knife and Gear<br>No<br>No | <b>Warranty</b><br>1 year<br>1 year | <b>Qty</b><br>1 ea<br>1 ea |
|   | - Easy Pull-Pin D                        |  | i yeai                              | i ca                       |
| C. <b>K5618*</b>                                    | Medium Duty                              | Yes  | 1 year                              | 1 ea                       |
| D. <b>K5809</b>                                     | Heavy Duty                               | Yes  | 5 year                              | 1 ea                       |
| E. K5617  | Heavy Duty                               | Yes  | 1 year                              | 1 ea                       |
| *NOTE: Ask you                                      | r DON Sales Repres                       | sentative for stocking loca                    | ations.                             |                            |

\*\* Dishwasher safe, 5 year warranty.



#### **FIFO Can Racks**

#### Cambro

• Single can rack holds eight #10 cans or 12 #5 cans; full size can rack holds 96 #10 cans or 144 #5 cans

| DON#                     | Desc                     |
|--------------------------|--------------------------|
| F. 1165252               | Premium Series Can Rack  |
| G. 1165253               | Elements Series Can Rack |
| H. 1165254               | Add-on Rack              |
| J. 1165255               | Single Rack              |
| NOTE: Shipped FOB from C | CA (11220)               |
|                          |                          |



- Easy to assemble, ships knockdown
- Lifetime warranty against rust and corrosion

| Qty  |
|------|
| 1 ea |
| 1 ea |
| 1 ea |
| 1 ea |
|      |



#### Edvantage #1 Manual Can Opener Edlund

- Four sides knife design allows up to 10,000 openings before replacement
- New Edvancoat<sup>®</sup> gold gear allows up to 10,000 openings before replacement
- Tool free disassembly
- Made in the USA

| Can Opener   |                        |          |      |
|--------------|------------------------|----------|------|
| DON#         | Desc                   | Warranty | Qty  |
| 1205848      | No Base                | 2 year   | 1 ea |
| 1205849      | Plated Base            | 2 year   | 1 ea |
| 1205850      | SS Base                | 2 year   | 1 ea |
| Replaceme    | nt Part Kit            |          |      |
| 1205847      |                        | _        | 6/cs |
| NOTE: Shippe | ed FOB from VA (05401) |          |      |



## 💯 Can Opener

• White plastic comfort grip handles

| DON#    | Size                | Qty  |
|---------|---------------------|------|
| 1176323 | 7¾"L x 2¼"W x 1%6"H | 1 ea |



NSF

Qty 1 ea 1 ea 1 ea 1 ea

#### **Wedgemaster®**

#### Vollrath

- Slices any vegetable or fruit into equal wedges
- · Great for kitchens, salad bars and beverage garnishes
- Provides superior portion control
- Two-year parts and labor warranty

| Wedge Cutter                 |                                     |  |
|------------------------------|-------------------------------------|--|
| DON#                         | Size                                |  |
| A. 1K5724                    | 6-Cut                               |  |
| B. 1K5706                    | 8-Cut                               |  |
| Blade Assembly               |                                     |  |
| 1K5705                       | 6-Section                           |  |
| 1K5707                       | 8-Section                           |  |
| NOTE: Ask your DON Sales Rep | presentative for stocking locations |  |

#### InstaCut<sup>™</sup> 5.1 Manual Vegetable Dicer/Slicer

#### Vollrath

- Full 5" sq cutting area for processing small and large fruits and vegetables
- One-piece blade assembly changes from chopping to slicing in seconds
- Serrated blades require up to 50% less force than straight blades and maintain food quality
- · Unibody aluminum base with stainless steel rods
- Larger base design fits containers measuring up to 6" tall

| legetable Dice   | r                 |             | <b>Blade Holde</b> | r Assembly |      |
|------------------|-------------------|-------------|--------------------|------------|------|
| DON#             | Size              | Qty         | DON#               | Size       | Qty  |
| C. 1183598       | 1/4" Dice         | 1 ea        | 1183606            | 1/4" Dice  | 1 ea |
| 1183599          | 3⁄8" Dice         | 1 ea        | 1183607            | 3/8" Dice  | 1 ea |
| 1183600          | 1/2" Dice         | 1 ea        | 1183608            | 1/2" Dice  | 1 ea |
| IOTE: Ask your D | ON Sales Represer | ntative for | 1183609            | 1/4" Slice | 1 ea |
| tocking location | S                 |             | 1183610            | 3/8" Slice | 1 ea |
|                  |                   |             | 1183611            | 1/2" Slice | 1 ea |

#### **French Fry Cutter**

#### Vollrath

- · Heavy duty construction with stainless steel blade and nickel-plated cast iron frame for superior resistance to corrosion
- Hand lever makes fry cutting fast and easy
- Mounts on any flat surface
- · Disassembles for easy cleaning

| DON#             | Desc              | Size      | Qty  |
|------------------|-------------------|-----------|------|
| D. 1K7044        | French Fry Cutter | 3∕%" Cut  | 1 ea |
| 1002202          | Potato Cutter     | %2" Cut   | 1 ea |
| 1K5506           | Potato Cutter     | 7⁄16" Cut | 1 ea |
| 1K7047           | Mounting Plate    | 9" x 11"  | 1 ea |
| NOTE: Shipped FO | B from WI (53081) |           |      |







#### Tomato Slicer

#### Vollrath

- High-density polyethylene base material is designed for constant contact with tomato acids and other harsh foods; will not corrode
- Positive-stop arm helps keep slicer sturdy while operating the push-through slicing mechanism
- Available with scalloped blades allowing slicing of tomatoes without pre-scoring the skin

| DON#         | Desc                        | Size                     | Qty  |
|--------------|-----------------------------|--------------------------|------|
| 1K5700       | Tomato Slicer               | 14"L x 10"W x 10"H       | 1 ea |
| 1K5701       | Blade Assembly              | 12"L x 3"W x 1⁄2"H       | 1 ea |
| 1K5741       | Blade Set                   | 12" x 3" x 11⁄2"L        | 1 ea |
| NOTE: Ask yo | ur DON Sales Representative | e for stocking locations |      |



#### Easy Slicer Vegetable Slicer<sup>™</sup>

#### Nemco Food Equipment

- Adjustable thickness feature, 1/6" to 1/2"
- Slices uniform cuts in seconds
- · Easy to operate with durable stainless steel blades
- (NSF) • Portable mounting base attaches easily to flat surfaces (sold separately)

| Slicers       |                        |                 | Blade Re      | placements                 |      |
|---------------|------------------------|-----------------|---------------|----------------------------|------|
| DON#          | Size                   | Qty             | DON#          | Desc                       | Qty  |
| K5783         | 1/8" Fixed Cut         | 1 ea            | K5793         | 10" x 6" Replacement Blade | 1 ea |
| K5794         | 3/16" Fixed Cut        | 1 ea            | 1035684       | Medium Shredder Plate      | 1 ea |
| 1012758       | 1/4" Fixed Cut         | 1 ea            | 1035685       | Coarse Shredder Plate      | 1 ea |
| K1500         | Adjustable Cut         | 1 ea            | Portable      | Base                       |      |
| 1035686       | 3/16" Shredder         | 1 ea            | DON#          | Size                       | Qty  |
| 1035687       | 5/16" Shredder         | 1 ea            | K5874         | 18"L x 12"W                | 1 ea |
| NOTE: Ask you | r DON Sales Representa | ative for stocl | king location | S                          |      |



All-in-one tool for fast chopping, slicing and wedging of onions, tomatoes, potatoes, celery, peppers and other firm vegetables

(NSE

**ISE** 

#### Easy Chopper 3<sup>™</sup>

NSE

Nemco Food Equipment

- · Can also be used for cutting fresh herbs, cooked chicken and ham
- · Color-coded push block to prevent destructive mismatches with the blade set; durable synthetic cleaning gasket removes easy saving time and effort
- Tall, sprawling base allows chopped produce to fall straight into 1/6 or 1/3 size 6" food pan or 2 gt round pan

| unopper - 1  | 2"L x 9¾"W x 19½    | 2Ц       | Silcer - 12" | L x 9¾"W x 19½" | п    |
|--------------|---------------------|----------|--------------|-----------------|------|
| DON#         | Desc                | Qty      | DON#         | Desc            | Qty  |
| 1116620      | 1/4" Chop           | 1 ea     | 1116624      | 1/4" Slice      | 1 ea |
| 1116621      | 3/8" Chop           | 1 ea     | 1116625      | 3/8" Slice      | 1 ea |
| 1116622      | 1/2" Chop           | 1 ea     | 1116626      | 1/2" Slice      | 1 ea |
| 1116623      | 1" Chop             | 1 ea     |              |                 |      |
| Chopper Re   | placement Blades    |          |              |                 |      |
| DON#         |                     | Desc     |              |                 | Qty  |
| 1035680      |                     | 1⁄4" Cho | p            |                 | 1 ea |
| 1035681      |                     | ⅔" Cho   | р            |                 | 1 ea |
| 1035682      |                     | 1⁄2" Cho | р            |                 | 1 ea |
| 1035683      |                     | 1" Chop  | )            |                 | 1 ea |
| NOTE: Shippe | d FOB from OH (4352 | . (6)    |              |                 |      |



#### Easy Tomato Slicer 2<sup>™</sup>

#### Nemco Food Equipment

- Compact, efficient and easy to use with a newly designed blade set that stays properly aligned and tightened without adjustments
- Pre-tensioned cartridge blade assembly is safer and more convenient than ever
- Accommodates a larger tomato than the original Easy Tomato Slicer<sup>™</sup>
- Key features also include ergonomic handle, hand guards, self-lubricating track, rubber feet and a table stop
- Two-year parts and labor warranty
- Slicers measure 185/8"L x 71/2"W x 93/8"H

| Slicers       |                      |                 | Blade Assembly  |             |      |
|---------------|----------------------|-----------------|-----------------|-------------|------|
| DON#          | Size                 | Qty             | DON#            | Size        | Qty  |
| 1033673       | 3/16" Slice          | 1 ea            | 1035714         | 3/16" Slice | 1 ea |
| 1027333       | 1/4" Slice           | 1 ea            | 1018297         | 1/4" Slice  | 1 ea |
| 1035713       | 3/8" Slice           | 1 ea            | 1035715         | 3/8" Slice  | 1 ea |
| NOTE: Ask you | r DON Sales Represer | ntative for sto | cking locations |             |      |



#### **Monster Fry Kutter**

#### Nemco Food Equipment

- Slices peeled or unpeeled extra large potatoes
- 4" square cutting area
- Great for cutting other firm vegetables, including onions, celery and bell peppers

| DON#          | Fry Cut             | Size                   | Qty  |
|---------------|---------------------|------------------------|------|
| 1018245       | 1⁄4"                | 10¾"W x 15¾6"H x 10"D  | 1 ea |
| 1043899       | 3⁄8"                | 10¾"W x 15¾16"H x 10"D | 1 ea |
| 1050044       | 1⁄2"                | 10¾"W x 15¼"H x 10"D   | 1 ea |
| NOTE: Shipped | FOB from OH (43526) |                        |      |

(NSF)



#### **Manual Lettuce Dryer**

#### Paderno by Rosenthal Sambonet

- Features sealed metal ball bearings
- that add durability to extend the life of the gears
- Gear assembly is protected by a gasket-sealed plastic cover
- New brake button design hinders gear misuse and breakage

| DON#                 | Size                              | Cap'y     |
|----------------------|-----------------------------------|-----------|
| 1018642              | 201/2"H x 17"D                    | 63⁄5 gal  |
| NOTE: Ask your DON S | Sales Representative for stocking | locations |

# Spiral Fry Cutter Memor Food Equipment - Holds 70 potatoes - Onveniently mounts on any flat surface - Preset drive depth maintains your holder and blade

 Don#
 Desc
 Size

 1100876
 Cutter
 22"L x 5½"W x 9"H

 1161520
 Separating Blade
 —

| 1100876          | Cutter               | 22"L x 51⁄2"W x 9"H | 1 ea |
|------------------|----------------------|---------------------|------|
| 1161520          | Separating Blade     | —                   | 1 ea |
| 1161521          | Shearing Blade       | _                   | 1 ea |
| 1161522          | Front Plate Assembly | _                   | 1 ea |
| K5874            | Portable Base        | 18"L x 12"W         | 1 ea |
| NOTE: Shipped FO | B from OH (43526)    |                     |      |



#### **Easy Vegetable Noodler**

Nemco Food Equipment

**()**...

Qty 1 ea

(NSF;

- Quickly turns zucchini and other firm vegetables into low calorie, high margin pasta
- Gearless crank and ergonomic handle require minimal effort to turn

| DON#                     | Desc                                | Size                | Qty  |
|--------------------------|-------------------------------------|---------------------|------|
| 1161523                  | Noodle Maker                        | 51⁄2"W x 9"H x 22"D | 1 ea |
| 1161524                  | Separating Blade                    |                     | 1 ea |
| 1161521                  | Shearing Blade                      | _                   | 1 ea |
| K5874<br>NOTE: Shipped F | Portable Base<br>OB from OH (43526) | 18"L x 12"W         | 1 ea |

(NSF.

Qty



#### **Rio<sup>®</sup> Drink Blenders**

- Hamilton Beach Commercial
- 1.6 peak hp motor, two speeds plus pulse
- Sealed paddle switches

| DON#                               | Color   | Cap'y | Size                     | Volts | Qty  |
|------------------------------------|---|-------|--------------------------|-------|------|
| 1244347                            | Black   | 48 oz | 85⁄9"L x 9"W x 15"H      | 230   | 1 ea |
| A. 1203155                         | Black   | 48 oz | 81⁄2"L x 11⅔"W x 151⁄8"H | 120   | 1 ea |
| 1205491                            | Black and Stainless Steel                           | 32 oz | 81⁄2"L x 63⁄5"W x 68⁄9"H | 120   | 1 ea |
| B. <b>121236</b> 4<br>NOTE: Shippe | Black and Stainless Steel<br>of FOB from MS (38611) | 32 oz | 151⁄2"L x 11⅔"W x 91⁄5"H | 220   | 1 ea |



#### **Torq Series 2 HP Blenders**

#### Waring

- High-performance 2 hp motor
- Durable stainless steel replacement drive coupling
- 60-second countdown timer

| DON#       | Size                 | Cap'y | Volts | Qty  |
|------------|----------------------|-------|-------|------|
| E. 1132613 | 71⁄2"W x 173⁄4"H     | 48 oz | 120   | 1 ea |
| F. 1118226 | 10"L x 7"W x 131⁄2"H | 48 oz | 220   | 1 ea |



Hamilton Beach Commercial

- Electric
- Fills a glass of juice in less than 30 seconds
  Strainer, bowl, reamers removable for easy cleaning

(NSF.)

- Manual
  - Squeezes any fruit with up to 2,000 lbs of force

| FreshMark <sup>™</sup> Ele | ectric Juicer                                    |       |      |
|----------------------------|--|-------|------|
| DON#                       | Size   | Volts | Qty  |
| C. 1183780                 | 121⁄3"L x 12 <del>1⁄</del> 5"W x 17⅔"H x 151⁄3"D | 120   | 1 ea |
| Manual Juicer              |  |       |      |
| D. <b>S857</b>             | 9"L x 7"W x 19½"H                                | —     | 1 ea |

(NSF.

(NSF)



#### **Xtreme Blenders**

#### Waring

(NSF.)

- Clearly marked paddle switch controls: high, low, off and pulse
- Heavy-duty 3.5 peak-HP motor
- Blade speed of over 30,000 RPM
- Perfect for a busy bar, health facility, school or coffee shop

| DON#       | Cap'y | Volts | Qty  |
|------------|-------|-------|------|
| G. 1212582 | 48 oz | 120   | 1 ea |
| H. 1045928 | 64 oz | 120   | 1 ea |
| 1107675    | 64 oz | 220   | 1 ea |

应 don.com



#### R2 Commercial Food Processor

Robot Coupe

- Shreds, chops, grinds, slices and blends-includes pulse mode
- Includes one 3 liter clear bowl with S blade and see-thru lid, one 3 liter stainless steel bowl with S blade and see-through lid, one 5/64" grating disc, one 5/32" julienne disc and one 5/32" slicing disc
- · One hp direct drive brushless motor

| DON#   | Cap'y   | Volts | Qty  |
|--------|---------|-------|------|
| 1K5801 | 3 liter | 120   | 1 ea |



NSE

Intertek

Qty

1 ea

## 2 Continuous Feed Vegetable Prep with Dicing Kit

#### Robot Coupe

- Includes safety pusher, three of the most popular processing discs and a dicing kit
- Designed for slicing, dicing, shredding, grating and julienne cuts
- Mineral+ discs with stainless steel cutting blades—includes one each: 1/8" slicing plate, 1/8" medium grating plate and 3/8" dicing kit
- Outperforms hand preparation at a 6 to 1 ratio
- 1-year parts and labor warranty

| DON#                  | Size                        | Volts |
|-----------------------|-----------------------------|-------|
| E2728                 | 141⁄2"W x 231⁄2"H x 131⁄2"D | 115   |
| NOTE: Shipped FOB fro | m MS (39157)                |       |



#### **Continuous Feed Food Processors**

Hobart

- Large, removable full-size feed hopper
- Compact design with front angled at 50°
- Red OFF, green ON button
- Double interlock switch for operator assurance
   FREIGHT

| Processors with | th 3 Blades Include | d                  |      |
|-----------------|---------------------|--------------------|------|
| DON#            | Motor HP            | Size               | Qty  |
| 1048842         | 1/3 hp              | 17"W x 25"H x 22"D | 1 ea |
| 1048846         | 1/2 hp              | 16"W x 25"H x 22"D | 1 ea |
| Processor Only  | y - No Blades       |                    |      |
| 1048844         | 1/3 hp              | 17"W x 25"H x 22"D | 1 ea |
| 1048848         | 1/2 hp              | 16"W x 25"H x 22"D | 1 ea |
| 1047511         | 3/4 hp              | 17"W x 29"H x 24"D | 1 ea |
| 1028951         | 1 hp                | 17"W x 32"H x 24"D | 1 ea |
| NOTE: Shipped F | REE from KY (41017) |                    |      |

(NSF:

FREE



#### Centerline<sup>™</sup> Medium-Duty Manual and Automatic Slicers Hobart

- ½ HP knife motor and poly V-belt drive system combine to provide an enduring system that will deliver optimum results, slicing cheese and meat without shredding
- Removable carriage allows for easy cleaning of the entire slicer
- No volt release; if power is lost, slicer must be restarted before operation can continue
- Ceramic sharpening stone single action to sharpen/hone in just 15 seconds
- Sharpener is removable and warewasher safe
- Designed to comply with new NSF standards



| DON#                                 | Desc                                     | Blade | Size                         | Volts | Qty  |
|--------------------------------------|--|-------|------------------------------|-------|------|
| 1047499                              | Manual Slicer                            | 12"   | 23%"W x 22%"H x 23%"D        | 120   | 1 ea |
| 1149315                              | Manual Slicer                            | 13"   | 265⁄16"W x 217⁄8"H x 231⁄8"D | 120   | 1 ea |
| A. <b>1160523</b><br>NOTE: Shipped I | Automatic Slicer<br>FREE from KY (41017) | 13"   | 275⁄8"W x 28³⁄16"H x 227⁄8"D | 120   | 1 ea |



#### **G-Series Medium Duty Slicers**

#### Globe

- Anodized aluminum construction with seamless edges and radius corners for easy cleaning
- Hard-chromed special alloy hollow ground knife lasts longer and is easy to sharpen
- $\bullet$  Large food carriage and product receiving area
- Top-mounted, removable all metal knife sharpene
- Smooth, stainless steel ball bearing chute slide system ensures easy movement



| DON#            | Desc               | Blade | Size                        | Volts | Qty  |
|-----------------|--------------------|-------|-----------------------------|-------|------|
| 1123806         | Manual Slicer      | 10"   | 171⁄2"W x 141⁄2"H x 211⁄4"D | 115   | 1 ea |
| 1121811         | Manual Slicer      | 12"   | 25"W x 17¼"H x 25¼"D        | 115   | 1 ea |
| 1123797         | Manual Slicer      | 14"   | 25"W x 181⁄2"H x 28"D       | 115   | 1 ea |
| C. 1011393      | Automatic Slicer   | 12"   | 25"W x 20¼"H x 25¼"D        | 115   | 1 ea |
| NOTE: Shipped F | REE from OH (45439 | 3)    |                             |       |      |



#### **C-Series Compact Manual Slicers**

#### Chefmate by Globe

- Stain-resistant and easy-to-clean anodized aluminum finish
- Hard-chromed, special alloy hollow ground knife lasts longer and is easier to sharpen
- Lightweight, compact space-saving design
- Easy-to-access, top-mounted all metal knife sharpener is also removable
- Up to %16" slice thickness



| DON#             | Blade          | Size                  | Volts | Qty  |
|------------------|----------------|-----------------------|-------|------|
| B. 1123796       | 9"             | 19"W x 14¼"H x 16¾"D  | 115   | 1 ea |
| 1015986          | 10"            | 19"W x 15"H x 171⁄4"D | 115   | 1 ea |
| 1123214          | 12"            | 24"W x 17½"H x 23½"D  | 115   | 1 ea |
| NOTE: Shipped FR | EE from OH (45 | 439)                  |       |      |



#### **S-Series Premium Heavy Duty Slicers**

#### Globe

- $\bullet$  Patent-pending indexing system enables accurate and precise slice thickness adjustment up to  $11\!\!/\!\!8"$
- Tilting carriage accommodates large product-up to 133/4"H, 8"Dia., 11"W
- Advanced meat grip design for superior product hold
- Top-mounted, removable sharpening system utilizes long-lasting synthetic diamond surfaces, enabling quick and easy sharpening and cleaning

| <b>Manual Slicer</b>               |          |       |                               |       |      |
|------------------------------------|----------|-------|-------------------------------|-------|------|
| DON#                               | Desc     | Blade | Size                          | Volts | Qty  |
| 1154465                            | Standard | 13"   | 361⁄2"W x 251⁄2"H x 291⁄2"D   | 115   | 1 ea |
| D. 1154467                         | Advanced | 13"   | 361⁄2"W x 251⁄2"H x 291⁄2"D   | 115   | 1 ea |
| Automatic Slic                     | er       |       |                               |       |      |
| 1154466                            | Standard | 13"   | 387⁄10"W x 20%10"H x 267⁄10"D | 115   | 1 ea |
| 1154468                            | Advanced | 13"   | 387⁄10"W x 20%10"H x 267⁄10"D | 115   | 1 ea |
| NOTE: Shipped FREE from OH (45439) |          |       |                               |       |      |



#### **Planetary Countertop and Bench Mixers**

#### Globe

- · Durable gear-driven, high torque transmission and motor
- 1058603 has 10 speeds, 1121141 has 3 speeds and cast aluminum body - comes with stainless steel bowl, beater, whip and dough hook and polycarbonate splash cover with ingredient chute
- 1054654, 1116668, and 1123798 come with cast iron body, features three fixed speeds, a digital timer and last batch memory recall; also includes a 10-qt. stainless steel bowl, removable bowl guard, NSF flat beater, wire whip and spiral dough hook

| DON#                     | Desc                               | Size                        | Cap'y | Volts | Qty  |
|--------------------------|------------------------------------|-----------------------------|-------|-------|------|
| A. 1058603               | Countertop Mixer                   | 15¾₀"L x 13"W x 17"H        | 5 qt  | 115   | 1 ea |
| 1121141                  | Countertop Mixer                   | 15%"L x 11%"W x 22%"H       | 8 qt  | 115   | 1 ea |
| 1054654                  | Planetary Mixer                    | 171⁄10"L x 163⁄10"W x 31"H  | 10 qt | 115   | 1 ea |
| 1116668                  | Planetary Mixer                    | 191⁄2"L x 181⁄4"W x 341⁄2"H | 20 qt | 115   | 1 ea |
| 1123798<br>NOTE: Shipped | Bench Mixer<br>FOB from OH (45439) | 23"L x 24"W x 361⁄4"H       | 25 qt | 115   | 1 ea |



#### Legacy+ 20 Qt. Maximum Heavy-Duty Bench Mixer Hobart

- Up to 30% more capacity with exclusive PLUS System VFDadvantage variable frequency drive, maximum-capacity overheat protection, reinforced planetary shaft system
- Includes Shift-On-The-Fly<sup>™</sup> technology and 15-minute SmartTimer<sup>™</sup>
- Includes stainless steel bowl, "B" flat beater, "D" wire whip, and "ED" dough hook
- · Can be used with Hobart 9" vegetable slicer and/or meat chopper attachments

#### **Planetary Mixer** Volts DON# Cap'y Size Qty 1127035 20 qt 191/8"W x 29"H x 231/2"D 120 1 ea Accessories DON# Desc Cap'y Size Qtv 1011669 131⁄2"L x 131⁄2"W x 111⁄2"H Bowl 20 qt 1 ea B. 1046312 Beater 20 qt 9"L x 3"W x 123/10"H 1 ea 1101729 D-Whip 20 at 10"L x 10"W x 12"H 1 ea ED Dough Hook 14"L x 7"W x 7"H C. 1103354 20 at 1 ea

FREE

FREIGHT

NOTE: Shipped FREE from KY (98360). Accessories shipped FOB from regional warehouse.

Three fixed speeds with half horsepower heavy duty motor



Ergonomic bowl lift with EZ Grip handle

#### Heavy Duty 20 Qt Mixer NEW

Centerline<sup>™</sup> by Hobart

All gear transmission

- Bayonet style agitators easy to remove and operate
- Digital timer with Last Time Remind
- GearSafe<sup>™</sup> technology allowing speed changes while in operation

| Mixer                       |                                     |       |       |      |
|-----------------------------|-------------------------------------|-------|-------|------|
| DON#                        | Size                                | Cap'y | Volts | Qty  |
| 1179935                     | 16‰"W x 33‰"H                       | 20 qt | 120   | 1 ea |
| Accessories - S             | Stainless Steel                     |       |       |      |
| DON#                        | Desc                                | Cap'y |       | Qty  |
| 1179931                     | Bowl                                | 20 qt |       | 1 ea |
| 1179930                     | Flat Beater                         | 20 qt |       | 1 ea |
| 1179937                     | Wire Whip                           | 20 qt |       | 1 ea |
| 1179932                     | Food Chute                          | 20 qt |       | 1 ea |
| 1179936<br>NOTE: Shipped FF | J Dough Hook<br>REE from KY (98360) | 20 qt |       | 1 ea |



#### Legacy+ 60 Qt. Maximum Heavy-Duty Floor Mixer

#### Hobart

Ű

NSE

- Up to 30% more capacity with exclusive PLUS System VFDadvantage variable frequency drive, maximum-capacity overheat protection, reinforced planetary shaft system
- Includes stainless steel bowl, "B" flat beater, "D" wire whip, and "ED" dough hook
- Can be used with Hobart 9" vegetable slicer and/or meat chopper attachments
- Includes Shift-On-The-Fly<sup>™</sup>, 20-minute SmartTimer<sup>™</sup>, and power bowl lift
- QuickRelease<sup>™</sup> agitators and swing-out bowl with single point installation simplify clean-up and product removal



| DON#                               | Cap'y | Size               | Volts | Qty  |  |
|------------------------------------|-------|--------------------|-------|------|--|
| E2737                              | 60 qt | 29"W x 60"H x 41"D | 200   | 1 ea |  |
| NOTE: Shipped FREE from KY (98360) |       |                    |       |      |  |

#### **Heavy-Duty Immersion Blenders**

#### Globe

- Variable speed, heavy-duty motor for flexibility and control
- Interlocked power switch for operator protection
- Stainless steel, dishwasher safe attachments
- Optional whisk and wall mount accessories
- Removable blades are easy to replace with removal tool
- Available in 500 or 750 watt versions

| DON#                 | Size           | Volts | Qty  |
|----------------------|----------------|-------|------|
| A. 1198342           | 12"L x 3¾"W    | 120   | 1 ea |
| 1198343              | 14"L x 41⁄3"W  | 120   | 1 ea |
| 1198344              | 16"L x 41⁄3"W  | 120   | 1 ea |
| 1198345              | 18"L x 41⁄3"W  | 120   | 1 ea |
| 1198346              | 22"L x 41⁄3"W  | 120   | 1 ea |
| NOTE: Shipped FOB fr | rom OH (45439) |       |      |

#### BigRig<sup>™</sup> Heavy Duty Immersion Blender

#### Hamilton Beach Commercial

- ThumbDrive<sup>™</sup> variable speed dial with color-coded light for immediate feedback about blender status
- Stainless steel blade with guard blends, chops, purees, or emulsifies ingredients quickly
- Ergonomic design with light-touch controls offers multiple hand positions
- Wall mount and cord holder for neat, easy storage
- 800 watts of power
- 2 Year Expresscare replacement warranty

| DON#             | Size                              | Cap'y            | Volts | Qty   |  |  |  |
|------------------|-----------------------------------|------------------|-------|-------|--|--|--|
| 1208248          | 12"                               | Up to 6 gallons  | 120   | 1 ea  |  |  |  |
| 1208249          | 14"                               | Up to 14 gallons | 120   | 1 ea  |  |  |  |
| C. 1208250       | 16"                               | Up to 23 gallons | 120   | 1 ea  |  |  |  |
| 1208251          | 18"                               | Up to 32 gallons | 120   | 1 ea  |  |  |  |
| 1208252          | 21"                               | Up to 42 gallons | 120   | 1 ea  |  |  |  |
| DON#             | Desc                              |                  |       | Qty   |  |  |  |
| D. 1208253       | Whisk Atta                        | ichment          |       | 1M/cs |  |  |  |
| NOTE: Shipped FC | NOTE: Shipped FOB from MS (38611) |                  |       |       |  |  |  |



#### **Immersion Blenders**

#### Robot Coupe

(ETD)...

- Easy grip removable handle to distribute machine's weight for easier use
- High-power motor to optimize blending time
- "Easy Plug" system with detachable cord for easy replacement
- One year "No Hassle" replacement warranty

| DON#             | Size                         | Volts              | Qty  |
|------------------|------------------------------|--------------------|------|
| B. 2K50          | 14" Shaft                    | 120                | 1 ea |
| 2K51             | 18" Shaft                    | 120                | 1 ea |
| 2K52             | 21" Shaft                    | 120                | 1 ea |
| NOTE: Ask your I | DON Sales Representative for | stocking locations |      |



#### Hand Held Mini Immersion Blender

#### Robot Coupe

- Lightweight, yet powerful; designed specially for small quantities
- Removable bell cutter head for easy cleaning
- Standard variable speed control, 2,000 to 12,500 RPM (NSE) (I).
- One year "No Hassle" replacement warranty

| nt warranty | Intertek |     |  |
|-------------|----------|-----|--|
| Size        | Volts    | Qty |  |

| DON#                                 | Desc   | Size                            | Volts | Qty  |
|--------------------------------------|--|---------------------------------|-------|------|
| E. 1012640                           | Mixer  | 8" Shaft                        | 120   | 1 ea |
| F. <b>2K60</b><br>NOTE: Ask your DON | Mini Whisk Attachment<br>Sales Representative for stor | 10" x 9" x 5"<br>king locations | —     | 1 ea |



#### **Chamber VacPac Machines**

#### Waring

- 11" seal bar double seals bags for reliably secure closure
- Lid features viewing window to allow for product visibility
- Easy-to-use touchpad controls

| Vac Pac Machi              | ne                               |       |                    |        |
|----------------------------|----------------------------------|-------|--------------------|--------|
| DON#                       |                                  |       | Size               | Qty    |
| A. 1157399                 |                                  |       | 16"W x 11"H x 17"D | 1 ea   |
| Pouches                    |                                  |       |                    |        |
| DON#                       | Desc                             | Cap'y | Size               | Qty    |
| 1155886                    | Vacuum Bag                       | 2 qt  | _                  | 100/pk |
| 1155887                    | Vacuum Bag                       | 2 qt  | —                  | 50/pk  |
| 1155888                    | Roll Bag                         |       | 33'L x 11"W        | 1/pk   |
| 1155889                    | Roll Bag                         |       | 66'L x 11"W        | 1/pk   |
| 1155890                    | Vacuum Bag                       | 1 qt  | _                  | 100/pk |
| 1155891<br>NOTE: Shipped F | Vacuum Bag<br>OB from PA (17233) | 1 qt  | —                  | 50/pk  |

Includes: oil, maintenance kit, wrenches, extra seal bar tape and 80 pouches, oil change reminder





## PrimaVac Vacuum Packaging Machines

#### Hamilton Beach Commercial

- Store, preserve, marinate or sous vide
- 10 customizable programs; the powerful JetAire pump ensures 99.9% air evacuation
- Adjustable vacuum cycle, soft air cooling and seal time
- 2 years parts and labor warranty, plus 1 extra year when registered for a total of 3 years

| DON#         | Desc             | Seal Bar   |           | Size                     |                  |       | Qty    |
|--------------|------------------|------------|-----------|--------------------------|------------------|-------|--------|
| 1154947      | PrimaVac 254     | 10"        |           | 131⁄4"W x 14             | 4∮⁄⁊"H x 18"D    |       | 1 ea   |
| 1154948      | PrimaVac 305     | 12"        |           | 15"W x 143               | ś"H x 19⅓"D      |       | 1 ea   |
| 1154949      | PrimaVac 406     | 16"        |           | 19 <del>1</del> ⁄9"W x 1 | 91⁄8"H x 241⁄4"D |       | 1 ea   |
| Vacuum Po    | uches            |            |           |                          |                  |       |        |
| DON#         | Size             | Cap'y      | Qty       | DON#                     | Size             | Cap'y | Qty    |
| 1154950      | 8" x 6"          | 3 mil      | 1M/pk     | 1154958                  | 10" x 6"         | 4 mil | 1M/pk  |
| 1154951      | 10" x 6"         | 3 mil      | 1M/pk     | 1154959                  | 10" x 8"         | 4 mil | 1M/pk  |
| 1154952      | 10" x 8"         | 3 mil      | 1M/pk     | 1154963*                 | 12" x 8"         | 3 mil | 1M/pk  |
| 1154953      | 12" x 8"         | 3 mil      | 1M/pk     | 1154960                  | 12" x 8"         | 4 mil | 1M/pk  |
| 1154954      | 13" x 10"        | 3 mil      | 1M/pk     | 1154961                  | 13" x 10"        | 4 mil | 1M/pk  |
| 1154956      | 14" x 12"        | 3 mil      | 1M/pk     | 1154962                  | 14" x 12"        | 4 mil | 1M/pk  |
| 1154955      | 15" x 10"        | 3 mil      | 1M/pk     | 1154964*                 | 15" x 10"        | 3 mil | 1M/pk  |
| 1154957      | 16" x 12"        | 3 mil      | 500/pk    | 1154965*                 | 16" x 12"        | 4 mil | 500/pk |
| NOTE: Shippe | ed FOB from MS ( | 38611). *R | einforced | corners.                 |                  |       |        |

Digital display clearly shows vacuum and sealing times



#### **Vacuum Pack Machine**

#### Globe

- Stainless steel construction with rounded steel tank
- Timed vacuum cycle up to 50 seconds; timed sealing up to 4.5 seconds
- Advanced model features include Marination cycle, Soft Air, Gas Flush and more

| DON#                           | Style                         | Volts | Motor HP | Qty  |
|--------------------------------|-------------------------------|-------|----------|------|
| 1209106                        | Standard                      | 120   | 1.6 hp   | 1 ea |
| 1209107                        | Deluxe                        | 120   | 1.6 hp   | 1 ea |
| B. 1209108<br>NOTE: Shipped FO | Standard<br>3 from OH (45439) | 120   | 1 hp     | 1 ea |



# Vacuum Pack Machine

#### Vollrath

- Extend the shelf life of foods and reduce waste due to spoilage
- Vacuum packing opens the pores of foods, creating an excellent way to quickly marinate meats
- In-chamber vacuum packing is suitable for wet or dry products, features stainless steel chamber with easily removable components
- Out-of-chamber vacuum packing requires specific bag type and is not suitable for liquids
- Includes Busch rotary vacuum pump for durability and long life

| DON#       | Desc            | Seal Bar | Size                        | Qty    |
|------------|-----------------|----------|-----------------------------|--------|
| 1112317    | Medium          | 12"      | 241⁄2"L x 21"W x 18"H       | 1 ea   |
| 1112318    | Large           | 16"      | 241⁄2"L x 221⁄2"W x 203⁄4"H | 1 ea   |
| Vacuum Sea | l Bags - 100 Co | unt      |                             |        |
| DON#       | Cap'y           |          | Size                        | Qty    |
| 1103414    | 3%10 mil        |          | 6" x 12"                    | 1 ea   |
| 1103482    | 3%10 mil        |          | 6" x 8"                     | 1 ea   |
| 1103415    | 3%10 mil        |          | 8" x 12"                    | 1 ea   |
| 1030753    | 3%10 mil        |          | 8" x 12"                    | 100/cs |
| 1103416    | 3%10 mil        |          | 10" x 14"                   | 1 ea   |
| 1103483    | 3‰ mil          |          | 12" x 16"                   | 1 ea   |



NSF







#### **Sous Vide Immersion Circulator**

#### Waring

- 5 reprogrammable memory settings
- Temperature accuracy +/- 1° F (.05° C). Temperature range 95° to 194° F (35° to 90° C).
- Integrated hose system easily and safely removes water from reservoir
- One-touch capacitive controls enable you to quickly set and adjust time and temperature
- Circulates 6 liters of water per minute, 16 liter capacity (4.2 gallons)



**NSF** 

(EI)

| Vac Pac Mach             | ine                             |                       |                             |        |
|--------------------------|---------------------------------|-----------------------|-----------------------------|--------|
| DON#                     |                                 |                       | Size                        | Qty    |
| A. 1179884               |                                 |                       | 131⁄2"L x 141⁄4"W x 101⁄2"H | 1 ea   |
| Pouches                  |                                 |                       |                             |        |
| DON#                     | Desc                            | Cap'y                 | Size                        | Qty    |
| 1155886                  | Vacuum Bag                      | 2 qt                  | _                           | 100/pk |
| 1155887                  | Vacuum Bag                      | 2 qt                  | —                           | 50/pk  |
| 1155888                  | Roll Bag                        | _                     | 33'L x 11"W                 | 1/pk   |
| 1155889                  | Roll Bag                        | —                     | 66'L x 11"W                 | 1/pk   |
| 1155890                  | Vacuum Bag                      | 1 qt                  | _                           | 100/pk |
| 1155891<br>NOTE: Shipped | Vacuum Bag<br>FOB from PA (1723 | 1 qt<br>3). Limited ( | one year warranty.          | 50/pk  |



#### Dehydrator

#### Waring

- Large capacity commercial food dehydrator
- Ten 15" x 131/2" mesh racks 14 sq ft total
- Digital LED display with capacitive touch controls
- 5 memory stations to set and store programs

| DON#          | Size                      | Volts | Qty  |
|---------------|---------------------------|-------|------|
| 1206713       | 141⁄2"W x 165⁄16"H x 20"D | 120   | 1 ea |
| NOTE: Shipped | FOB from PA (17202)       |       |      |



#### **Sous Vide Immersion Circulator**

#### Vollrath

- For precise, repeatable results with no moisture loss
- Lets you lower food costs by purchasing less expensive cuts, while still achieving great results
- Compact size uses minimal counter space
- Precise cooking with display that shows resolution of 0.1° F or -18° C

| DON#       | Desc                     | Size                     | Qty  |
|------------|--------------------------|--------------------------|------|
| 1212477    | Circulator Head          | 41⁄2"W x 15"H x 121⁄3"L  | 1 ea |
| 1212478    | Immersion Circulator     | 14"W x 181⁄3"H x 313⁄4"L | 1 ea |
| NOTE: Ship | oped FOB from WI (53081) |                          |      |



ŰĽ

#### 💯 Butane Fuel

- Can contains Triple Seamed Countersink Release Vent (CRV) safety mechanism
- Safely releases can pressure if stove is misused or overheated
- Compatible with all Hollowick butane appliances
- Up to 4 hours of usage

| DON#    | Cap'y | Qty   |
|---------|-------|-------|
| 1231653 | 8 oz  | 12/cs |



#### **Butane Torch**

#### Sterno

- · Featuring piezo electronic ignition and anti-flare design
- Adjustable dial controls flame intensity
- Ideal for melting, browning, crisping, and caramelizing
- Use with Sterno<sup>®</sup> Butane Fuel (sold separately)

| DON#             | Size  | Qty  |
|------------------|---|------|
| 1215828          | 81/3"L x 51/2"W x 21/3"H                        | 1 ea |
| NOTE: Ask your I | DON Sales Representative for stocking locations |      |



#### **Disposable Butane Gas Match**

#### Sterno

 Long neck lets you access those hard-to-reach places for safe, sure ignition the first time

| DON#                        | Cap'y                                | Qty  |
|-----------------------------|--------------------------------------|------|
| 1129857                     | 12 oz                                | 6/cs |
| NOTE: Ask your DON Sales Re | epresentative for stocking locations |      |



#### 15,000 BTU Portable Butane Stove

#### Sterno

- 15,000 BTU heat output
- Integrated wind-block
- Features piezo electronic ignition, safety lock and automatic safety shut-off sensor
- Adjustable dial controls flame intensity
- Compact design, includes carrying case for storage and travel
- CSA certified
- Compatible with Sterno<sup>®</sup> Butane Fuel (sold separately)

| DON#                    | Size                                    | Qty  |
|-------------------------|---|------|
| 1149986                 | 13"L x 11"W x 3¾"H                      | 1 ea |
| NOTE: Ask your DON Sale | s Representative for stocking locations |      |



#### 9,000 BTU Portable Butane Stove

#### Sterno

- 9,000 BTU heat output
- Features piezo electronic ignition, safety lock and automatic safety shut-off sensor
- Adjustable dial controls flame intensity
- Compact design, includes carrying case for storage and travel
- CSA certified
- Compatible with Sterno<sup>®</sup> Butane Fuel (sold separately)

| Qty  | DON#                  | Size                                       | Qty  |
|------|-----------------------|--|------|
| 1 ea | 1149985               | 13"L x 11"W x 3¾"H                         | 1 ea |
|      | NOTE: Ask your DON Sa | ales Representative for stocking locations |      |



#### 7,000 BTU Portable Butane Stove

Sterno

- 7,000 BTU heat output
- Features piezo electronic ignition, safety lock and automatic safety shut-off sensor
- Adjustable dial controls flame intensity
- Compact design, includes carrying case for storage and travel
- CSA Certified
- Compatible with Sterno® Butane Fuel (sold separately)


| DON#                  | Size                                       | Qty  |
|-----------------------|--|------|
| 1149984               | 13"L x 11"W x 3¾"H                         | 1 ea |
| NOTE: Ask your DON Sa | ales Representative for stocking locations |      |



#### **Refrigerated Drop-In**

#### Wells Manufacturing

- Hold pre-chilled food products at cold, fresh and safe serving temperatures
- · Self-contained in one to five-pan models with individual thermostatic controls
- CFC free and includes an 8' 120V cord and plug
- One-piece top flange and coved-corner interiors constructed of 18-gauge, corrosion-resistant stainless steel
- Condensing unit mounted on corrosion-resistant frame below the cold pan



ŰĽ

NSF


**€**₽®

NOTE: Shipped FOB from TN (37166)

#### **Drop-In Food Warmers**

#### Wells Manufacturing

- Individual thermostatic or infinite controls for each well
- One-piece stainless steel top flange
- Suitable for wet or dry operations
- High limits prevent overheating
- Wellslok standard for ease of installation
- Accommodates 1 to 5, 12' x 20" standard inset pans, depended upon model



NOTE: Shipped FOB from TN (37166)





# Hot Food Tables

- Advance Tabco
- Stainless steel body, top and side
- Fiberglass insulation (excludes solid top tables)
- 1" I.P.S. drain (excludes solid top tables)
- Stainless steel legs with plastic adjustable feet

| DON#              | Desc               | Size   | Qty  |
|-------------------|--------------------|--|------|
| 1209571           | 2 Well             | 31 <sup>1</sup> 316"W x 3438"H x 3058"D                              | 1 ea |
| 1209572           | 2 Well             | 31 <sup>1</sup> 3/16"W x 34 <sup>1</sup> /8"H x 30 <sup>5</sup> /8"D | 1 ea |
| A. 1209573        | 3 Well             | 471⁄8"W x 343⁄8"H x 305⁄8"D  | 1 ea |
| 1209574           | 3 Well             | 471/8"W x 341/8"H x 225/8"D  | 1 ea |
| 1209575           | 4 Well             | 627⁄16"W x 34¾"H x 305⁄8"D   | 1 ea |
| 1209576           | 4 Well             | 627/16"W x 341/8"H x 225/8"D   | 1 ea |
| B. <b>1209577</b> | 5 Well             | 77¾"W x 34¾"H x 30%"D  | 1 ea |
| 1209578           | 5 Well             | 77¾"W x 341⁄8"H x 225⁄8"D  | 1 ea |
| 1209582           | 3 Well             | 471/8"W x 341/8"H x 225/8"D  | 1 ea |
| 1209583           | 4 Well             | 627⁄16"W x 341⁄8"H x 225⁄8"D   | 1 ea |
| 1209589           | 2 Well             | 31 ¹¾б"W x 341⁄8"H x 225⁄8"D   | 1 ea |
| 1209590           | 3 Well             | 471⁄8"W x 341⁄8"H x 225⁄8"D  | 1 ea |
| 1209591           | 4 Well             | 627⁄16"W x 341⁄8"H x 225⁄8"D   | 1 ea |
| 1209592           | 5 Well             | 77¾"W x 341⁄8"H x 225⁄8"D  | 1 ea |
| Accessories       |                    |  |      |
| 1209579           | Spillage Pan       | 12"W x 6¼"H x 20"D   | 1 ea |
| 1209580           | Spillage Pan       | 12"W x 6¼"H x 20"D   | 1 ea |
| 1209581           | Caster Set         | 5"W  | 1 ea |
| 1209584           | Side Panels        | 1/4"W x 15"H   | 1 ea |
| C. <b>1209585</b> | Serving Shelf      | 32"L x 10¾16"W x 15"H  | 1 ea |
| 1209586           | Serving Shelf      | 47¾"L x 10¾6"W x 15"H  | 1 ea |
| 1209587           | Serving Shelf      | 62% "L x 10¾6"W x 15"Н   | 1 ea |
| 1209588           | Serving Shelf      | 78"L x 10¾16"W x 15"H  | 1 ea |
| NOTE: Shipped F   | OB from TX (75142) |  |      |



#### Vollrath

- Angled acrylic breath guard with adjustable-height frame that is easy to move wherever you need protection
- Durable stainless steel base with powder coating has a contemporary look that blends with any decor

| DON#                              | Size | Qty  |
|-----------------------------------|------|------|
| 1199812                           | 36"  | 1 ea |
| D. 1199814                        | 48"  | 1 ea |
| 1199817                           | 60"  | 1 ea |
| NOTE: Shipped FOB from WI (53081) |      |      |



- Type 300 stainless steel with #4 polish, satin finish
- 11/2" Stallion edge on front with side edges
- Stainless steel base with adjustable undershelf
  Adjustable bullet feet
- Shipped knocked-down, easy-to-assemble

| DON#    | Style         | Size                | Qty  |
|---------|---------------|---------------------|------|
| 1249132 | w/ Undershelf | 72"L x 30"W x 40¾"H | 1 ea |

В



#### Drop-In Induction Dry Well NEW

#### Hatco

- Durable and tough glass-ceramic well bottom can be easily adjusted to accommodate a 21/2" or 4" (64 or 102 mm) deep pan
- Made for use with normal stainless steel food pans, so there is no need for specialized induction pans
- Contains two heat zones with two temperature sensors in each zone
- An easy-to-use, mountable control panel that can adjust heating temperatures in Fahrenheit, Celsius or by five preset temperature levels between 150° and 210° F (66° and 99° C)
- Features a sensor that prohibits the unit to turn on unless a pan is present
- Includes a single stainless steel bezel and two support bars; can be top or bottom mounted into a countertop

| DON#                  | Size                     | Volts | Qty  |
|-----------------------|--------------------------|-------|------|
| 1248956               | 241/8"W x 95/16"H x 16"D | 208   | 1 ea |
| NOTE: Shipped FOB fro | m WI (54235)             |       |      |




#### **Drop-In Hot/Cold Wells**

#### Hatco

- Incorporating both a refrigerated well and heated well into one cold/hot well unit
- · Wells use "free-flow" technology for an efficient and safe operation
- · Adjustable setpoints to keep foods at their preferred temperatures

| DON#                         | Cap'y                      | Size                  | Volts | Qty  |
|------------------------------|----------------------------|-----------------------|-------|------|
| B. 1143023                   | 2 pan                      | 32"L x 27"W x 261/8"H | 208   | 1 ea |
| 1143024                      | 3 pan                      | 45"L x 27"W x 261⁄8"H | 208   | 1 ea |
| 1143025                      | 4 pan                      | 58"L x 27"W x 261⁄8"H | 208   | 1 ea |
| 1143026                      | 5 pan                      | 71"L x 27"W x 261⁄%"H | 208   | 1 ea |
| 1143027<br>NOTE: Shipped FOE | 6 pan<br>3 from WI (54235) | 84"L x 27"W x 261⁄8"H | 208   | 1 ea |



#### **Hot/Cold Built-In Shelves**

#### Hatco

- Patented thermal break reduces condensation and temperature transfer
- Long, flexible copper refrigerant line with ability to remove condensing unit results in easy service and installation
- · Shipped with electronic temperature control and condensing unit
- Control box can be mounted on front of cabinet
- · Condensing unit may be mounted up to 4 feet away from center of shelf

|    | DON#            | Desc              | Size              | Amps | Watts | Qty  |
|----|-----------------|-------------------|-------------------|------|-------|------|
| A. | 1125523         | Swanstone         | 51"W x 21"D       | 6.8  | 450   | 1 ea |
|    | 1125524         | Swanstone         | 51"W x 27"D       | 9.2  | 800   | 1 ea |
|    | 1125522         | Aluminum          | 491⁄2"W x 251⁄2"D | 9.2  | 800   | 1 ea |
| N  | )TF: Shipped FO | B from WI (54235) |                   |      |       |      |



#### **Built-In and Drop-In Rectangular Heated Wells** Hatco

- · Models available to heat one to as many as six full size pans
- Each well is individually thermostatically controlled
- Available with optional autofill
- · Easy-to-service access panel underneath for each well

| Manifold Drain        |                |                            |         |      |
|-----------------------|----------------|----------------------------|---------|------|
| DON#                  | Cap'y          | Size                       | Volts   | Qty  |
| 1060682               | 3 pan          | 431⁄2"W x 95⁄8"H x 235⁄8"D | 208/240 | 1 ea |
| 1060685               | 4 pan          | 571⁄2"W x 95⁄8"H x 235⁄8"D | 208/240 | 1 ea |
| 1060687               | 5 pan          | 711⁄2"W x 95⁄8"H x 235⁄8"D | 208/240 | 1 ea |
| <b>Manifold Drain</b> | w/Auto-Fill    |                            |         |      |
| C. 1060683            | 3 pan          | 431⁄2"W x 95⁄8"H x 235⁄8"D | 208/240 | 1 ea |
| 1060686               | 4 pan          | 571⁄2"W x 95⁄8"H x 235⁄8"D | 208/240 | 1 ea |
| 1060688               | 5 pan          | 711⁄2"W x 9%"H x 23%"D     | 208/240 | 1 ea |
| 1060689               | 6 pan          | 851⁄2"W x 95⁄8"H x 235⁄8"D | 208/240 | 1 ea |
| NOTE: Shipped F       | OB from WI (54 | 235)                       |         |      |

ANSI/NSF




80-450° F and 27-232° C. Use for more precise pan temperature.

#### **Vollrath Series 4 Induction Ranges**

#### Vollrath

- Expanded magnetic field emulates gas to allow uninterrupted heat while lifting or tilting pan to sauté or flip
- Smarter, faster pan detection technology delivers uninterrupted heat when lifting a pan to flip, saute or add ingredients
- Control knob is fast and precise. A quick spin brings food to a boil or reduces it to a simmer; or dial in a precise temperature or power level.
- Power level control offers responsive gas flame-like control, in increments from 1 to 100% of watts. Use for fast, powerful heating.

| DON#            | Desc                  | Size                              | Watts | Qty  |
|-----------------|-----------------------|-----------------------------------|-------|------|
| 1195750         | Range w/ Control Knob | 12¾"W x 3½"H x 17%"D              | 1440  | 1 ea |
| 1195752         | Range w/ Control Knob | 12¾"W x 3½"H x 17 <del>%</del> "D | 1800  | 1 ea |
| 1195751         | Range w/ Temp Probe   | 12¾"W x 3½"H x 17 <del>%</del> "D | 1440  | 1 ea |
| 1195753         | Range w/ Temp Probe   | 13%"W x 3½"H x 17%"D              | 1800  | 1 ea |
| A. 1195747      | Range w/ Temp Probe   | 161⁄2"W x 51⁄5"H x 19%"D          | 2600  | 1 ea |
| 1195748         | Range w/ Temp Probe   | 161⁄₂"W x 51⁄₅"H x 19¾"D          | 3000  | 1 ea |
| 1195749         | Range w/ Temp Probe   | 161⁄₂"W x 51⁄₅"H x 19¾"D          | 3800  | 1 ea |
| NOTE: Shipped F | OB from WI (53081)    |                                   |       |      |



#### Palletti<sup>®</sup> Countertop Induction Warmer NEW

#### Hatco

- Portable and adaptable for buffets and other front-of the house applications
- Energy efficient, quiet and safe operation with no open flames as with traditional warming presentations
- Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
- Low-profile design with a black housing and durable, black glass-ceramic top
- Features a control panel with a standby key, temperature control arrow keys and temperature setting indicators

| DON#                             | Size                                | Volts | Qty  |
|----------------------------------|-------------------------------------|-------|------|
| 1248957<br>NOTE: Shipped FOB fro | 13"W x 4¼"H x 13"D<br>om WI (54235) | 120   | 1 ea |



#### **Mirage® Pro Induction Range**

#### Vollrath

- · Engine technology provides improved efficiency, control and durability
- 100 power levels for precise cooking control between 80° and 400° F
- 90% energy efficiency

| Mirage <sup>®</sup> Pro Induction Range      |                      |      |
|--|----------------------|------|
| DON#   | Size                 | Qty  |
| B. 1032452                                   | 14"L x 3"H x 15¼"D   | 1 ea |
| <b>Mirage® Cadet Induction Range</b>         |                      |      |
| 1040324<br>NOTE: Shipped FOB from WI (53081) | 12"W x 31⁄8"H x 16"D | 1 ea |



#### **Rapide Cuisine® Induction Ranges**

#### Hatco

(UL

- Programmable mode where the operator can create preset programs for consistent cooking cycles (Excluding 1143048 and 1143049)
- Elegant, contemporary low-profile design
- Single-burner countertop induction
- Two-year replacement warranty

| DON#            | Style              | Size                       | Watts | Qty  |
|-----------------|--------------------|----------------------------|-------|------|
| C. 1143051      | Countertop         | 13"L x 17"W x 3%"H         | 1440  | 1 ea |
| 1143052         | Countertop         | 13"L x 17"W x 3%"H         | 1800  | 1 ea |
| 1143050         | Built-In           | 141⁄2"L x 131⁄2"W x 31⁄2"H | 1800  | 1 ea |
| 1143048         | Control Knob       | 13"L x 17"W x 3%"H         | 1440  | 1 ea |
| 1143049         | Control Knob       | 13"L x 17"W x 3%"H         | 1800  | 1 ea |
| NOTE: Shipped F | OB from WI (54235) |                            |       |      |



#### Countertop Food Warmers

#### Vollrath

- Thermoset fiber-reinforced resin well for maximum energy efficiency and easy cleanup
- Recessed controls and low-water indicator to eliminate guesswork and reduce accidental temperature changes
- Wide dripless lip to catch and drain moisture
- Dome heater uses up to 25% less energy while quickly producing steam
- Non-skid feet to prevent sliding on countertops
- Insets sold separately

| Warmers           |                                   |                |      |
|-------------------|-----------------------------------|----------------|------|
| DON#              | Desc                              | Cap'y          | Qty  |
| A. <b>1173430</b> | Soup Rethermalizer                | 7 qt           | 1 ea |
| 1173431           | Soup Rethermalizer                | 11 qt          | 1 ea |
| B. 1173429        | Full Size Warmer                  | 22 qt          | 1 ea |
| Steam Pan Inset   | ts                                |                |      |
| K8133             |                                   | 71⁄4 qt        | 1 ea |
| K8134             |                                   | 11 qt          | 1 ea |
| NOTE: Ask your DO | ON Sales Representative for stock | king locations |      |

NSF

'NSF



#### **Glo-Ray® Infrared Food Warmers**

#### Hatco

- Keeps hot food at serving temperature longer without overcooking
- Variety of models accommodates any buffet layout
- Rugged aluminum extrusion available with toggle switch or infinite control
- All models are single phase; specify 120 V or 208 V
- Legs sold separately

| DON#                    | Desc                          | Size                | Watts | Qty  |
|-------------------------|-------------------------------|---------------------|-------|------|
| 1059759                 | Food Warmer                   | 24"L x 21⁄2"H x 6"D | 500   | 1 ea |
| 1059762                 | Food Warmer                   | 36"L x 21⁄2"H x 6"D | 800   | 1 ea |
| 1059765                 | Food Warmer                   | 48"L x 21⁄2"H x 6"D | 1100  | 1 ea |
| 1059768                 | Food Warmer                   | 60"L x 21⁄2"H x 6"D | 1400  | 1 ea |
| 2E1622<br>NOTE: Shipped | Legs<br>I FOB from WI (54235) | 14"H                | —     | 1/pk |



#### **201** Strip Warmers

#### Hatco

- Overhead heat for pass-through areas keeps food at the proper serving temperature
- Rugged metal-sheathed heating element provides an even heat source; black powder coated housing
- Quick and easy installation
- Includes hanging tabs, S-hooks and chains, and attached 6' cord and plug

| citize the | / |
|------------|---|
|            |   |
|            |   |
|            |   |
|            |   |
|            |   |

| DON#                              | Size                | Watts | Qtv  |  |
|-----------------------------------|---------------------|-------|------|--|
| 1030990                           | 36"L x 5"W x 21⁄4"H | 800   | 1 ea |  |
| 1030991                           | 48"L x 5"W x 21⁄4"H | 1100  | 1 ea |  |
| NOTE: Shipped FOB from WI (54235) |                     |       |      |  |

#### **Retro Kettles and Induction Rethermalizers**

#### Vollrath

- Retro kettles with ceramic base element ensure fast start-up and consistent performance; heavy duty exterior in four bold colors; 1450 W, 120 V
- Mirage<sup>®</sup> induction rethermalizers require no water, offer faster retherm times and better temperature control; 120 V, 50/60 Hz

NSF

 Induction rethermalizers must be used with Vollrath induction-ready insets and inset cover - failure to use these insets may damage the unit

| 61/2 Qt Pot# | 101/2 Qt Pot# | Color       | Qty  |
|--------------|---------------|-------------|------|
| . 1040870    | 1040865       | Black       | 1 ea |
| 1040866      | 1040861       | Natural     | 1 ea |
| 3. 1040868   | 1040863       | Pearl White | 1 ea |
| 1040869      | 1040864       | Red         | 1 ea |
| nduction     |               |             |      |
| DON#         | Cap'y         | Color       | Qty  |
| 1055495      | 7 qt          | Red         | 1 ea |
| 1055494      | 11 qt         | Red         | 1 ea |
| 1052394      | 7 qt          | Silver      | 1 ea |
| C. 1052393   | 11 at         | Silver      | 1 ea |

NOTE: Ask your DON Sales Representative for stocking locations



#### Hatco

- · Provide gentle, even heating without the need for water
- Feature an intuitive user interface and is preprogrammed with four customizable presets and six preset temperatures
- Adjustable timers indicate when it's time to stir
- Automatically transfers from rethermalization mode to hold mode
- Touchscreen control includes a lock icon to prevent accidental or unauthorized changes
- Pan and hinged lid included

| DON#                    | Desc                                 | Cap'y | Volts | Qty  |
|-------------------------|--------------------------------------|-------|-------|------|
| 1248959                 | Soup Warmer                          | 7 qt  | 120   | 1 ea |
| 1248958<br>NOTE: Shippe | Soup Warmer<br>d FOB from WI (54235) | 11 qt | 120   | 1 ea |





#### Conveyor Toasters

#### Hatco

- 700 slices per hour, single or double sided toasting
- Power save mode turns off conveyor
- Patented ColorGuard sensing system
- Linear speed control with DC stepper motor

| Size                                 | Volts  |
|--------------------------------------|--|
| 14¾"L x 20%"W x 171⁄8"H              | 208  |
| 14¾"L x 20%"W x 171⁄8"H              | 240  |
| 14¾"L x 20%"W x 171⁄8"H              | 208  |
| 14¾"L x 20%"W x 171⁄8"H              | 240  |
| eel 14¾"L x 20%"W x 171/s"H          | 208/240  |
| epresentative for stocking locations |  |
|                                      | 1434"L x 205%"W x 171%"H<br>1434"L x 205%"W x 171%"H |

SI/NSF

**Qty** 1 ea 1 ea 1 ea 1 ea 1 ea





#### **Description** Four Slice Pop-Up Toasters

#### Hatco

- Polished stainless steel exterior with minimized graphics looks great for any front-of-the-house operation
- Slot size is 11/4"W x 51/2"D
- 1055646 (208V) includes selector switch for single or double sided toasting
- 6' cord with plug

|  |         |                        |       | ANS   | /NSF 4 |
|--|---------|------------------------|-------|-------|--------|
| DON#   | Cap'y   | Size                   | Volts | Watts | Qty    |
| 1055645  | 4 Slots | 13%"W x 81⁄8"H x 12%"D | 120   | 1800  | 1 ea   |
| 1055646  | 4 Slots | 13%"W x 81⁄8"H x 12%"D | 208   | 2700  | 1 ea   |
| NOTE: Ask your DON Sales Representative for stocking locations |         |                        |       |       |        |

#### Hatco<sup>®</sup>/Suntec Flip Waffle Maker NEW

#### Hatco

- Features an exclusive heating element design and 180° swivel mechanism
- $\bullet$  Heavy duty stainless steel construction with Teflon  $\ensuremath{\mathbb{R}}$  coated aluminum plates
- A simple push button control panel with an LED display shows timer, temperature and status information
- Adjustable time and temperature allows operators to "dial in" the perfect cooking profile
- Fast initial heat up time, excellent heat retention and recovery

| DON#             | Style             | Size                        | Qty  |
|------------------|-------------------|-----------------------------|------|
| 1248950          | Belgian           | 111⁄2"W x 111⁄2"H x 221⁄5"D | 1 ea |
| NOTE: Shipped FO | B from WI (54235) |                             |      |



#### Waffle Makers

#### Equipex

- Heavy Duty to create evenly baked and crispy golden-brown waffles
- Fine grain cast iron plates for baking to perfection
- Top and bottom plate outer rims are designed to minimize batter overflow
- Available in: Brussels, Liege, Round Belgian, Cone, Cyprus and Silo patterns

| DON#            | Desc                | Size                  | Volts | Qty  |
|-----------------|---------------------|-----------------------|-------|------|
| A. 1028280      | Single Waffle Baker | 12"W x 21"H x 201⁄2"D | 120   | 1 ea |
| 1028279         | Single Waffle Baker | 12"W x 21"H x 20½"D   | 240   | 1 ea |
| B. 1028278      | Double Waffle Maker | 23"W x 21"H x 20½"D   | 240   | 1 ea |
| NOTE: Shipped F | OB from RI (02903)  |                       |       |      |





#### Equipex

- Smooth plates are more efficient to clean than grooved options
- Cast iron plates are heavy and retain heat better than less dense materials
- Spring-balanced, adjustable top accommodates most products

| DON#                        | Desc                              | Size                     | Qty  |
|-----------------------------|-----------------------------------|--------------------------|------|
| 1218506<br>NOTE: Shipped FC | Panini Grill<br>B from RI (02903) | 151⁄2"W x 32"H x 221⁄4"D | 1 ea |

Adjustable vents allow humidity control for each drawer **Optional casters** 

#### Drawer Warmers

#### Hatco

- Each drawer has separate on/off switch, built-in pilot light and temperature controls to keep different foods at the optimum temperature
- · Each sliding drawer removes easily for cleaning and includes 6" deep pan
- Stainless steel exterior; 4" legs, 6' cord and plug

|  |  | ANSI/NSF 4  |
|--|--|---|
| awer Warmers                                     |  |   |
| Desc   | Size   | Qty   |
| Single Drawers                                   | 291⁄2"W x 11"H x 22%"D   | 1 ea  |
| Single Narrow Drawers                            | 20%"W x 11"H x 27"D  | 1 ea  |
| ver Warmers                                      |  |   |
| Two Drawers                                      | 291⁄2"W x 211⁄8"H x 225⁄8"D  | 1 ea  |
| Two Narrow Drawers                               | 207/8"W x 211/8"H x 27"D   | 1 ea  |
| awer Warmers                                     |  |   |
| Three Drawers                                    | 291⁄2"W x 311⁄4"H x 225⁄8"D  | 1 ea  |
| Three Narrow Drawers<br>pped FOB from WI (53081) | 201/8"W x 311/4"H x 27"D   | 1 ea  |
|  | Desc<br>Single Drawers<br>Single Narrow Drawers<br>Ver Warmers<br>Two Drawers<br>Two Narrow Drawers<br>Awer Warmers<br>Three Drawers<br>Three Narrow Drawers | Desc         Size           Single Drawers         29½"W x 11"H x 22%"D           Single Narrow Drawers         20%"W x 11"H x 27"D           ver Warmers         70% W x 211%"H x 22%"D           Two Drawers         29½"W x 211%"H x 22%"D           Two Narrow Drawers         20%"W x 211%"H x 22%"D           Awer Warmers         710           Three Drawers         29½"W x 311¼"H x 22%"D           Three Narrow Drawers         20%"W x 311¼"H x 22%"D |



#### Flav-R-Savor® Heated Air Curtain Merchandiser

#### Hatco

DON#

- Temperature range of 70° F to 175° F (21° C to 79° C)
- Designer powdercoat finish inside and outside for a uniform and sleek look
- LED lighting on top, front and sides
- Removable shelves for both horizontal and slanted installation; removable sign holders on each shelf
- Front crumb tray with lift and pivot capability; removable glass sides for easy upkeep
- User-friendly digital controls

| ontrois             |         | V V    |
|---------------------|---------|--------|
|                     |         | ANSI/N |
| ze                  | Volts   |        |
| "W x 34"H x 273/8"D | 208/240 |        |

Siz 1180386 36 NOTE: Shipped FOB from WI (53081)



А

#### **Horizontal Display Warmers**

#### Hatco

- Features the Glo-Ray<sup>®</sup> exclusive heat pattern and a heated base to keep food fresh and warm longer
- Coated shatter-resistant lights enhance product display while safeguarding food from bulb breakage
- 1-year parts and labor warranty plus one additional parts-only warranty

|    |               |                          |                 | ANSI/NSF    | 4    |
|----|---------------|--------------------------|-----------------|-------------|------|
|    | DON#          | Size                     | Cap'y           | Volts       | Qty  |
|    | H1540         | 24"W x 323/8"H x 241/4"D | 10 Divider Rods | 120         | 1 ea |
|    | H1541         | 30"W x 323/8"H x 241/4"D | 12 Divider Rods | 120         | 1 ea |
|    | H1542         | 36"W x 323/8"H x 241/4"D | 14 Divider Rods | 120         | 1 ea |
| Α. | H1543         | 41"W x 323/8"H x 241/4"D | 16 Divider Rods | 120         | 1 ea |
|    | H1544         | 52"W x 32%"H x 241⁄4"D   | 20 Divider Rods | 120         | 1 ea |
|    | H1545         | 60"W x 323/8"H x 241/4"D | 24 Divider Rods | 120/208-240 | 1 ea |
| NO | TE: Shipped F | FOB from WI (54235)      |                 |             |      |



#### **Intelligent Heated Display Cabinet with Humidity**

#### Hatco

Qty

1 ea

- Air flow pattern designed to maintain consistent cabinet temperature without drying out food; air flow system enables the cabinet to recover temperature rapidly after opening and closing door
- LCD touchscreen display on the back of the unit for temperature, humidity and timing control; lighted power switch
- USB port in back of the unit for pre-programmed settings
- Adjustable arms can open up to 191/2" and hold up to 81/2 lbs
- Stainless steel construction and finish



DON# Size 1180387 45"W x 301/4"H x 283/4"D NOTE: Shipped FOB from WI (53081)

Qty Volts 208 1 ea



#### CeramiDon Anodized Fry Pans NEW

- Ceramic, non-stick surface
- No PFAS
- Hard anodized aluminum alloy for even and rapid heat distribution
- Extra heavy duty triple riveted handles
- Removable, insulated, heat-resistant sleeves

| DON#    | Size | Qty  |
|---------|------|------|
| 1246053 | 8"   | 1 ea |
| 1246054 | 10"  | 1 ea |
| 1246055 | 12"  | 1 ea |

NOTE: Ask your DON Sales Representative for stocking locations. Due November 2024.



#### 2 AnoDon<sup>™</sup> Fry Pans

- Hard 3004 anodized aluminum alloy is 20% thicker than regular fry pans and 50% harder than stainless steel
- Extra heavy duty, brite-plated and triple-riveted handles
- Removable insulated heat-resistant sleeves
- Teflon classic non-stick surface

| DON#                     | Size                                  | Qty  |
|--------------------------|---------------------------------------|------|
| K1333                    | 8"                                    | 1 ea |
| K1334                    | 10"                                   | 1 ea |
| K1335                    | 12"                                   | 1 ea |
| NOTE: Ask your DON Sales | Representative for stocking locations |      |



#### **2 Aluminum Fry Pans**

- Constructed of 3.5 mm thick 3003 series aluminum alloy
- Riveted heavyweight handles for strength and durability
- Heat-resistant silicone sleeve for safe, secure grip
- Excellent heat distribution for searing, frying, and more
- Non-stick pans have Excalibur finish bonds to the aluminum for a long-lasting, scratch-resistant finish

| Natural#       | Non-Stick#             | Size                      | Qty  |
|----------------|------------------------|---------------------------|------|
| A. 1225781     | B. 1225787             | 7"                        | 1 ea |
| 1225783        | 1225788                | 8"                        | 1 ea |
| 1225784        | 1225789                | 10"                       | 1 ea |
| 1225785        | C. 1225790             | 12"                       | 1 ea |
| 1225786        | 1225782                | 14"                       | 1 ea |
| NOTE: Ask your | DON Sales Representati | ve for stocking locations |      |



#### 2 Tri-Ply Stainless Steel Induction Ready Fry Pans

- Durable tri-ply stainless steel with aluminum core
- 18/8 interior for flavor neutrality
- Removable, heat-resistant handle
- Limited lifetime warranty

| Natural   |         |      |
|-----------|---------|------|
| DON#      | Top Dia | Qty  |
| 1108211   | 8"      | 1 ea |
| 1108212   | 10"     | 1 ea |
| 1108213   | 12"     | 1 ea |
| Non-Stick |         |      |
| 1108214   | 8"      | 1 ea |
| 1108215   | 10"     | 1 ea |
| 1108216   | 12"     | 1 ea |

NSE

NOTE: Ask your DON Sales Representative for stocking locations

60

#### Uncoated

• Natural, smooth polished finish for uniform cooking

#### PowerCoat 2<sup>™</sup>

- Nonstick coating provides great release with great wear and abrasion resistance
- Great durability and performance

#### SteelCoat x3<sup>™</sup>

- Advanced nonstick coating provides long release life with excellent wear and abrasion resistance
- Excellent durability and release

| Natural Uncoated with Silicone Ha           | ndle                      |      |
|---|---------------------------|------|
| DON#  | Top Dia                   | Qty  |
| 1229617                                     | 7"                        | 1 ea |
| 1229618                                     | 8"                        | 1 ea |
| 1229619                                     | 10"                       | 1 ea |
| 1229620                                     | 12"                       | 1 ea |
| 1229621                                     | 14"                       | 1 ea |
| SteelCoat x3™ with Silicone Hand            | le                        |      |
| 1229627                                     | 7"                        | 1 ea |
| 1229628                                     | 8"                        | 1 ea |
| 1229629                                     | 10"                       | 1 ea |
| 1229630                                     | 12"                       | 1 ea |
| 1229631                                     | 14"                       | 1 ea |
| PowerCoat2 <sup>™</sup> with Silicone Handl | e                         |      |
| 1229622                                     | 7"                        | 1 ea |
| 1229623                                     | 8"                        | 1 ea |
| 1229624                                     | 10"                       | 1 ea |
| 1229625                                     | 12"                       | 1 ea |
| 1229626                                     | 14"                       | 1 ea |
| NOTE: Ask your DON Sales Representativ      | ve for stocking locations |      |



#### **Cast Iron Skillets**

#### Lodge Cast Iron

· Made of heat-treated, quality cast iron and seasoned at the factory so they're ready to use upon arrival

| DON#                     | Size                                  | Qty  |
|--------------------------|---------------------------------------|------|
| K8834                    | 61⁄2"                                 | 1 ea |
| K8838                    | 8"                                    | 1 ea |
| K8839                    | 9"                                    | 1 ea |
| K9849                    | 101⁄4"                                | 1 ea |
| K8841                    | 12"                                   | 1 ea |
| K8835                    | 131⁄2"                                | 1 ea |
| K8842                    | 15"                                   | 1 ea |
| NOTE: Ack your DON Sales | Pennegantative for stocking locations |      |

NOTE: Ask your DON Sales Representative for stocking locations





#### Wear-Ever® Aluminum Fry Pans

#### Vollrath

- Heavy duty, impact-resistant 3004 aluminum is 25% more wear-resistant; made without PFOA
- EverTite<sup>™</sup> riveting system offers a lifetime warranty against loose rivets
- Even me inverse a mount of a mo
- Made in the USA



#### **Black Carbon Steel Fry Pans**

#### Matfer Bourgeat

- Top-notch heat distribution and temperature control. Induction ready
- Rivet-free welded handle
- Natural non-stick: PTFE and PFOA free
- Limited lifetime warranty
- Made in France

| DON#                   | Size                     | Qty  |
|------------------------|--------------------------|------|
| 1114226                | 91⁄2"L x 91⁄2"W x 13⁄4"H | 1 ea |
| 1114227                | 11¾"L x 11¾"W x 21⁄8"H   | 1 ea |
| 1114228                | 15¾"L x 15¾"W x 2¾"H     | 1 ea |
| 1114229                | 17¾"L x 17¾"W x 3"H      | 1 ea |
| 1026516                | 11"W x 2"H               | 1 ea |
| 1036064                | 125∕s"W x 23⁄s"H         | 1 ea |
| NOTE: Shipped FOB from | n OH (60185)             |      |



(NSF)

#### **22** Stock Pots

- Constructed of 3003 series aluminum for long-lasting performance and excellent heat distribution
- Wide base and high walls allow for recipe versatility
- Covers are sold separately

| DON#         | Cap'y          | Size                                 | Lid#    | Qty  |
|--------------|----------------|--------------------------------------|---------|------|
| 1225774      | 12 qt          | 121⁄4"L x 121⁄4"W x 10"H             | 1226947 | 1 ea |
| 1225775      | 20 qt          | 14"L x 131⁄2"W x 113⁄4"H             | 1226949 | 1 ea |
| 1225776      | 24 qt          | 14¾"L x 14¾"W x 12¼"H                | 1226950 | 1 ea |
| 1225777      | 40 qt          | 16"L x 15¾"W x 15¼"H                 | 1015326 | 1 ea |
| 1225778      | 60 qt          | 185⁄7"L x 18"W x 12"H                | 1226952 | 1 ea |
| NOTE: Ask yo | ur DON Sales R | epresentative for stocking locations |         |      |



(NSF.)

#### **22** Sauce Pots


- Constructed of 4.0mm thick 3003 series aluminum for long-lasting performance
- Riveted handles designed for strength and durability
- Covers are sold separately



# ៚ Sauté Pans

- Constructed of heavyweight aluminum for long-lasting performance and excellent heat distribution
- Riveted heavyweight handles for strength and durability
- Covers are sold separately

| DON#           | Cap'y          | Size                              | Lid#    |
|----------------|----------------|-----------------------------------|---------|
| 1225765        | 5 qt           | 211⁄4"L x 12"W x 31⁄2"H           | 1226949 |
| 1225764        | 7 qt           | 22"L x 13"W x 31⁄2"H              | 1226951 |
| NOTE: Ask your | DON Sales Repr | esentative for stocking locations |         |



- Constructed of 3003 series aluminum for long-lasting performance and excellent heat distribution
- Riveted heavyweight handles for strength and durability
- Wide base and high walls allow for recipe versatility
- Covers are sold separately

| DON#         | Cap'y  | Size                         | Lid#    | Qty  |  |  |  |
|--------------|--|------------------------------|---------|------|--|--|--|
| 1225779      | 15 qt  | 15¾"L x 15¾"W x 6¾"H         | 1226951 | 1 ea |  |  |  |
| 1225780      | 24 qt  | 171⁄4"L x 17"W x 61⁄2"H      | 1227936 | 1 ea |  |  |  |
| 1225766      | 28 qt  | 21 1⁄2"L x 21 1⁄2"W x 61⁄2"H | 1226948 | 1 ea |  |  |  |
| NOTE: Ask yo | NOTE: Ask your DON Sales Representative for stocking locations |                              |         |      |  |  |  |

NSE

NSF



#### 💯 Sauce Pans

- Constructed of 3003 series aluminum for long-lasting performance and excellent heat distribution
- 7 qt and 10 qt include helper handle
- Heat-resistant silicone sleeve for safe, secure grip
- · Riveted heavyweight handles for strength and durability
- Covers are sold separately

|    | DON#    | Cap'y   | Size                | Lid#    | Qty  |
|----|---------|---------|---------------------|---------|------|
| A. | 1225769 | 3¾ qt   | 141⁄2"L x 8"W x 4"H | 1226953 | 1 ea |
|    | 1225770 | 41⁄4 qt | 17"L x 9¼"W x 5½"H  | 1202033 | 1 ea |
|    | 1225771 | 5 qt    | 20"L x 10¾"W x 8"H  | 1224534 | 1 ea |
| Β. | 1225772 | 7 qt    | 19¼"L x 12"W x 4"H  | 1202034 | 1 ea |
|    | 1225773 | 10 qt   | 23"L x 11½"W x 5½"H | 1202030 | 1 ea |

NOTE: Ask your DON Sales Representative for stocking locations





#### **Cast Iron Dutch Ovens**

Lodge Cast Iron

- Featuring stainless steel inlaid handles and hardware on an American-made, enameled cast iron vessel, this dutch oven is made to last for generations of original cooking
- Fridge, oven, and stovetop safe-including induction
- Domed, self-basting lid for greater capacity

| Blue#         | Red#                | White   | Cap'y   | Qty  |
|---------------|---------------------|---------|---------|------|
| 1240390       | 1240391             | 1240389 | 3 qt    | 1 ea |
| 1240393       | 1240394             | 1240392 | 41⁄2 qt | 1 ea |
| 1240396       | 1240397             | 1240395 | 6 qt    | 1 ea |
| 1240399       | 1240400             | 1240398 | 71⁄2 qt | 1 ea |
| NOTE: Shipped | FOB from TN (37380) |         |         |      |



#### **Mini Servers**

#### Lodge Cast Iron

- Keeps food hot from oven to table; unparalleled heat retention and even heating
- Safe to use indoors and outdoors
- Patented heat-treating process inhibits rust
- For commercial dishwasher use only

| DON#         | Desc               | Shape       | Size                     | Cap'y | Qty  |
|--------------|--------------------|-------------|--------------------------|-------|------|
| 1101289      | Mini Server        | Rectangular | 71⁄2"L x 41⁄4"W x 13⁄4"H | 10 oz | 6/cs |
| 1224511      | Mini Server        | Rectangular | 7%/"L x 41⁄₂"W x 2"H     | 14 oz | 6/cs |
| 1186960      | Mini Server        | Triangle    | 6⅔"L x 61⁄9"W x 21⁄7"H   | 10 oz | 1 ea |
| 1101291      | Mini Server        | Square      | 61⁄2"L x 44∕5"W x 13⁄4"H | 10 oz | 6/cs |
| 1101290      | Mini Server        | Round       | 8¼"L x 6%"W x 1%"H       | 14 oz | 6/cs |
| 1131134      | Mini Server        | Oval        | 9%"L x 5%"W x 21∕s"H     | 16 oz | 1 ea |
| 1246308      | Mini Underliner    | Round       | 61⁄8"L x 61⁄8"W x 61⁄8"D |       | 6/cs |
| 1246310      | Mini Underliner    | Square      | 6¼"L x 6¼"W x 6¼"D       | _     | 6/cs |
| 1246309      | Mini Underliner    | Oval        | 7¾"L x 5½"W x 5½"D       | _     | 6/cs |
| NOTE: Shippe | ed FOB from TN (37 | 380)        |                          |       |      |

#### **UltiGrips® Hot Pads**

#### San Jamar


- Made of non-slip, textured Neoprene material with Kevlar<sup>®</sup> stitching for extra durability
- Heat, cold and steam protection
- Dishwasher safe
- Protects up to 500° F for 15 seconds



Qty 1 ea

1 ea

| DON#                     | Size                               | Color |
|--------------------------|------------------------------------|-------|
| 1059435                  | 5"L x 5"W                          | Black |
| 1049092                  | 7"L x 7"W                          | Black |
| 1049091                  | 10"L x 10"W                        | Black |
| NOTE: Ask your DON Sales | Representative for stocking locati | ons   |



#### Handle Holders

- The safe way to pick up hot pots and pans
- J711 and J771 have a fire retardant coating

| DON#   | Temp Range   | Color     | Qty   |  |  |
|--|--------------|-----------|-------|--|--|
| J711   | Up to 450° F | Black     | 12/pk |  |  |
| J771   | Up to 450° F | Off White | 12/pk |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |              |           |       |  |  |

#### 💯 Hot Pad Panhandler

- Inner liner stops grease, prevents burns, insulates pad against heat
- Protects up to 400° F for 15 sec
- Machine washable

| DON# | Temp Range   | Size           | Qty  |
|------|--------------|----------------|------|
| J721 | Up to 400° F | 111⁄2" x 81⁄2" | 2/pk |



- · Oval silicone trivet has waffled surface for airflow • Protects tabletops and linens
- from excessive heat

#### Silicone Trivet

| 011100110 11110 | •                            |                      |  |
|-----------------|------------------------------|----------------------|--|
| DON#            | Temp Range                   | Size                 |  |
| 1131428         | 300° F                       | 51⁄2"L x 3¾"W        |  |
| NOTE: Ask your  | DON Sales Representative for | r stocking locations |  |

#### 💯 BestGuard® Oven Mitts

- Non-stick material is flame-retardant and wipes clean with a damp cloth
- Temp protection up to 450° F for 30 seconds
- Kevlar<sup>®</sup> WebGuard<sup>™</sup> for protection between thumb and forefinger

| DON#    | Length | Color | Qty  |
|---------|--------|-------|------|
| J728    | 15"    | Tan   | 2/pk |
| J734    | 17"    | Tan   | 2/pk |
| 1000980 | 24"    | Tan   | 2/pk |

#### **RITZ® 685° Silicone Oven Mitts**

#### Chef Revival

- Protects hand up to 685° F
- FDA approved and food safe
- Bleach and sanitizer safe

| DON#          | Deee                 | Size        | Calar       | 04.     |
|---------------|----------------------|-------------|-------------|---------|
| DUN#          | Desc                 | Size        | Color       | Qty     |
| 1114990       | Handle Holder        | 61⁄4"       | Black       | 1 ea    |
| 1114991       | Pot Holder           | 9"          | Black       | 1 ea    |
| 1106463       | Conventional         | 10"         | Black       | 1 ea    |
| 1106464       | Conventional         | 13"         | Black       | 1 ea    |
| 1106494       | Conventional         | 15"         | Black       | 1 ea    |
| 1106495       | Conventional         | 17"         | Black       | 1 ea    |
| 1114992       | Puppet Mitt          | 17"         | Black       | 1 ea    |
| NOTE: Ask you | ur DON Sales Represe | ntative for | stocking lo | cations |





**Dishwasher and** laundry safe



San Jamar

#### Cool Touch Flame<sup>™</sup>

- Protects from temperatures up to 535° F (280° C) for 30 seconds
- Provides intermittent flame protection up to 900° F (482° C)
- Machine washable
- Magnet and loop for convenient storage

#### Cool Touch<sup>™</sup>

Cool Touch Flame<sup>™</sup>

for stocking locations

DON#

J824

J822

Qty

1 ea

- Protects from temperatures up to 500° F (260° C) for 15 seconds
- Magnet and loop for convenient storage
- Heavy duty durable construction
- Made with Kevlar<sup>®</sup> WebGuard<sup>™</sup> for extra protection

Length

15"

17"

≈

Conventional

NOTE: Ask your DON Sales Representative

Desc

Puppet



Qty

1 ea

1 ea

|      |                 | $\frown$ |
|------|-----------------|----------|
|      | ~               | (NSE     |
| TION | HEAT PROTECTION | (        |

| Cool Touch <sup>™</sup> |                |          |        |  |  |  |  |  |
|-------------------------|----------------|----------|--------|--|--|--|--|--|
| DON#                    | Desc           | Length   | Qty    |  |  |  |  |  |
| 1048870                 | Puppet         | 15"      | 1 ea   |  |  |  |  |  |
| 1048872                 | Puppet         | 17"      | 1 ea   |  |  |  |  |  |
| 1048865                 | Conventional   | 15"      | 1 ea   |  |  |  |  |  |
|                         | Conventional   | 17"      | 1 ea   |  |  |  |  |  |
| NOTE: Ask               | your DON Sales | Represer | tative |  |  |  |  |  |
| for stocking            | g locations    |          |        |  |  |  |  |  |



Time and Temperature Devices Help You Stay Out of the Danger Zone



| DON#            | Desc                                       | Temp Range     | Qty  | DON#            | Desc  | Temp Range      | Qty  |
|-----------------|--|----------------|------|-----------------|---|-----------------|------|
| A. K5489        | Deep Fry Thermometer w/Clip                | 50° to 550° F  | 1 ea | K. <b>K5466</b> | Deep Fry/Candy Paddle Style Thermometer         | 100° to 400° F  | 1 ea |
| B. 1122457      | Refrigerator/Freezer Thermometer           | -22° to 122° F | 1 ea | L. K5781        | Meat Thermometer                                | 130° to 190° F  | 1 ea |
| C. <b>K6471</b> | Refrigerator/Freezer Thermometer           | -40° to 80° F  | 2/pk | M. K5472        | Oven Thermometer                                | 100° to 600° F  | 1 ea |
| D. <b>K6463</b> | Refrigerator/Freezer Thermometer           | -20° to 80° F  | 2/pk | N. 1129877      | Digital Thermometer and Timer                   | -25 ° to 392° F | 1 ea |
| E. K5745        | Refrigerator/Freezer Thermometer           | -40° to 120° F | 1 ea | 0. <b>K5407</b> | Econotemp Thermocouple Thermometer              | -40° to 500° F  | 1 ea |
| F. 1010504      | Freezer/Cooler Wall Thermometer            | -10° to 80° F  | 1 ea | P. K5399        | Gun Style Infrared Thermometer                  | -76° to 932° F  | 1 ea |
| G. 1043676      | Dual Cool <sup>™</sup> Digital Thermometer | -25° to 180° F | 1 ea | Q. <b>K5406</b> | Mini Infrared Thermometer                       | -27° to 428° F  | 1 ea |
| H. K5461        | Grill Thermometer                          | 100° to 600° F | 1 ea | R. <b>K5477</b> | 1" Dial Espresso/Cafe Thermometer               | 0° to 220° F    | 1 ea |
| J. <b>K5473</b> | Deep Fry Candy Thermometer w/Jelly Clip On | 200° to 400° F | 1 ea | NOTE: Ask your  | DON Sales Representative for stocking locations |                 |      |

66

All areas of your kitchen are time and temperature critical wherever food is concerned. Choose from our complete line of monitoring devices for receiving, cooking, storing and holding.

# FRONT O

FOOD SAFETY GUIDE



|       | DON#         | Desc  | Temp Range      | Qty  |      | DON#            | Desc  | Temp Range     | Qty   |
|-------|--------------|---|-----------------|------|------|-----------------|---|----------------|-------|
| S.    | K5910        | Waterproof Thermocouple w/Probe                 | -100° to 999° F | 1 ea | BB.  | K5487           | Digital Pocket Test Thermometer             | -40° to 300° F | 1 ea  |
| T.    | K5405        | Infrared Dual-Temp Thermometer w/Probe          | —               | 1 ea | CC.  | K5450           | Cooling Validator Thermometer               | -4° to 302° F  | 1 ea  |
| U.    | 1159887      | Digital Multi Station Timer                     | —               | 1 ea | DD.  | K5460           | Digital, Waterproof Pocket Test Thermometer | -58° to 300° F | 1 ea  |
| V.    | K5430        | Timer/Stopwatch                                 | —               | 1 ea | EE.  | K5462           | Digital, Waterproof Pocket Test Thermometer | -40° to 392° F | 1 ea  |
| W.    | 1008511      | 60 Minute Mechanical Ring Timer                 | —               | 1 ea | FF.  | K5480           | Digital, Waterproof Pocket Test Thermometer | -40° to 450° F | 1 ea  |
| Х.    | K6452        | Pocket Test Thermometer w/Re-Calibration Sheath | 0° to 220° F    | 2/pk | GG.  | P1469           | Thermometer Probe Wipe                      | _              | 1 ea  |
| Y.    | 1041453      | Digital, Waterproof Pocket Test Thermometer     | -40° to 450° F  | 1 ea | HH.  | 1170811         | Folding Thermocouple                        | -40° to 500° F | 1 ea  |
| Ζ.    | K5482        | Pocket Test Thermometer w/Re-Calibration Sheath | 50° to 550° F   | 1 ea |      | 1000898         | Temperature Test Strips                     | 180° F         | 25/pk |
| AA.   | K5470        | Pocket Test Thermometer w/Re-Calibration Sheath | 0° to 220° F    | 1 ea | JJ.  | 1033190         | Temperature Test Strips                     | 160° F         | 25/pk |
|       |              |   |                 |      | KK.  | 1182009         | Digital Dishwasher Thermometer              | 32° to 194° F  | 6/cs  |
| * IR: | -27° to 428° | ° F Probe: -67° to 626° F                       |                 |      | NOTE | E: Ask your DON | Sales Representative for stocking locations |                |       |

# Easy Data Management

The Comark Cloud receives and stores all of the temperature and humidity data from all of your devices. The dashboard will allow you to view historical records for analysis and reporting and will also make the task of continuously monitoring your workplace environment easier, by allowing you to set alerts 24 hours a day, 7 days a week for any parameters that fall out of range.



Comark RF300 automates temperature monitoring of walk-ins and reach-ins. Ensure products are kept at correct levels for quality assurance and food safety. Real time alerts from the Cloud via email or SMS from power outages can save inventory and dollars.

#### WiFi Temperature Data Loggers

Fluke Electronics - Comark

- Simple installation using your existing Wi-Fi network
- Receive real time alerts via e-mail and text message
- Review data anywhere using your web browser or FREE app

| DON#                   | Desc                             | Qty  |
|------------------------|----------------------------------|------|
| A. 1148787             | w/Display and External Probe     | 1 ea |
| B. 1148936             | w/Display and Thermocouple Probe | 1 ea |
| NOTE: Shipped FOB from | n WA (98206)                     |      |



#### **Steak Genius Thermocouple**

#### Cooper-Atkins

- Temperature Range: -40° F to 500° F (-40° C to 260° C)
- Large easy to read LCD with 0.75" digits
- Battery operated (2 AAA 1.5V alkaline). Battery life: 1000 hours without backlight active.
- IPX7\* waterproof rated (\*submerged 30" for 30 min.)
- 5-year instrument warranty

| DON#          | Desc                                | Size              | Qty  |
|---------------|-------------------------------------|-------------------|------|
| 1217090       | Thermometer K-probe                 | 25⁄16"W x 67⁄16"H | 1 ea |
| NOTE: Ask you | r DON Sales Representative for stor | cking locations   |      |



#### **Testo Cooking Oil Tester**

Testo

- Quickly, easily, and reliably measures TPM to determine cooking oil quality
- Ergonomic handle and rugged design
- Cleanable under running water (IP65)
- · Backlit display with color-coded alarms that are easy to understand
- Hold and auto-hold function
- HACCP-compliant and NSF Certified

| (N | ISF,   | Ì |
|----|--------|---|
| ~  | $\sim$ |   |

| DON#  | Length | Qty  |
|---|--------|------|
| <b>1170306</b><br>NOTE: Shipped FOB from NJ (07871) | 67/10" | 1 ea |

# Scales - What's the Difference?

A properly calibrated and well-functioning scale can help your establishment reduce operating costs as well as waste, but knowing what type of scale you need is just as important. These quick tips will help you decide which one is right for you.

#### **Receiving Scales versus Portion Scales**

Receiving scales are designed to weigh your inventory in bulk when it arrives, ensuring your establishment is receiving the right amount of product at the correct price.

Portion scales help you manage your inventory more efficiently by ensuring that portion sizes are consistent when serving your customers.

#### **Digital or Mechanical?**

While digital and mechanical scales provide a high degree of accuracy, both still have their own distinct advantages.

Digital scales are easy to read and can have a tare feature that allows you to reset the scale to zero as ingredients or vessels are added.

Mechanical scales are lightweight and portable while having the additional advantage of not requiring a power source.

| DON#                     | Cap'y                                 | Qty  |
|--------------------------|---------------------------------------|------|
| 1157120                  | 32 oz x 1⁄8 oz                        | 1 ea |
| 1157119                  | 11 lbs x 1 oz                         | 1 ea |
| NOTE: Ask your DON Sales | Representative for stocking locations |      |



#### Mechanical Scales

NSF

- Stainless steel spring and corrosion-resistant weighing mechanism for durability, long-term accuracy and strength
- Internal stop mechanism extends scale life
- Angled dial with bold graphics improves reading accuracy and ease



#### 💯 Receiving Scale

- Weighs accurately up to 400 lb
- Easy-to-read 1" LCD remote display with 6 ft cord and mounting bracket for efficient, versatile use
- Compact, low-profile design for space-saving efficiency
- Auto shut-off conserves energy and battery power

| DON#    | Cap'y   | Size      | Qty  |
|---------|---------|-----------|------|
| 1157118 | 400 lbs | 12" x 2¼" | 1 ea |



#### 💯 Digital Scales

- Large, easy-to-read 0.9" LCD display
- Removable 5%" x 5%" corrosion-resistant stainless steel platform for improved cleaning efficiency; sanitary contact surface
- Auto tare ensures efficient and exact portioning

| DON#    | Cap'y  | Qty  |
|---------|--------|------|
| 1157117 | 32 oz  | 1 ea |
| 1157116 | 11 lbs | 1 ea |

NSF

# **Food Allergies Are on the Rise**

Protect Your Customers and Your Business

- 15,000,000 Americans have food allergies
- There are 200,000 emergency room visits per year due to food allergy reactions
- New government regulations shift more liability onto foodservice providers

#### DON and the **Power of Purple** help you minimize the risks presented by food allergies.



#### Wear-Ever Allergen Handle Aluminum Fry Pans

#### Vollrath

- Purple handles protect your customers and your business by identifying pans for non-allergen cooking
- Removable purple handle rated at 450° C for stovetop or oven use
- Made in the USA

| Steelcoat X3    |                    |      | Natural |      |      |
|-----------------|--------------------|------|---------|------|------|
| DON#            | Size               | Qty  | DON#    | Size | Qty  |
| 1113803         | 7"                 | 1 ea | 1113784 | 7"   | 1 ea |
| 1113804         | 8"                 | 1 ea | 1113785 | 8"   | 1 ea |
| 1113805         | 10"                | 1 ea | 1113786 | 10"  | 1 ea |
| 1113806         | 12"                | 1 ea | 1113787 | 12"  | 1 ea |
| NOTE: Shipped F | OB from WI (53081) |      |         |      |      |



#### Allergen CamSquares®

#### Cambro

• Allergen-free imprint and purple graduations clearly identify contents as allergen free while purple seal cover helps protect against cross-contamination



| DON#         | Cap'y      | Size                                | Lid#    | Qty  |
|--------------|------------|-------------------------------------|---------|------|
| 1106631      | 2 qt       | 71⁄4"L x 71⁄4"W x 37⁄8"H            | 1106636 | 1 ea |
| 1106632      | 4 qt       | 71⁄4"L x 71⁄4"W x 73⁄8"H            | 1106636 | 1 ea |
| 1106633      | 6 qt       | 8%"L x 8%"W x 7¼"H                  | 1106637 | 1 ea |
| 1106634      | 8 qt       | 8¾"L x 8¾"W x 91⁄%"H                | 1106637 | 1 ea |
| 1106629      | 12 qt      | 11¼"L x 12¼"W x 8¾"H                | 1106635 | 1 ea |
| 1119650      | 18 qt      | 111⁄4"L x 121⁄4"W x 125⁄8"H         | 1106635 | 1 ea |
| 1119651      | 22 qt      | 11¼"Lx12¼"Wx15¾"H                   | 1106635 | 1 ea |
| NOTE: Ask yo | our DON Sa | les Representative for stocking loc | ations  |      |



#### **Allergen Thermometer**

#### Fluke Electronics - Comark

- Prevent cross contamination with color coded allergen digital pocket thermometer
- Thin tip for response in under six seconds
- -58° F to 400° F temperature range, accuracy in the food zone: +/- 2° F
- Waterproof and field calibratable

| DON#                         | Size                                 | Qty  |
|------------------------------|--------------------------------------|------|
| 1116592<br>NOTE: Shipped FOE | 8"L x 4"W x 1"H<br>8 from WA (98206) | 1 ea |



(NSF:

#### Allergen-Free Measuring Cups

#### Cambro

- Made of rugged, virtually unbreakable Camwear® polycarbonate
- Externally marked graduation in US standard and metric molded in
- · Molded-in handle won't break off

| DON#         | Cap'y        | Qty       | DON#    | Cap'y | Qty  |
|--------------|--------------|-----------|---------|-------|------|
| 1119652      | 1 cup        | 1 ea      | 1106628 | 1 qt  | 1 ea |
| 1119654      | 1 pt         | 1 ea      | 1106630 | 2 qt  | 1 ea |
| NOTE: Shippe | d FOB from C | A (91789) | 1119653 | 4 qt  | 1 ea |

|                | ALLERG         |
|----------------|----------------|
| □ No Tree Nuts | D No Shellfish |
| □ No Peanuts   | No Fish        |
| No Dairy       | No Wheat       |
| □ No Eggs      | □ Gluten-free  |
| □ No Soy       | □ Other:       |

# ToughMark<sup>™</sup> Allergen Labels

#### DayMark

(NSF;)

- Easy-to-use labels designed to clearly mark food containers with allergen information
- Equipped with repositionable adhesive and a synthetic face for remarkable durability
- Each roll contains 500 purple labels

| DON#              | Size                    | Qty    |
|-------------------|-------------------------|--------|
| 1043570           | 2" x 3"                 | 1 ea   |
| NOTE: Ask your    | DON Sales Representativ | ve for |
| stocking location | IS                      |        |

## 8 **FOODS** Account for **90%** of All Food Allergy Reactions:

- Peanuts
- Tree Nuts
- Soy • Fish

.....

- Eggs
  - Wheat

Crustacea

• Milk

#### Allergen Utensils

#### Mercer Culinary & Vollrath

- Protect patrons with allergies with a dedicated color-coded set of utensils
- Avoid cross-contamination when prepping, cooking and serving food
- Precision ground stainless steel blades with molded polypropylene handles for an extra-sure grip
- Purple colored utensils make it easy to comply with a HACCP plan
- $\bullet$  Stainless turner handles are made of polypropylene and pizza cutter handles are made from Santoprene^() and polypropylene
- $\bullet$  Utility tong and slotted spatula (all nylon) are heat resistant to 430  $^\circ\,{\rm F}$

| Vollrath          |                          |          |        |      |
|-------------------|--------------------------|----------|--------|------|
| DON#              | Desc                     | Length   | Cap'y  | Qty  |
| 1113789           | Utility Tong             | 6"       | —      | 1 ea |
| A. 1113790**      | Utility Tong             | 91⁄2"    | —      | 1 ea |
| 1113791           | Utility Tong             | 12"      | —      | 1 ea |
| 1113792           | Utility Tong             | 16"      | —      | 1 ea |
| 1113801           | Solid Spoodle            | 135⁄16"  | 4 oz   | 1 ea |
| 1113802           | Solid Spoodle            | 13%16"   | 5 oz   | 1 ea |
| 1113800           | Perforated Spoodle       | 135⁄16"  | 4 oz   | 1 ea |
| 1113798           | Solid Basting Spoon      | 1313/16" | —      | 1 ea |
| 1113799           | Perforated Basting Spoon | 1313/16" | —      | 1 ea |
| 1113795           | Heavy Duty Ladle         | 10%"     | 2 oz   | 1 ea |
| 1113796           | Heavy Duty Ladle         | 137⁄16"  | 4 oz   | 1 ea |
| K7620             | Piano Whip               | 10"      | —      | 1 ea |
| B. <b>K7621**</b> | Piano Whip               | 12"      | —      | 1 ea |
| K7630             | Piano Whip               | 14"      | —      | 1 ea |
| K4561             | Piano Whip               | 16"      | —      | 1 ea |
| K7624             | Piano Whip               | 18"      | —      | 1 ea |
| C. <b>S808**</b>  | One Piece Food Disher    | 85⁄16"   | 3⁄4 OZ | 1 ea |



| Mercer      |                             |                 |      |
|-------------|-----------------------------|-----------------|------|
| DON#        | Desc                        | Size            | Qty  |
| D. 1103898* | Pizza Cutter                | 23⁄4" L         | 1 ea |
| 1103899*    | Pizza Cutter                | 4" L            | 1 ea |
| 1103900     | Turner                      | 8" x 3"         | 1 ea |
| E. 1103901  | Perforated Turner           | 8" x 3"         | 1 ea |
| 1103902     | Server                      | 5" x 2"         | 1 ea |
| 1103903     | Server                      | 5" x 3"         | 1 ea |
| 1103904     | Wavy Edge Spreader          | 31⁄2" L         | 1 ea |
| 1103905     | Spreader                    | 31⁄2" L         | 1 ea |
| 1103906     | Scraper                     | 6" x 3"         | 1 ea |
| 1103908*    | Bake Mat                    | 117⁄8" x 161⁄2" | 1 ea |
| F. 1103907* | Bake Mat                    | 161⁄2" x 241⁄2" | 1 ea |
| 1049399     | Utility Tongs               | 91⁄2" L         | 1 ea |
| 1049405     | Slotted Spatula (all nylon) | 12" L           | 1 ea |

NOTE: Ask your DON Sales Representative for stocking locations. \*Not NSF. \*\*Lifetime guarantee.



#### Traex<sup>®</sup> Color-Mate Food Storage Boxes

#### Vollrath

• Freezer- and dishwasher-safe

| DON#   | Desc       | Size                  | Qty  |  |
|--|------------|-----------------------|------|--|
| 1113781  | Food Box   | 141⁄2"L x 19"W x 5⅔"H | 1 ea |  |
| 1113780  | Food Box   | 15"L x 20"W x 5"H     | 1 ea |  |
| 1113782  | Food Box   | 15"L x 20"W x 7"H     | 1 ea |  |
| 1113779  | Drain Box  | 15"L x 20"W x 5"H     | 1 ea |  |
| 1113778  | Snap Lid * | 15%"L x 22½"W x 2½"H  | 1 ea |  |
| NOTE: Ask your DON Salas Papropartative for stacking locations *Fits all haves |            |                       |      |  |

| NOTE: Ask your DON Sales Representative for stocking locations. *Fits all boxes. |  |
|--|--|
|--|--|

#### Allergen Saf-T-Zone™ System and Cutting Boards

San Jamar

(NSF.

- Purple color and embossed warnings alert employees to keep separate from allergens and wash after each use
- Food safety hook for sanitary transport and storage
- Integrated ruler for easy portioning and cost control; anti-slip grip corners hold the board in place during use
- Dishwasher-safe—durable co-polymer material will not warp
- Allergen Saf-T-Zone<sup>™</sup> system includes 12" x 18" cutting board, 10" chef's knife, 12" stainless steel tongs, 13" stainless steel turner and a thermometer holder all conveniently stored in a purple case (Note: thermometer not included)

| Cutting Boards                       |                                     |      |
|--------------------------------------|-------------------------------------|------|
| DON#                                 | Size                                | Qty  |
| 1035418                              | 9"L x 6"W x ℁"H                     | 1 ea |
| 1027897                              | 12"L x 9"W x ¾"H                    | 1 ea |
| 1015319                              | 18"L x 12"W x 1⁄2"H                 | 1 ea |
| Allergen Saf-T-Zone <sup>™</sup> Sys | tem                                 |      |
| 1033719                              | _                                   | 1 ea |
| NOTE: Ask your DON Sales Re          | presentative for stocking locations |      |

# Color Code the Kitchen

Color coding your food preparation tools and serving utensils reduces the chance of cross contamination. Ask your DON Sales Representative for a copy of our food safety brochure.



#### **Color-Coded Thermometers**

Taylor

- Stainless steel construction with shatterproof lens; 5" stem and 1" dial face
- Pocket sleeve with patented built-in calibration feature
- Color coded to help prevent cross-contamination: purple/allergen, yellow/poultry, red/raw meat, brown/cooked meat and blue/fish

| DON#                              | Color  | Temp Range | Qty  |  |  |
|-----------------------------------|--------|------------|------|--|--|
| 1217386                           | Blue   | 0/220° F   | 1 ea |  |  |
| 1217387                           | Brown  | 0/220° F   | 1 ea |  |  |
| 1217388                           | Red    | 0/220° F   | 1 ea |  |  |
| 1217389                           | Yellow | 0/220° F   | 1 ea |  |  |
| NOTE: Shipped FOB from CA (92376) |        |            |      |  |  |



#### SpectraTong<sup>™</sup> Springless Tongs

• HACCP-essential tool

(NSF)

- Colored plastic handles designed for comfort and color-coding prep and serving tasks
- Easy-to-clean rivetless tongs

| DON#  | Handle Color | Length | Qty  |
|-------|--------------|--------|------|
| 3K112 | Blue         | 91⁄2"  | 1 ea |
| 3K111 | Red          | 91⁄2"  | 1 ea |
| 3K113 | Yellow       | 91⁄2"  | 1 ea |
| 3K117 | Blue         | 12"    | 1 ea |
| 3K116 | Red          | 12"    | 1 ea |
| 3K118 | Yellow       | 12"    | 1 ea |



#### SaferFood<sup>™</sup> Solutions Flexible Cutting Mats

#### TableCraft Products

- Lightweight, flexible polypropylene
- Set (1043645) includes one each of blue, yellow, green, white, brown and red

Color-coded system reduces the risk of cross-contamination

• Dishwasher-safe

| DON#                              | Desc            | Color    | Size        | Thickness | Qty  |
|-----------------------------------|-----------------|----------|-------------|-----------|------|
| 1047353                           | Mat             | White    | 18"L x 12"W | 1.4 mm    | 6/pk |
| 1047754                           | Mat             | White    | 20"L x 15"W | 1.5 mm    | 6/pk |
| 1043645                           | Cutting Mat Set | Assorted | 24"L x 18"W | 1.5 mm    | 6/pk |
| NOTE: Shipped FOB from IL (60031) |                 |          |             |           |      |



#### SpectraBoard™


- HACCP-essential tool
- Color-coded cutting boards designed to coordinate cutting tasks to reduce the risk of cross-contamination
- Non-porous, non-absorbent surface
- All boards are 1/2" thick
- Dishwasher-safe

(NSF)

| Blue#  | Green# | Red#  | Yellow# | Size        | Qty  |
|--|--------|-------|---------|-------------|------|
| K4760  | K4762  | K4761 | K4763   | 15"L x 20"W | 1 ea |
| K4765  | K4767  | K4766 | K4768   | 18"L x 24"W | 1 ea |
| NOTE: Ask your DON Sales Representative for stocking locations |        |       |         |             |      |

**NSF** 

# **Tips for Food Safety**



- 1. Wash hands; bacteria from unwashed hands may land on cutting surfaces, prep equipment and even the food itself.
- 2. Use separate color-coded cutting boards and knives for fresh produce, raw meat, cooked meat, poultry and seafood.
- 3. Keep raw meat, poultry and seafood separate from produce and other foods in your refrigerator.



| Saf-T-Gri        | p® Cutting Bo | oards        |                 |              |            |           |      |
|------------------|---------------|--------------|-----------------|--------------|------------|-----------|------|
| Blue#            | Brown#        | Green#       | Red#            | White#       | Yellow#    | Size      | Qty  |
| K6773            | 1033539       | K6772        | K6774           | K6771        | K6776      | 12" x 18" | 1 ea |
| K6790            | 1033540       | K6789        | K6791           | K6788        | K6793      | 15" x 20" | 1 ea |
| K6780            | 1032747       | K6779        | K6781           | K6778        | K6783      | 18" x 24" | 1 ea |
| _                | 1027895       | 1027896      | 1027898         | 1027901      | 1027899    | 12" x 9"  | 1 ea |
| Allergen S       | Saf-T-Grip® C | utting Boar  | d               |              |            |           |      |
| DON#             |               | Color        |                 | Size         |            |           | Qty  |
| 1035418          |               | Purple       |                 | 6"L x 9"W    | ′x ¾"H     |           | 1 ea |
| 1027897          |               | Purple       |                 | 9"L x 12"\   | N x %/"H   |           | 1 ea |
| 1015319          |               | Purple       |                 | 12"L x 18    | "W x 1⁄2"H |           | 1 ea |
| Sets - 6 p       | ieces         |              |                 |              |            |           |      |
| K6770            |               | Assorted     |                 | 12" x 18"    |            |           | 1/cs |
| K6784            |               | Assorted     |                 | 15" x 20"    |            |           | 1/cs |
| K6777            |               | Assorted     |                 | 18" x 24"    |            |           | 1/cs |
| <b>Cutting B</b> | oard Storage  | Stand        |                 |              |            |           |      |
| K4812            | _             | Silver       |                 | Holds 6 bo   | ards       |           | 1 ea |
| NOTE: Ask        | your DON Sale | s Representa | tive for stocki | ng locations |            |           |      |

## Saf-T-Grip<sup>®</sup> Cutting Boards

San Jamar

- Durable co-polymer material withstands repeated high-temperature washing and will not warp
- Resists cut-grooving without dulling knives
- Integrated anti-slip grips hold the board in place during use
- Integrated ruler feature for easy portioning and cost control
- Sets include one each: red, yellow, green, blue, white and brown

| Qty  |
|------|
| 1 ea |
|      |

## Millennia® Color-Coded Cutlery

#### Millennia Colors®

- Color-coded knives ideal for dedicated use
- Coordinate with color-coded cutting boards

| Stamped (  | Chef's Knive | s           |            |         |      |      |
|------------|--------------|-------------|------------|---------|------|------|
| Blue#      | Brown#       | Green#      | Red#       | Yellow# | Size | Qty  |
| 1051401    | 1059992      | 1059991     | 1051405    | 1040563 | 8"   | 1 ea |
| 1041506    | 1059989      | 1041507     | 1041508    | 1040564 | 10"  | 1 ea |
| Allergen P | urple Knives | 5           |            |         |      |      |
| DON#       |              | Desc        |            | Size    |      | Qty  |
| 1059990    |              | Chef's Knif | е          | 8"      |      | 1 ea |
| 1059988    |              | Chef's Knif | е          | 10"     |      | 1 ea |
| 1059981    |              | Santoku Kr  | ife        | 7"      |      | 1 ea |
| 1059994    |              | Offset Brea | d Knife    | 8"      |      | 1 ea |
| 1059942    |              | Curved Bor  | ning Knife | 6"      |      | 1 ea |
| 1059998    |              | Narrow Bor  | ning Knife | 6"      |      | 1 ea |
| 1059932    |              | Paring Knif | e          | 3"      |      | 1 ea |

NSF



NOTE: Ask your DON Sales Representative for stocking locations. Limited Lifetime warranty.

NSF

| 20 <sup>20</sup> Sani Sharp <sup>™</sup> Cutlery<br>1111086 Cook's Knife<br>8" 1 ea 1110290 Hollow Ground Paring Knife 3½" 1   |   |   |            |                                 |                |                         |   |                            |   |    |
|--|---|---|------------|---------------------------------|----------------|-------------------------|---|----------------------------|---|----|
| Dow       Desc       Blade       Oty       Dow#       Desc       Blade       Out         Injection-molded polypropylene handle       1111086       Cook's Knife       1       1       1       31½"       1         Injection-molded polypropylene handle       1110292       Cook's Knife       10"       1       1110291       Paring Knife       31½"       1         High-carbon Japanese steel blade       1110296       Curved Bread Knife       10"       1       1       4"       1         Secure, comfortable grip       1110315       Curved Boning Knife       6"       1       1       1       234"       1         Dishwasher safe       1110306       Serrated Edge Utility Knife       5"       1       a       1111090       Oyster Knife       3"       1 | Offset Slicing Knife                                      |   |            |                                 | (              | 000)<br>as 1116237 (88) |   |                            |   |    |
| 1111086Cook's Knife8"1 ea1110290Hollow Ground Paring Knife3½"1I hjection-molded polypropylene handle1110292Cook's Knife10"1 ea1110291Paring Knife4"1High-carbon Japanese steel blade1110296Curved Bread Knife10"1 ea111087Offset Slicing Knife8"1Secure, comfortable grip111084Serrated Edge Utility Knife5"1 ea1110190Oyster Knife2%"1Dishwasher safe1110306Serrated Edge Utility Knife8"1 ea111090Oyster Knife3"1  |   |   |            |                                 |                |                         | S | Gerrated Edge Slicing Knif | e | NS |
| Injection-molded polypropylene handle1110292Cook's Knife10"1 ea1110291Paring Knife4"1High-carbon Japanese steel blade1110296Curved Bread Knife10"1 ea1111087Offset Slicing Knife8"1Secure, comfortable grip1110315Curved Boning Knife6"1 ea1110316Oyster Knife234"1Dishwasher safe1110306Serrated Edge Utility Knife8"1 ea113"1  | ‱ Sani Sharp™ Cutlery                                     |   |            |                                 |                | -                       |   |                            |   | Q  |
| Inight carbon dupunces stort blackIII0315Curved Boning Knife6"1 ea1110316Oyster Knife2¾"1• Secure, comfortable grip111034Serrated Edge Utility Knife5"1 ea111090Oyster Knife3"1• Dishwasher safe1110306Serrated Edge Utility Knife8"1 ea11   | <ul> <li>Injection-molded polypropylene handle</li> </ul> |   |            |                                 |                |                         |   |                            |   | 1  |
| Secure, comfortable grip     1111084 Serrated Edge Utility Knife 5" 1 ea 1111090 Oyster Knife 3" 1     Dishwasher safe 1110306 Serrated Edge Utility Knife 8" 1 ea   | High-carbon Japanese steel blade                          |   |            |                                 |                |                         |   |                            |   |    |
| Dishwasher safe     1110306 Serrated Edge Utility Knife 8" 1 ea  | <ul> <li>Secure, comfortable grip</li> </ul>              |   |            |                                 |                |                         |   |                            |   |    |
| NOTE. ASK your DON Sales nepresentative for stocking locations   | <ul> <li>Dishwasher safe</li> </ul>                       | 1 | 110306     | Serrated Edge Utility Knife     | 8"             | 1 ea                    |   |                            | 0 | ·  |
|  |   |   | UTE. ASK y | our Don Sales nepresentative to | I SLUCKING IUC | auons                   |   |                            |   |    |

Utility Knife

| ഈ Comfort Sharp™ Cutlery   | DON#  | Desc  | Blade  | Qty  | DON#   | Desc   | Blade                                | Qty  |
|--|---|---|--|--|--|--|--------------------------------------|--|
| <ul> <li>Santoprene<sup>®</sup> and polypropylene handle with textured finger points for better grip</li> <li>High-carbon Japanese steel blade</li> <li>Dishwasher safe</li> </ul> | 1110258<br>1110259<br>1033965<br>1056154<br>1110260<br>1110257<br>1110256 | Cook's Knife<br>Cook's Knife<br>Cook's Knife<br>Santoku Knife<br>Curved Bread Knife<br>Straight Boning Knife<br>Paring Knife<br>rour DON Sales Representative | 81⁄2"<br>10"<br>12"<br>7"<br>10"<br>6"<br>4" | 1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea | 3K457<br>1113231<br>1113232<br>1033900<br>1110254<br>1110270 | Scalloped Offset Knife<br>Wavy Slicer<br>Straight Slicing Knife<br>Kullenschiff Slicing Knife<br>Cook's Fork<br>Sharpening Steel | 8"<br>12"<br>12"<br>14"<br>7"<br>12" | 1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea<br>1 ea |

Don 1033965

Cook's Knife

(NSF.



## Kullenschiff Slicing Knife

## **22** Sabre-Sharp<sup>®</sup> Cutlery

- Rosewood handles meet exacting industry standards
   and provide exceptional durability and comfort
- Stainless steel, corrosion-resistant blades and tines
- Tang extends deep into the shaped handles; full tang is utilized where required
- Each handle is firmly secured by stainless steel compression rivets to prevent separation


74

| DON#        | Desc                            | Blade          | Qty    | DON#    | Desc                  | Blade | Qty  |
|-------------|---------------------------------|----------------|--------|---------|-----------------------|-------|------|
| 1113236     | Cook's Knife                    | 8"             | 1 ea   | 1113234 | Paring Knife          | 4"    | 1 ea |
| 1113237     | Cook's Knife                    | 10"            | 1 ea   | 1113244 | Cleaver               | 8"    | 1 ea |
| 1113238     | Curved Bread Knife              | 10"            | 1 ea   | 1110278 | Full Tang Cook's Fork | 7"    | 1 ea |
| 1113235     | Straight Boning Knife           | 6"             | 1 ea   | 1110279 | Sharpening Steel      | 12"   | 1 ea |
| 1113233     | Paring Knife                    | 31⁄2"          | 1 ea   |         |                       |       |      |
| NOTE: Ask y | our DON Sales Representative fo | r stocking loc | ations |         |                       |       |      |



#### A. Cook's Knife

The most popular multi-purpose knife in the kitchen. Use for coarse or fine chopping, dicing and mincing of any kind of food. The deep handle grip is designed to protect the knuckles.





The most versatile of knives for slicing, slivering, peeling and mincing.



#### B. Santoku Knife

Designed for precision tasks like mincing and fine slicing. The blade has shallow oval-shaped depressions along the cutting edge to help prevent foods from adhering to the blade.



#### F. Offset Sandwich Knife

E. Paring Knife

Offset handle prevents knuckles from hitting cutting surface.



#### C. Bread Slicer

The scalloped edge is excellent for slicing loaves of bread without crushing the loaf. Also ideal for roasts, ham and other foods with a firm, crusty exterior and soft interior.



#### G. Duo-Edge Roast Slicer

Hollow-edge blade reduces drag, resulting in a paper-thin and an incredibly smooth cut. The tiny grooves also allow food to slide off the knife without sticking.

## SOFGRIP® Professional Cutlery

- Professional quality, high carbon stainless steel blades
- Ergonomic, non-slip handles that are soft-to-the-touch
- Long lasting ultimate sharp blades are easy to resharpen
- Dishwasher safe
- Made in the USA

| DON#       | Desc                                | Blade Length | Qty  |
|------------|-------------------------------------|--------------|------|
| 1002686    | Scalloped Utility Knife Pointed Tip | 6"           | 1 ea |
| E. 1002676 | Paring Knife                        | 31⁄4"        | 1 ea |
| 1002677    | Scalloped Paring Knife              | 31⁄4"        | 1 ea |
| F. 1002687 | Scalloped Offset Sandwich Knife     | 9"           | 1 ea |
| G. 1002680 | Duo-Edge Roast Slicer               | 12"          | 1 ea |
| 1002652    | Diamond Sharpener                   | 12"          | 1 ea |

| DON#       | Desc                   | Blade Length | Qty  |
|------------|------------------------|--------------|------|
| 1002684    | Cook's Knife           | 8"           | 1 ea |
| A. 1002682 | Cook's Knife           | 10"          | 1 ea |
| 1002683    | Cook's Knife           | 12"          | 1 ea |
| B. 1002681 | Duo-Edge Santoku Knife | 7"           | 1 ea |
| C. 1002685 | Scalloped Bread Knife  | 10"          | 1 ea |
| D. 1002678 | Wide Boning Knife      | 6"           | 1 ea |

NOTE: Ask your DON Sales Representative for stocking locations



• One-piece precision forged construction



- VG10 super steel core
- · Innovative ice hardening treatment for exceptional sharpness and durability
- Hand-honed blades for precision cutting
- Moisture-repellent black linen Micarta handle for a comfortable and slip-free grip

| DON#        | Desc                   | Size  | Qty  | DON#    | Desc            | Size  | Qty  |
|-------------|------------------------|-------|------|---------|-----------------|-------|------|
| 1164277     | Chef's Knife           | 6"    | 1 ea | 1164273 | Prep Knife      | 51⁄4" | 1 ea |
| 1164280     | Chef's Wide Knife      | 6"    | 1 ea | 1164274 | Vegetable Knife | 31⁄2" | 1 ea |
| 1164281     | Santoku Knife          | 51⁄2" | 1 ea | 1164275 | Paring Knife    | 31⁄2" | 1 ea |
| 1164282     | Santoku Knife          | 7"    | 1 ea | 1164276 | Paring Knife    | 41⁄2" | 1 ea |
| 1164278     | Bread Knife            | 91⁄2" | 1 ea |         |                 |       |      |
| NOTE: Shipp | ed FOB from NY (10570) |       |      |         |                 |       |      |



#### **BPX® Butcher Knives**

Mercer Culinary

- High-carbon, ice-hardened German steel for increased blade strength
- Glass reinforced nylon handle for sure grip and durability
- Mirror finished blade for smooth cutting and release
- Taper ground edge for long-lasting sharpness and easy honing

| DON#        | Desc                   | Blade  | Qty  | DON#    | Desc                        | Blade | Qty  |
|-------------|------------------------|--------|------|---------|-----------------------------|-------|------|
| 1207095     | Boning Knife           | 5"     | 1 ea | 1228301 | Lamb Skinning Knife         | 5"    | 1 ea |
| 1207096     | Boning Knife           | 6"     | 1 ea | 1207104 | Fillet Knife                | 6"    | 1 ea |
| 1207097     | Curved Boning Knife    | 6"     | 1 ea | 1207105 | Fillet Knife                | 7"    | 1 ea |
| 1207098     | Curved Boning Knife    | 6"     | 1 ea | 1207106 | Fillet Knife                | 81⁄4" | 1 ea |
| 1207103     | Skinning Knife         | 6"     | 1 ea | 1228298 | Narrow Fillet Knife         | 81⁄2" | 1 ea |
| 1228299     | Chef Knife             | 8"     | 1 ea | 1207107 | Breaking Knife              | 8"    | 1 ea |
| 1207099     | Flank Knife            | 81⁄4"  | 1 ea | 1207108 | Breaking Knife              | 10"   | 1 ea |
| 1207100     | Euro Butcher Knife     | 81⁄4"  | 1 ea | 1207109 | Butcher Knife               | 8"    | 1 ea |
| 1207101     | Euro Butcher Knife     | 101⁄4" | 1 ea | 1207110 | Butcher Knife, Granton Edge | 8"    | 1 ea |
| 1207102     | Euro Butcher Knife     | 114⁄5" | 1 ea | 1207111 | Butcher Knife               | 10"   | 1 ea |
| NOTE: Shipp | ed FOB from NY (11779) |        |      | 1207112 | Butcher Knife, Granton Edge | 10"   | 1 ea |
|             |                        |        |      | 1228300 | Slicer                      | 11"   | 1 ea |

## **Sharpening Stones**

Mercer Culinary

- Starter and Finisher Stones
- Starter stone has coarser grit levels to repair damaged edges or blunt knives; finishing stone is made with finer grit levels for eliminating burrs on the knife blade edge
- Flattening Stones

Keeping your sharpening stone's surface flat ensures the highest performance and best results. Choose from three options.

Oberstein aus d. Einsiehen Obe

| <ul> <li>Glass Sharpening Stones</li> </ul> |
|---|
| Glass base keeps stone flatter for          |
| longer use; silicone base. Just pour        |
| water or oil for use.                       |

• Premium Sharpening Stones Specially formulated premium grade corundum create sharper edges in less time. Larger size allows for a longer sharpening stroke.



1228309

1228310

1228311

1228312

1228313

240/280

400/1000

600/2000

1000/3000

3000/8000

1 ea

1 ea

1 ea

1 ea

1 ea

| Starter and F            | inisher Stones                                   |             |      |
|--------------------------|--|-------------|------|
| DON#                     | Desc   | Grit        | Qty  |
| 1047840                  | Starter Stone                                    | 400/1000    | 1 ea |
| 1047841                  | Finishing Stone                                  | 1000/3000   | 1 ea |
| Flattening St            | ones   |             |      |
| DON#                     | Desc   | Shape       | Qty  |
| 1228306                  | Flattening Stone, Diamond                        | Rectangular | 1 ea |
| 1228307                  | Flattening Stone, Silicon Carbide                | Rectangular | 1 ea |
| 1228308<br>NOTE: Shipped | Flattening Stone, Diamond<br>FOB from NY (11779) | Oval        | 1 ea |



## 💯 Knife Sharpener

- Helps keep every knife in your kitchen ready to use with a simple and ergonomic design
- Coarse, carbide sharpener with crossed ceramics helps ensure precision sharpening

| DON#                    | Size                                     | Qty  |
|-------------------------|--|------|
| 1114273                 | 71⁄2"L x 2"W x 21⁄2"H                    | 1 ea |
| NOTE: Ask your DON Sale | es Representative for stocking locations |      |



## Saf-T-Knife® Station

#### San Jamar

- Closed container protects knives from contaminants and damage
- Holds variety of knife configurations, including a cleaver and a knife sharpener
- · Easy to assemble and disassemble; dishwasher safe

| DON#                 | Desc                                       | Qty  |
|----------------------|--|------|
| 1044876              | 15"L x 4¼"W x 15"H                         | 1 ea |
| NOTE: Ask your DON S | ales Representative for stocking locations |      |



1 ea

1 ea

1 ea

1 ea

## **Sharpening System**

#### TableCraft Products

1228302

1228303

1228304

1228305

600

1000

3000

6000

- Complete with three rotating stones: fine, medium and coarse
- Includes honing oil

| DON#                     | Size                                  | Qty  |
|--------------------------|---------------------------------------|------|
| 1K5980                   | 11"L                                  | 1 ea |
| NOTE: Ask your DON Sales | Representative for stocking locations |      |



## **Knife Storage**

(NSF.)

## TableCraft Products

- · Made of durable high impact polystyrene
- · Mounts to wall or counter table (screws included)
- . Holds up to 12 knives, one cleaver and one steel (not included)

| DON#                    | Size                                     | Qty  |
|-------------------------|--|------|
| K5833                   | 15"W x 3"D x 16"H                        | 1 ea |
| NOTE: Ask your DON Sale | es Representative for stocking locations |      |







## **Plating Sets**

Mercer Culinary

- 18/8 stainless steel construction
- Heavy duty roll for easy storage and transport

| DON#                              | Style   | Color           | Qty  |
|-----------------------------------|---------|-----------------|------|
| A. 1179014                        | 8 Piece | Black           | 1 ea |
| B. 1179015                        | 8 Piece | Rose Gold       | 1 ea |
| C. 1113376                        | 8 Piece | Stainless Steel | 1 ea |
| NOTE: Shipped FOB from NY (11779) |         |                 |      |



## White Polyethylene Cutting Boards

- Tough polyethylene plastic
- Sanitary and dishwasher safe
- All boards are 1/2" thick

| DON#  | Size        | Qty  |
|-------|-------------|------|
| K4814 | 15"L x 20"W | 1 ea |
| K4813 | 18"L x 12"W | 1 ea |
| K4815 | 24"L x 18"W | 1 ea |



## **Precise Slice Knife**

Victorinox Swiss Army

(NSF.)

- Precise slicing control made specifically for righthanded users
- 81/4" heavy duty stainless steel blade; serrated edge is ideal for tough vegetables and breads
- Adjusts to desired thickness and remains securely and firmly in position
- Lifetime warranty on stainless steel blade

| DON#         | Desc                           | Size           | Qty      |
|--------------|--------------------------------|----------------|----------|
| 1198561      | Adjustable Slicing Knife       | 14"            | 1 ea     |
| 3K323        | Knife Guide                    | —              | 1 ea     |
| NOTE: Ask yo | our DON Sales Representative f | or stocking lo | ocations |



## **Magnetic Knife Holder**

- Dexter-Russell
- Polypropylene base holds magnet to keep knives at hand and easy to find

| DON#              | Length                     | Qty                |
|-------------------|----------------------------|--------------------|
| 1024222           | 18"                        | 1 ea               |
| 1024223           | 24"                        | 1 ea               |
| NOTE: Ask your DO | N Sales Representative for | stocking locations |



- ANSI Cut Level A5
- Seamless knit featuring a combination of ultra-high-molecular-weightpolyethylene and stainless steel
- Warning: gloves are cut-resistant, but not cut-proof—do not subject to high speed or serrated blades
- Color-coded cuffs to indicate size

| DON#           | Color                        | Size               | Qty  |
|----------------|------------------------------|--------------------|------|
| 1130132        | White/Red                    | Small              | 1 ea |
| 1130131        | White/Green                  | Medium             | 1 ea |
| 1130130        | White/White                  | Large              | 1 ea |
| 1130129        | White/Black                  | X-Large            | 1 ea |
| NOTE: Ask your | DON Sales Representative for | stocking locations |      |

78 🗖 don.com









(NSF)

## <sup>™</sup> Comfort Sharp<sup>™</sup> High Heat Utensils

• High heat-resistant handles up to 430° F

• FDA approved

• Non-slip ergonomic handle made of new age polymer

• Dishwasher-safe

| DON#                                   | Desc                                       | Blade Size                               | Qty  |
|--|--|--|------|
| A. 1110262*                            | Pizza Cutter                               | 4"                                       | 1 ea |
| B. 1110264                             | Pie Knife                                  | 5" x 2"                                  | 1 ea |
| C. 1110265                             | Pie Knife                                  | 5" x 3"                                  | 1 ea |
| D. 1110268                             | Straight Turner                            | 5" x 4"                                  | 1 ea |
| E. <b>1110266</b><br>NOTE: Ask your DO | Solid Turner<br>N Sales Representative for | 8" x 3"<br>stocking locations. *Not NSF. | 1 ea |

| DON#       | Desc                | Blade Size    | Qty  |
|------------|---------------------|---------------|------|
| F. 1110267 | Perforated Turner   | 8" x 3"       | 1 ea |
| G. 1110269 | Square Edge Turner  | 6" x 3"       | 1 ea |
| H. 1110263 | Mini Spatula/Turner | 21⁄2" x 21⁄2" | 1 ea |
| J. 1110253 | Sandwich Spreader   | 31⁄2"         | 1 ea |
| K. 1110255 | Dough Scraper       | 6" x 31⁄2"    | 1 ea |
| L. 1125731 | Straight Spatula    | 8"            | 1 ea |




1 ea

1 ea

Т

W. 1110310 Spatula 8" NOTE: Ask your DON Sales Representative for stocking locations. \*Not NSF. W



G

- Corrosion-resistant stainless steel blade and tine
- Tangs extend deep into the shaped handles; full tang is utilized where required
- Each handle is firmly secured by three oversized stainless steel compression rivets to prevent separation


| DON#       | Desc                | Blade Size   | Qty  |
|------------|---------------------|--------------|------|
| A. 1110283 | Straight Pie Knife  | 5"L x 2"W    | 1 ea |
| 1113241    | Straight Pie Knife  | 5"L x 3"W    | 1 ea |
| B. 1110286 | Square Edge Turner  | 4"L x 21⁄2"W | 1 ea |
| 1110284    | Square Edge Turner  | 5"L x 3"W    | 1 ea |
| C. 1110287 | Turner              | 6"L x 3"W    | 1 ea |
| D. 1110285 | Beveled Edge Turner | 6"L x 5"W    | 1 ea |
| E. 1110288 | Rounded Edge Turner | 8"L x 3"W    | 1 ea |
|            | <b>ANA 1 B</b>      |              |      |

| DON#              | Desc              | Blade Size    | Qty  |
|-------------------|-------------------|---------------|------|
| F. 1110289        | Perforated Turner | 8"L x 3"W     | 1 ea |
| G. <b>1110282</b> | Scraper           | 41⁄2"L x 4"W  | 1 ea |
| 1113242           | Frosting Spatula  | 10"L x 11⁄2"W | 1 ea |
| DON#              | Desc              | Length        | Qty  |
| H. 1110281        | Melon Baller      | 6"            | 1 ea |

Н

NOTE: Ask your DON Sales Representative for stocking locations





- Acid etched blade for a super sharp cutting surface that stays sharp longer
- Heavy-duty 18/8 stainless steel blade is resistant to corrosion and pitting
- $\bullet$  Rounded ergonomic handle is made from durable polypropylene and comfortable, slip-resistant Santoprene  $^{\circledast}$
- Convenient hanging hole
- Silicone stability bar keeps grater from slipping on a work surface
- Snap on plastic cover for safe storage

| DON#                           | Size            | Qty  |
|--------------------------------|-----------------|------|
| J. 1175259                     | 81%"L x 13/16"W | 1 ea |
| 1175260                        | 53%"L x 25%"W   | 1 ea |
| NOTE: Shipped FOB from NY (117 | 79)             |      |

| 6                           | Мі                            | rror Finish                 | ¢                    |
|-----------------------------|-------------------------------|-----------------------------|----------------------|
| 👓 1-P                       | iece Ladles                   | 1C                          | -11                  |
| DON#                        | Cap'y                         | Length                      | Qty                  |
| K7187                       | 1/2 oz                        | 111/2"                      | 1 ea                 |
| K7101                       | 1 oz                          | 12"                         | 1 ea                 |
| K7102                       | 2 oz                          | 121⁄4"                      | 1 ea                 |
| K7195                       | 3 oz                          | 13"                         | 1 ea                 |
| K7103                       | 4 oz                          | 111⁄2"                      | 1 ea                 |
| K7104                       | 6 oz                          | 14¾"                        | 1 ea                 |
| K7105                       | 8 oz                          | 15"                         | 1 ea                 |
| <b>K7106</b><br>NOTE: Ask y | 12 oz<br>rour DON Sales Repre | 18"<br>sentative for stocki | 1 ea<br>ng locations |



| DON#   | Desc       | Lengui | ųly  |  |
|--|------------|--------|------|--|
| 1040188  | Solid      | 9"     | 1 ea |  |
| K7199  | Solid      | 13"    | 1 ea |  |
| K7304  | Slotted    | 13"    | 1 ea |  |
| K7258  | Perforated | 13"    | 1 ea |  |
| K7200  | Solid      | 15"    | 1 ea |  |
| K7317  | Slotted    | 15"    | 1 ea |  |
| K7316  | Perforated | 15"    | 1 ea |  |
| NOTE: Ask your DON Sales Representative for stocking locations |            |        |      |  |



| DON#   | Desc          | Length | Qty  |  |
|--|---------------|--------|------|--|
| K7364  | Slotted       | 13"    | 1 ea |  |
| K7362  | Solid Basting | 13"    | 1 ea |  |
| K7365  | Perforated    | 13"    | 1 ea |  |
| NOTE: Ask your DON Sales Representative for stocking locations |               |        |      |  |



## Stainless Steel Measuring Cups

• 18/8 stainless steel, hole in handle • Capacities stamped on handle

|                  |                  |                     | -           |
|------------------|------------------|---------------------|-------------|
| DON#             | Cap'y            | Length              | Qty         |
| 1155686          | ¹∕a Cup          | 83⁄8"               | 1 ea        |
| 1035169          | 1/4 Cup          | 81⁄5"               | 1 ea        |
| 1035168          | 1∕₃ Cup          | 8%"                 | 1 ea        |
| 1035167          | 1/2 Cup          | 83⁄4"               | 1 ea        |
| 1035170          | 1 Cup            | 91⁄4"               | 1 ea        |
| NOTE: Ask your D | ON Sales Represe | ntative for stockin | g locations |

# Stainless steel

## Measuring Spoon Set

(NSE)

DON#

(NSF.

1060712

1117752

Cap'y

11/2 Teaspoon

1 Tablespoon

• 1/4 teaspoon, 1/2 teaspoon, 1 teaspoon and 1 tablespoon sizes

| DON#  | Desc        | Length | Qty  |
|-------|-------------|--------|------|
| K6363 | 4 Piece Set | 51⁄8"  | 1 ea |



## **Deasuring Spoon Set**

| DON#    | Desc                         | Qty  |
|---------|------------------------------|------|
| 1060738 | 1/4 tsp, 1/2 tsp, 1 tsp, 1 T | 1 ea |

## Long Handled Measuring Spoons

- Sturdy 18/8 stainless steel spoons feature extra long handles
- Capacities stamped on each handle; hole in handle for hanging

| DON#        | Cap'y             | Length                | Qty            |
|-------------|-------------------|-----------------------|----------------|
| 1060710     | 1/2 Teaspoon      | 85⁄8"                 | 1 ea           |
| 1060711     | 1 Teaspoon        | 81⁄8"                 | 1 ea           |
| NOTE: Ask y | our DON Sales Rep | resentative for stock | king locations |

## **Description** Hanging Measuring Spoons

| • | l ona | handles |   |
|---|-------|---------|---|
| • | LUNY  | Hanutes | 2 |

| ng | hand | lles |  |  |  |
|----|------|------|--|--|--|

| DON#   | Cap'y        | Length | Qty  |  |  |  |  |
|--|--------------|--------|------|--|--|--|--|
| 1060722  | 1 Teaspoon   | 91⁄2"  | 1 ea |  |  |  |  |
| 1060723  | 2 Teaspoon   | 10"    | 1 ea |  |  |  |  |
| 1060724  | 2 Tablespoon | 8"     | 1 ea |  |  |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |              |        |      |  |  |  |  |



Length

9"

9"

Qty

1 ea

1 ea



## Measuring Cup Set

- $\bullet$  Four-piece stainless steel set includes 1/4, 1/3, 1/2 and 1-cup capacities
- · Capacities stamped inside cups for easy ID
- Pouring spouts help prevent spills

| DON#             | Cap'y                                     | Qty     |
|------------------|---|---------|
| 1119028          | 1/4, 1/3, 1/2, 1 Cup                      | 1 ea    |
| NOTE: Ask your I | DON Sales Representative for stocking loc | cations |



#### Stainless steel

- Flat bowls provide accurate portion control
- Insulated, color-coded plastic handles
- Solid servers have flat bottoms for spreading sauces

| Perforated#  | Solid# | Color | Cap'y | Qty  |  |  |  |
|--|--------|-------|-------|------|--|--|--|
| K7901  | K7906  | Red   | 2 oz  | 1 ea |  |  |  |
| K7902  | K7907  | Beige | 3 oz  | 1 ea |  |  |  |
| K7903  | K7908  | Green | 4 oz  | 1 ea |  |  |  |
| K7904  | K7909  | Black | 6 oz  | 1 ea |  |  |  |
| K7905  | K7910  | Blue  | 8 oz  | 1 ea |  |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |        |       |       |      |  |  |  |



## **Color-Coded Squeeze Dishers**

#### Vollrath

- Springless driver puts less pressure on hands and wrists
- Strong stainless steel neck
- Lifetime guarantee

| DON#  | Color  | Cap'y   | Size | Qty  | DON#  | Color | Cap'y  | Size | Qty  |
|-------|--------|---------|------|------|-------|-------|--------|------|------|
| S1781 | Orchid | 3⁄4 OZ  | #40  | 1 ea | S1776 | lvory | 3¼ oz  | #10  | 1 ea |
| S1778 | Red    | 1½ OZ   | #24  | 1 ea | S1775 | Grey  | 3¾ oz  | #8   | 1 ea |
| S1783 | Black  | 11⁄8 OZ | #16  | 1 ea | S1774 | White | 4¾ 0Z  | #6   | 1 ea |
| S1777 | Green  | 21⁄8 OZ | #12  | 1 ea |       |       |        |      |      |
| S1777 | Green  | 21⁄8 OZ | #12  | 1 ea | 51774 |       | 474 UZ | #0   | 10   |

**NSF** 

NOTE: Ask your DON Sales Representative for stocking locations



## Measure Misers®

- Carlisle Foodservice Products
- For temps up to 212° F; dry heat up to 270° F
- Break-resistant Acetal
- Dishwasher-safe

| DON#      | Desc         | Color           | Cap'y      | L         | Qty    |
|-----------|--------------|-----------------|------------|-----------|--------|
| 1042902   | Solid        | Yellow          | 1 oz       | 6¾"       | 1 ea   |
| 1046252   | Solid        | Brown           | 1½ OZ      | 7"        | 1 ea   |
| 1040584   | Solid        | Red             | 2 oz       | 7"        | 1 ea   |
| 1046253   | Solid        | Orange          | 21⁄2 oz    | 71⁄10"    | 1 ea   |
| 1040585   | Solid        | White           | 3 oz       | 8"        | 1 ea   |
| 1040586   | Solid        | Forest Green    | 4 oz       | 8‰4"      | 1 ea   |
| 1040984   | Perforated   | Forest Green    | 4 oz       | 8‰4"      | 1 ea   |
| NOTE: Ask | your DON Sal | es Representati | ve for sto | cking loo | ations |

**Dishwasher safe** Heat safe up to 212° F / 100° C

NSF

Withstands temperatures ranging from -40° F to 375° F



## Food Dishers

- 18/8 stainless steel
- · Precisely sized bowls for exact portion control
- For use with soft foods only

| DON#                 | Color                | Cap'y                | Size            | Qty              | DON# | Color | Cap'y | Size | Qty  |
|----------------------|----------------------|----------------------|-----------------|------------------|------|-------|-------|------|------|
| K968                 | Orchid               | 3⁄4 OZ               | #40             | 1 ea             | K963 | Green | 2⅔ oz | #12  | 1 ea |
| K967                 | Black                | 1 oz                 | #30             | 1 ea             | K962 | lvory | 3¼ oz | #10  | 1 ea |
| K966                 | Red                  | 1⅓ oz                | #24             | 1 ea             | K961 | Grey  | 4 oz  | #8   | 1 ea |
| K965                 | Yellow               | 1% oz                | #20             | 1 ea             | K960 | White | 4¾ oz | #6   | 1 ea |
| <b>K964</b><br>NOTE: | Blue<br>For use witl | 2 oz<br>h soft foods | #16<br>only, no | 1 ea<br>t frozen |      |       |       |      |      |

NSF



• Anti-freeze encapsulated in handle for easy release from scoop bowl

Vollrath

- Ergonomic textured handle for secure grip • Industry standard bowl dimensions with
- color-coded end caps to easily identify size

• Cast aluminum; handwashing recommended

| DON#            | Color                | Cap'y                    | Size    | Qty  |
|-----------------|----------------------|--------------------------|---------|------|
| 1111550         | Red                  | 1 oz                     | Size 30 | 1 ea |
| 1111549         | Silver               | 11⁄2 OZ                  | Size 24 | 1 ea |
| 1111548         | Gold                 | 2 oz                     | Size 20 | 1 ea |
| 1111547         | Green                | 21⁄2 0Z                  | Size 16 | 1 ea |
| 1111546         | Blue                 | 3 oz                     | Size 12 | 1 ea |
| 1111545         | Brown                | 4 oz                     | Size 10 | 1 ea |
| NOTE Aslessed D | ON Calas Deservation | Aliza fan akaalikan laas |         |      |

NOTE: Ask your DON Sales Representative for stocking locations

## **Plastic Portioning Spoons**

TableCraft Products

• Embossed capacity marking listed on handles (oz/ml) to make serving portions easier

| DON#                              | Cap'y | Size               | Qty  |  |  |  |
|-----------------------------------|-------|--------------------|------|--|--|--|
| 1228953                           | 4 oz  | 8¾"L x 3"W x 1½"H  | 1 ea |  |  |  |
| 1228955                           | 4 oz  | 12%"L x 3"W x 1½"H | 1 ea |  |  |  |
| NOTE: Shipped FOB from IL (60031) |       |                    |      |  |  |  |

## **High Heat Measurers**

## Cambro

- Will not crack or shatter from regular use with hot liquids or ingredients
- Molded-in standard and metric graduations
- Molded-in handle stays cool to the touch
- Optional splatter-proof cover fits 2 and 4 gt measurers

|  | DON#    | Desc  | Cap'y | Size             | Qty  |  |  |
|--|---------|-------|-------|------------------|------|--|--|
| Α.   | 1187025 | Cup   | 2 qt  | 7%/"W x 6%/"H    | 1 ea |  |  |
| В.   | 1187026 | Cup   | 4 qt  | 75∕8"W x 103⁄8"H | 1 ea |  |  |
|  | 1187027 | Cover |       | 7%/₩x1"H         | 1 ea |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |         |       |       |                  |      |  |  |

졛 don.com



## **Wire Whips**

· Sealed stainless steel handles prevent food and moisture from entering

| Flexible Piano Whips                        |        |      | Rigid French Whips |        |      |
|---|--------|------|--------------------|--------|------|
| DON#  | Length | Qty  | DON#               | Length | Qty  |
| K7720                                       | 10"    | 1 ea | K7711              | 10"    | 1 ea |
| K7721                                       | 12"    | 1 ea | K7712              | 12"    | 1 ea |
| K7722                                       | 14"    | 1 ea | K7713              | 14"    | 1 ea |
| K7723                                       | 16"    | 1 ea | K7714              | 16"    | 1 ea |
| K7724                                       | 18"    | 1 ea | K7715              | 18"    | 1 ea |
| NOTE: Ask your DON Sales Representative for |        |      | K7716              | 20"    | 1 ea |
| stocking loc                                | ations |      | K7718              | 24"    | 1 ea |

## **Kool-Touch® Tongs**

#### Vollrath

- Unique springless design eliminates bacteria-prone food traps
- The permanently bonded color-coded handle provides easy identification for controlled food contact
- Ideal system for maximizing your HACCP program
- · Lifetime guarantee; made in the USA

| <b>Utility Tor</b> | ngs          |               |                |                |         |        |      |
|--------------------|--------------|---------------|----------------|----------------|---------|--------|------|
| Black#             | Blue#        | Green#        | Red#           | Tan#           | Yellow# | Length | Qty  |
| K5567              | K7237        | K7236         | K7238          | K7240          | K7239   | 91⁄2"  | 1 ea |
| K7274              | K7270        | K7275         | K7271          | K7273          | K7272   | 12"    | 1 ea |
| K7266              | K7267        | K7254         | K7268          | K7259          | K7269   | 16"    | 1 ea |
| Versa Gri          | p Tongs      |               |                |                |         |        |      |
| _                  | K7293        | K7297         | K7294          | K7296          | K7295   | 12"    | 1 ea |
| K7262              | K7264        | K7261         | K7263          | K7260          | K7265   | 16"    | 1 ea |
| NOTE: Ask          | your DON Sal | es Representa | tive for stock | king locations |         |        |      |



## 💯 Utility Tongs

• 18/0 stainless steel

| Heavyweight             |                                |      |
|-------------------------|--------------------------------|------|
| DON#                    | Length                         | Qty  |
| 3K466                   | 9"                             | 1 ea |
| 3K465                   | 12"                            | 1 ea |
| 3K464                   | 16"                            | 1 ea |
| Standard Weight         |                                |      |
| 3K461*                  | 6"                             | 1 ea |
| 3K462*                  | 9"                             | 1 ea |
| 1157776                 | 7"                             | 1 ea |
| 3K101                   | 9"                             | 1 ea |
| 3K102                   | 12"                            | 1 ea |
| 3K103                   | 16"                            | 1 ea |
| NOTE: Ask your DON Sale | es Representative for stocking |      |

locations. \*Pom tong.

## **Nylon Handle Whips**

## Vollrath

NSF

- · Ergonomic design with one-piece, heat-resistant handle
- Fine stainless steel wires for mixing and aerating food, center reinforcement wire eliminates bending, twisting and deforming

• Lifetime guarantee

| Piano Whi    | p                   |               | French Whip | 3      |      |
|--------------|---------------------|---------------|-------------|--------|------|
| DON#         | Length              | Qty           | DON#        | Length | Qty  |
| K7620        | 10"                 | 1 ea          | K7058       | 10"    | 1 ea |
| K7621        | 12"                 | 1 ea          | K7626       | 12"    | 1 ea |
| K7630        | 14"                 | 1 ea          | K1957       | 14"    | 1 ea |
| K4561        | 16"                 | 1 ea          | K7627       | 16"    | 1 ea |
| K7624        | 18"                 | 1 ea          | K7629       | 18"    | 1 ea |
| NOTE: Ask y  | our DON Sales Repre | sentative for | K1958       | 20"    | 1 ea |
| stocking loc | ations              |               | K2026       | 22"    | 1 ea |
|              |                     |               | K7622       | 24"    | 1 ea |



## Microban<sup>®</sup> Antimicrobial Tongs

- One-piece springless design provides a comfortable grip
- Handles will not slip or peel off
- · Scalloped stainless steel grips with satin finish

| DON#                                   | Length                   | Qty  |
|--|--------------------------|------|
| 1146075                                | 9"                       | 1 ea |
| 1146073                                | 12"                      | 1 ea |
| 1146074                                | 16"                      | 1 ea |
| NOTE: Ask your DON Sales Representativ | e for stocking locations |      |



#### **High Heat**

• Resists heat up to 500° F/ 260° C

NSF

- Cool touch nylon handle
- · Contoured flexible silicone blade for use with any shape container
- Stain resistant and dishwasher safe
- Elevation nubs added to keep blade from resting on prep surface areas

#### Standard

- Durable polystyrene plastic handle
- Contoured flexible thermoplastic blade for use with any shape container
- Stain resistant and dishwasher safe to 200° F

| Qty |
|-----|
| ea  |
| ea  |
| ea  |
|     |





| Standard - Whit | e      |      |
|-----------------|--------|------|
| DON#            | Length | Qty  |
| 1190286         | 10"    | 1 ea |
| 1190284         | 14"    | 1 ea |
| 1190285         | 16"    | 1 ea |



## **EZ-Kleen® Squeeze Bottles**

Carlisle Foodservice Products

- Smooth side walls and same-sized openings on both ends make filling, dispensing and cleaning a breeze
- Gravity directs contents toward the leak-resistant valves
- Solid and valved caps conveniently fit both ends of each bottle for storage

| DON#          | Desc                   | Color                       | Style        | Cap'y    | Qty   |
|---------------|------------------------|-----------------------------|--------------|----------|-------|
| 1231248       | Bottle                 | Blue Valve                  | _            | 16 oz    | 1 ea  |
| 1231249       | Bottle                 | Yellow Valve                |              | 16 oz    | 1 ea  |
| 1231250       | Bottle                 | Green Valve                 |              | 16 oz    | 1 ea  |
| 1244692       | Bottle                 | Blue Valve                  |              | 20 oz    | 12/cs |
| 1244693       | Bottle                 | Yellow Valve                | _            | 20 oz    | 12/cs |
| 1244694       | Bottle                 | Green Valve                 | _            | 20 oz    | 12/cs |
| 1231254       | Bottle                 | Blue Valve                  | _            | 24 oz    | 1 ea  |
| 1231255       | Bottle                 | Yellow Valve                | _            | 24 oz    | 1 ea  |
| 1231256       | Bottle                 | Green Valve                 | _            | 24 oz    | 1 ea  |
| 1247220       | Bottle                 | Clear                       | Small Valve  | 12 oz    | 12/cs |
| 1247219       | Bottle                 | Clear                       | Medium Valve | 12 oz    | 12/cs |
| 1247218       | Bottle                 | Clear                       | Large Valve  | 12 oz    | 12/cs |
| 1247224       | Colored Caps           | Assorted                    | _            | 12/16 oz | 6/pk  |
| 1247221       | Colored Caps           | Assorted                    | _            | 20 oz    | 6/pk  |
| 1247222       | Colored Caps           | Assorted                    | _            | 24 oz    | 6/pk  |
| NOTE: Ask you | r DON Sales Representa | ative for stocking locatior | IS           |          |       |



## NSF<sup>®</sup> Widemouth Squeeze Bottles

TableCraft Products

• Larger bottle opening is easy to fill and clean

• Ideal for fast prep and serving

(NSF;)

| 165809 *       Clear       24 oz       63 mm       12/         1002604 <sup>J</sup> Clear       24 oz       63 mm       12/         1018826       Clear       32 oz       63 mm       12/         1018826       Clear       32 oz       63 mm       12/         1018826       Clear       32 oz       63 mm       12/         1018825 <sup>J</sup> Natural       12 oz       53 mm       36/         1013432 <sup>J</sup> Natural       32 oz       63 mm       12/         1010119 *       Red       8 oz       53 mm       36/         165810 <sup>J</sup> Red       12 oz       53 mm       36/         165815 *       Red       16 oz       63 mm       24/         165811 <sup>J</sup> Yellow       12 oz       53 mm       36/         16555 *       Yellow       16 oz       63 mm       12/         Accessories       Dolm#       Desc       Size       0         00149       Desc       Size       0       0         1006602       Wide Tip Cone       63 mm       12/         1033097       Wide Tip Cone       63 mm       12/   | DON#             | Color      | Cap'y | Size  | Qty   |
|---|------------------|------------|-------|-------|-------|
| 1002604 J         Clear         24 oz         63 mm         12/           1018826         Clear         32 oz         63 mm         12/           1018826 J         Natural         12 oz         53 mm         36/           1013825 J         Natural         12 oz         53 mm         36/           1013825 J         Natural         32 oz         63 mm         12/           1018826 J         Natural         32 oz         63 mm         12/           1013432 J         Natural         32 oz         63 mm         12/           1010119 *         Red         8 oz         53 mm         36/           165810 J         Red         12 oz         53 mm         36/           165815 *         Red         16 oz         63 mm         24/           165811 J         Yellow         12 oz         53 mm         36/           101156 J         Yellow         24 oz         63 mm         12/           Accessories         DON#         Desc         Size         0           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/ <td>1G5812√</td> <td>Clear</td> <td>16 oz</td> <td>63 mm</td> <td>1 ea</td> | 1G5812√          | Clear      | 16 oz | 63 mm | 1 ea  |
| 1018826         Clear         32 oz         63 mm         12/           1018826         Clear         32 oz         63 mm         12/           1018825 J         Natural         12 oz         53 mm         36/           1013432 J         Natural         32 oz         63 mm         12/           1010119 *         Red         8 oz         53 mm         36/           165810 J         Red         12 oz         53 mm         36/           165815 *         Red         16 oz         63 mm         24/           165811 J         Yellow         12 oz         53 mm         36/           161555 *         Yellow         16 oz         63 mm         12/           1001156 J         Yellow         24 oz         63 mm         12/           Accessories         DON#         Desc         63 mm         12/           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/   | 1G5809 *         | Clear      | 24 oz | 63 mm | 12/cs |
| 1018325 J         Natural         12 oz         53 mm         36/           1013432 J         Natural         32 oz         63 mm         12/           1010119 *         Red         8 oz         53 mm         36/           165810 J         Red         12 oz         53 mm         36/           165815 *         Red         16 oz         63 mm         24/           165811 J         Yellow         12 oz         53 mm         36/           161555 *         Yellow         16 oz         63 mm         1           1001156 J         Yellow         24 oz         63 mm         12/           Accessories         DON#         Desc         Size         0           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | 1002604 1        | Clear      | 24 oz | 63 mm | 12/cs |
| 1013432 /         Natural         32 oz         63 mm         12/           1013432 /         Natural         32 oz         63 mm         12/           1010119 *         Red         8 oz         53 mm         36/           165810 /         Red         12 oz         53 mm         36/           165815 *         Red         16 oz         63 mm         24/           165811 /         Yellow         12 oz         53 mm         36/           161555 *         Yellow         16 oz         63 mm         1           1001156 /         Yellow         24 oz         63 mm         12/           Accessories         DON#         Desc         Size         0           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | 1018826          | Clear      | 32 oz | 63 mm | 12/cs |
| 1010119*         Red         8 oz         53 mm         36/           165810 /         Red         12 oz         53 mm         36/           165815 *         Red         16 oz         63 mm         24/           165815 *         Red         16 oz         63 mm         24/           165811 /         Yellow         12 oz         53 mm         36/           1G1555 *         Yellow         16 oz         63 mm         1           1001156 /         Yellow         24 oz         63 mm         12/           Accessories         DON#         Desc         Size         0           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | 1018325 1        | Natural    | 12 oz | 53 mm | 36/cs |
| 1G5810 J         Red         12 oz         53 mm         36/           1G5815 *         Red         16 oz         63 mm         24/           1G5815 *         Red         16 oz         63 mm         24/           1G5811 J         Yellow         12 oz         53 mm         36/           1G1555 *         Yellow         16 oz         63 mm         1           1001156 J         Yellow         24 oz         63 mm         12/           Accessories         DON#         Desc         Size         Q           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | <b>1013432 √</b> | Natural    | 32 oz | 63 mm | 12/cs |
| 1G5815 *         Red         16 oz         63 mm         24/           1G5811 /         Yellow         12 oz         53 mm         36/           1G1555 *         Yellow         16 oz         63 mm         1           100156 /         Yellow         24 oz         63 mm         1           Accessories         00N#         Desc         Size         0           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/   | 1010119 *        | Red        | 8 oz  | 53 mm | 36/cs |
| 1G5811 √         Yellow         12 oz         53 mm         36/           1G1555 *         Yellow         16 oz         63 mm         1           1001156 √         Yellow         24 oz         63 mm         12/           Accessories           00%         12/           D0N#         Desc         Size         0           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/   | 1G5810√          | Red        | 12 oz | 53 mm | 36/cs |
| 1G1555*         Yellow         16 oz         63 mm         1           1001156 J         Yellow         24 oz         63 mm         12/           Accessories         Size         Q           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | 1G5815 *         | Red        | 16 oz | 63 mm | 24/cs |
| 1001156 /         Yellow         24 oz         63 mm         12/           Accessories         Don#         Desc         Size         Q           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/   | 1G5811√          | Yellow     | 12 oz | 53 mm | 36/cs |
| Down         Desc         Size         Q           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | 1G1555 *         | Yellow     | 16 oz | 63 mm | 1 ea  |
| D0N#         Desc         Size         Q           1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/  | 1001156√         | Yellow     | 24 oz | 63 mm | 12/cs |
| 1006602         Wide Tip Cone         63 mm         12/           1033097         Wide Tip Cone         63 mm         12/   | Accessories      |            |       |       |       |
| <b>1033097</b> Wide Tip Cone 63 mm 12/  | DON#             | Desc       |       | Size  | Qty   |
|   | 1006602          | Wide Tip ( | Cone  | 63 mm | 12/pł |
| <b>1117594</b> Wide Tip Cone 53 mm 12/  | 1033097          | Wide Tip ( | Cone  | 63 mm | 12/pl |
|   | 1117594          | Wide Tip ( | Cone  | 53 mm | 12/cs |



# InvertaTop<sup>™</sup> ValveTop<sup>™</sup> Dispenser

TableCraft Products

- Dispense from the bottom and fill from the top
- Reduces waste and speeds up food prep
- Easy-to-clean removable ValveTop™
- Valve design will dispense any sauce with up to 1/8" particles

| Dispenser | 'S    |               |       |
|-----------|-------|---------------|-------|
| DON#      | Cap'y | Size          | Qty   |
| 1100860   | 12 oz | 53 mm Opening | 12/cs |
| 1038698   | 16 oz | 53 mm Opening | 12/cs |
| 1100861   | 24 oz | 63 mm Opening | 12/cs |
|           |       |               |       |

| Colored Tops |                   |                  |                   |  |
|--------------|-------------------|------------------|-------------------|--|
| DON#         | Color             | Size             | Qty               |  |
| 1111423      | Assorted          | 53 mm            | 12/pk             |  |
| 1111424      | Black             | 53 mm            | 12/pk             |  |
| 1111425      | Blue              | 53 mm            | 12/pk             |  |
| 1111427      | Green             | 53 mm            | 12/pk             |  |
| 1111426      | Light Blue        | 53 mm            | 12/pk             |  |
| 1104038      | Red               | 53 mm            | 12/cs             |  |
| 1111428      | Yellow            | 53 mm            | 12/pk             |  |
| 1111429      | Assorted          | 63 mm            | 12/pk             |  |
| 1111430      | Black             | 63 mm            | 12/pk             |  |
| 1111431      | Blue              | 63 mm            | 12/pk             |  |
| 1111433      | Green             | 63 mm            | 12/pk             |  |
| 1111432      | Light Blue        | 63 mm            | 12/pk             |  |
| 1111434      | Red               | 63 mm            | 12/pk             |  |
| 1111435      | Yellow            | 63 mm            | 12/pk             |  |
| NOTE: Ask yo | our DON Sales Rep | presentative for | stocking location |  |



## **4-Compartment Squeeze Bottle Holders**

- Fits standard refrigerated prep tables
- Same footprint as 1/6 pans
- Hole diameter 21/2"
- Stainless steel

| DON#                     | Desc        | Size  | Qty  |
|--------------------------|-------------|---|------|
| 1115991<br>NOTE: Ask voi | Wire Basket | 67/8"L x 61/4"W x 51/2"H resentative for stocking locations | 1 ea |
| NOTE. ASK yo             |             | coefficience for stocking locations                         |      |

84

## Exoglass® Bouillon Strainer/China Cap

#### Matfer Bourgeat

- Durable construction. Body and handle comprised of one-piece Exoglass material
- Dual layer mesh
- Temp resistant to 430° F

## Made in France

| DON#                        | Size                                | Qty  |
|-----------------------------|-------------------------------------|------|
| K7446                       | 8"                                  | 1 ea |
| 1149956                     | 10"                                 | 1 ea |
| NOTE: Ask your DON Sales Re | presentative for stocking locations |      |



## **Food Mills**

#### Paderno by Rosenthal Sambonet

- Used to strain or puree fruits and vegetables
- K5691 and K5692 include three cutting plates; 1/16", 3/32", 5/32" perforations; K7455 includes one 1/6" cutting plate
- K5691 and K5692 fit on any 7" or larger receptacle; mill output is approximately 3 lbs per minute
- K5691 and K7455 are made of tin; K5692 is made of stainless steel
- K7455 has output of approximately 24 pounds per minute, suitable for establishments serving up to 200 guests

| DON#       | Desc            | Cap'y     | Size   | Height              | Qty  |
|------------|-----------------|-----------|--------|---------------------|------|
| K5691      | #3, Tin         | 5 qt      | 121⁄4" | 93⁄4"               | 1 ea |
| K5692      | #3, SS          | 5 qt      | 121⁄4" | 9¾"                 | 1 ea |
| K7455      | #10, Tin        | 15 qt     | 15%"   | 10", 311⁄2" w/Stand | 1 ea |
| NOTE: Ship | oped FOB from N | J (07869) |        |                     |      |

## Pancake Dispenser

- Eight dial settings to ensure portion control
- Stand included

| DON#  | Height |  |  |
|---|--------|--|--|
| 1K3687                                      | 13"    |  |  |
| NOTE: Ask your DON Sales Representative for |        |  |  |
| stocking locations                          |        |  |  |



## **Square Skimmer**

#### American Metalcraft

- Small blade gets into corners
- Perfect size for deep fat fryers
- Keeps fryer oil cleaner for better-tasting foods

| DON#  | Size       | Qty  |
|-------|------------|------|
| K4174 | 14"L x 7"W | 1 ea |

## Wearever® Transfer Ladle Dipper

Vollrath

- Seamless construction for easy cleaning
- 3004 alloy

| DON#                                     | Cap'y                     |    |
|--|---------------------------|----|
| K2067                                    | 30 oz                     | 1  |
| K1496                                    | 64 oz                     | 1  |
| NOTE: Ask your DON<br>stocking locations | I Sales Representative fo | )r |





## 🥯 Galaxy Pastry Brushes

Nylon bristles rinse out easily to stay sanitary
Bristles firmly embedded in non-absorbent plastic ferrule

| DON#               | Size                         | Qty              |
|--------------------|------------------------------|------------------|
| K5242              | 7"L x 11⁄2"W                 | 1 ea             |
| K5243              | 71⁄2"L x 2"W                 | 1 ea             |
| K5245              | 81⁄2"L x 4"W                 | 1 ea             |
| K5244              | 8¾"L x 3"W                   | 1 ea             |
| K5241              | 10"L x 1"W                   | 1 ea             |
| NOTE: Ask your DOM | Sales Representative for sto | ocking locations |

**Silicone Pastry Brushes** 

#### Thermohauser

- Bristles hold more drippings and sauce on the food with less on the cooking surface
- Bristles won't fall into food or lose shape; can withstand temperatures up to 428° F
- Dishwasher safe

| DON#   | Size  | Qty  |  |  |
|--|-------|------|--|--|
| 1105396  | 1"    | 1 ea |  |  |
| 1105395  | 11/2" | 1 ea |  |  |
| 1105393  | 23/5" | 1 ea |  |  |
| 1105394  | 3"    | 1 ea |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |       |      |  |  |

Meteor

## Pastry/Basting Brushes

## Carlisle Foodservice Products

- Molded-in hook lets you hang brush on lip, free from hot food pan or bain marie bottoms
- Sanitary construction bristles molded directly into plastic handle eliminating air pockets where bacteria form
- Nylon bristles for use up to 225° F; sterilized boar bristle for use up to 500° F

| DON#                        | Desc  | Size              | Qty  |
|-----------------------------|-------|-------------------|------|
| K5238                       | Nylon | 9¾"L x 2"W        | 1 ea |
| K5240                       | Nylon | 9¾"L x 3"W        | 1 ea |
| K5285                       | Boar  | 9¾"L x 2"W        | 1 ea |
| K5291                       | Boar  | 9¾"L x 3"W        | 1 ea |
| NOTE: Ask y<br>stocking loc |       | epresentative for |      |



## **2010** Meat Tenderizer

- Durable aluminum construction with satin finish
- Handy two sided design
- Lightweight hollow handle





## **Burger Presses**

- Ideal for creating uniform, portion-controlled hamburgers and sandwiches
- Wrought iron/non-stick construction

| DON#                   | Size                | Qty                   |
|------------------------|---------------------|-----------------------|
| 1159594                | 1/4" feet           | 1 ea                  |
| 1241679                | 7∕16" feet          | 1 ea                  |
| NOTE: Ask your DON Sal | es Representative f | or stocking locations |



## **222** Stainless Steel Dredges

- Provides easy, even distribution of flour, sugar and seasonings
- Stainless steel construction prevents rusting; unhandled
- Llid for salt, pepper, ground spices and flour

| 0 <b>0N#</b><br>217437<br>IOTE: Ask your DO | Size<br>10"L x 2½"W x 3½"H<br>N Sales Representative for stocking | <b>Qty</b><br>1 ea<br>locations | <b>DON#</b><br>1159594<br>1241679<br>NOTE: Ask your DO   | Size<br>¼" feet<br>½6" feet<br>DN Sales Representative for s   | <b>Qty</b><br>1 ea<br>1 ea<br>stocking locations | <b>DON#</b><br>1128245<br>NOTE: Ask your D  | <b>Cap'y</b><br>10 oz<br>ON Sales Representative fo  | <b>Qty</b><br>1 ea<br>or stocking locations |
|---|---|---------------------------------|--|--|--|---|--|---|
| b   |   |                                 | <ul> <li>blades to adju</li> <li>Blades are ca</li> <li>3 Julienne bla</li> </ul> DON# 1186774 | at<br>ty pusher and three inte<br>ust thickness of cut<br>urbon stainless steel.<br>ades: 30, 18, and 10 te<br>Size<br>15½"L x 5¼"W<br>DN Sales Representative for s | eeth<br>Qty<br>1 ea                              | prevent stick<br>• 18/8 stainles<br>DON#<br>1037963   | Irner<br>ice after the cooking p<br>ing to the bottom of th<br>ss steel with matte fin<br>Size<br>17"L x 3"W x 2½"H<br>ON Sales Representative for | he steamer<br>ish<br>Qty<br>1 ea            |
|   |   |                                 | DON# C   |  | <b>Qty</b><br>1 ea                               | <ul> <li>High quality<br/>black nylon h</li> <li>Dishwasher =</li> <li>D0N#</li> <li>1040733</li> </ul> | ed tool cores tomatoe<br>stainless steel with co<br>nandle   | omfortable<br>Qty<br>1 ea                   |



## 2 Stainless Steel Mixing Bowls

- Easy-to-clean mirror finish that won't rust or corrode
- Completely sanitary—highly resistant to food and fruit acids
- Beaded edge for greater rigidity
- Sizes listed are actual capacities—no "cheater" sizes

| Mixing Boy | wls - NSF Listed  |                        |              |
|------------|-------------------|------------------------|--------------|
| DON#       | Cap'y             | Size                   | Qty          |
| K6901      | 3⁄4 qt            | 61⁄4"                  | 1 ea         |
| K6902      | 1 1⁄2 qt          | 71⁄8"                  | 1 ea         |
| K6903      | 3 qt              | 91⁄8"                  | 1 ea         |
| K6913      | 4 qt              | 1011/16"               | 1 ea         |
| K6904      | 5 qt              | 111⁄4"                 | 1 ea         |
| K6905      | 8 qt              | 13%"                   | 1 ea         |
| K6906      | 13 qt             | 16"                    | 1 ea         |
| NOTE Ask   | our DON Coloo Dor | recontative for stacki | na locationa |

| NOTE: Ask your DON \$ | Sales Representative f | or stocking locations |
|-----------------------|------------------------|-----------------------|
|-----------------------|------------------------|-----------------------|

| DON#    | Cap'y   | Size  | Qty  |
|---------|---------|-------|------|
| 1018256 | 3⁄4 qt  | 61⁄4" | 1 ea |
| 1128246 | 7∕a qt  | 71⁄4" | 1 ea |
| 1018258 | 11⁄2 qt | 71⁄8" | 1 ea |
| 1018260 | 3 qt    | 91⁄8" | 1 ea |
| 1018262 | 5 qt    | 11"   | 1 ea |
| 1018263 | 8 qt    | 13%"  | 1 ea |
| 1018259 | 13 at   | 16"   | 1 ea |

## **Eco Series Green Whip and Professional Chargers**

iSi North America

- Updated engineering reduces climate impact and lowers food costs
- Perfect for LTO's, powerful enough to whip plant-based cream
- Stainless steel for durability and long lasting use
- Chargers made from 30% recycled steel material

| DON#                   | Desc                                | Size   | Qty   |
|------------------------|-------------------------------------|--------|-------|
| 1225082                | Dispenser                           | 1 pint | 1 ea  |
| 1248197                | Dispenser                           | 1 qt   | 1 ea  |
| 1228268                | Chargers                            | 10 pk  | 36/cs |
| 1228270                | Chargers                            | 24 pk  | 25/cs |
| 1228271                | Chargers                            | 50 pk  | 12/cs |
| 1228269<br>NOTE: Shipp | Mini Case<br>ed FOB from NJ (07004) | 10 pk  | 12/cs |
|                        |                                     |        |       |





## **Pastry Tips**

Thermohauser

- A variety of hole and star piping tips
- Dishwasher-safe stainless steel construction

| <b>Hole Pipin</b>    | g Tips                        |                         |                         |
|----------------------|-------------------------------|-------------------------|-------------------------|
| DON#                 | Top Dia                       | Size                    | Qty                     |
| K3761                | 5/16"                         | #3                      | 6/pk                    |
| K3762                | 1"                            | #4                      | 6/pk                    |
| K3763                | 1"                            | #5                      | 6/pk                    |
| K3764                | 7⁄16"                         | #6                      | 6/pk                    |
| K3765                | 1/2"                          | #7                      | 6/pk                    |
| K3766                | 5⁄8"                          | #8                      | 6/pk                    |
| K3707                | _                             | 12 pc Set               | 1 ea                    |
| Star Pipin           | g Tips – Open                 |                         |                         |
| K3770                | 1⁄4"                          | #2                      | 6/pk                    |
| K3771                | 5⁄18"                         | #3                      | 6/pk                    |
| K3772                | 3⁄8"                          | #4                      | 6/pk                    |
| K3773                | 7⁄16"                         | #5                      | 6/pk                    |
| K3774                | 1⁄2"                          | #6                      | 6/pk                    |
| K3775                | 9⁄16"                         | #7                      | 6/pk                    |
| K3776                | 5⁄8"                          | #8                      | 6/pk                    |
| Star Pipin           | g Tips – Close                | d                       |                         |
| K3780                | <sup>3</sup> ⁄16"             | #4                      | 6/pk                    |
| K3781                | <sup>3</sup> ⁄16 <sup>"</sup> | #5                      | 6/pk                    |
| K3782                | 1⁄4"                          | #6                      | 6/pk                    |
| K3784                | 3⁄8"                          | #9                      | 6/pk                    |
| <b>Piping Tip</b>    | Set                           |                         |                         |
| K3740                | Set of 26                     | _                       | 1 ea                    |
| 1015378<br>NOTE: Ask | Star, 2"<br>your DON Sales    | Representative for stor | 12/pk<br>king locations |

## 💯 Pastry Bags

(NSF)

- Flexible, easy-to-clean bags
- Heavy duty, plastic-coated cotton bags each have a reinforced tip, seam and hanger
- Ultra Flex polyester bags offer extra flexibility in a synthetic bag
- Clear disposable bags are easy to use, just cut end of bag to accommodate tip

| DON#            | Size       | Qty  |
|-----------------|------------|------|
| K3730           | 12"        | 1 ea |
| K3731           | 14"        | 1 ea |
| K3732           | 16"        | 1 ea |
| K3733           | 18"        | 1 ea |
| K3734           | 21"        | 1 ea |
| K3735           | 24"        | 1 ea |
| Ultra Flex Poly | ester Bags |      |
| K3750           | 10"        | 1 ea |
| K3751           | 12"        | 1 ea |
| K3752           | 14"        | 1 ea |
| K3753           | 16"        | 1 ea |
| K3754           | 18"        | 1 ea |
| K3755           | 21"        | 1 ea |
| K3756           | 24"        | 1 ea |

## **Disposable Pastry Bag**

#### Thermohauser

- Convenient, sanitary and disposable
- Just cut end of bag to accommodate tip

| DON#  | Length | Qty    |
|-------|--------|--------|
| K3807 | 20"    | 100/pk |

an and



## **Aluminum Pie Pans**

American Metalcraft

| DON#             | Size                          | Qty               |
|------------------|-------------------------------|-------------------|
| 1027649          | 101⁄8"                        | 1 ea              |
| 1025977          | 91⁄8"W x 1"H                  | 1 ea              |
| NOTE: Ask your D | ON Sales Representative for s | tocking locations |



## Tin Pie Pan

Chicago Metallic Bakeware

| DON#               | Size                    | Qty                   |
|--------------------|-------------------------|-----------------------|
| K838               | 9"W x 1"H               | 1 ea                  |
| NOTE: Ask your DON | Sales Representative fo | or stocking locations |



## Wearever<sup>®</sup> Household Pie Pans Vollrath

| DON#      | Size                  | Thickness             | Qty       |
|-----------|-----------------------|-----------------------|-----------|
| K6684     | 9¾"W x 1¼"D           | 22 gauge              | 1 ea      |
| K6686     | 10"W x 11⁄4"D         | 20 gauge              | 1 ea      |
| NOTE: Ask | your DON Sales Repres | entative for stocking | locations |



## **Non-Stick Baking Mats**

Paderno by Rosenthal Sambonet

- Thermal shock-resistant from -40° F to 600° F
- Fiberglass fabric sheet with silicone coating

| DON#           | Size                             | Qty             |
|----------------|----------------------------------|-----------------|
| 1020573        | 11¾"L x 8¼"W                     | 1 ea            |
| K1836          | 16¾"L x 115%"W                   | 1 ea            |
| K4007          | 241⁄2"L x 163⁄8"W                | 1 ea            |
| NOTE: Ask your | DON Sales Representative for sto | cking locations |



Cake Pans Chicago Metallic Bakeware

| DON#      | Size               | Thickness              | Qty           |
|-----------|--------------------|------------------------|---------------|
| K3554     | 9"W x 2"H          | 26 gauge               | 1 ea          |
| K3557     | 10"W x 2"H         | 26 gauge               | 1 ea          |
| NOTE: Ask | your DON Sales Rep | presentative for stock | ing locations |

Perforated



Souffle Pan Chicago Metallic Bakeware

D0N#Cap'ySizeThicknessQtyK369610½ oz ea15¾" x 11½" x 2"26 gauge1 eaNOTE: Ask your DON Sales Representative for stocking locations



## Aluminum Sheet/Bun Pans

| Pans         |           |           |                  |      |
|--------------|-----------|-----------|------------------|------|
| DON#         | Cap'y     | Thickness | Size             | Qty  |
| K2582        | Full Size | 18 gauge  | 25¾"L x 17¾"W    | 1 ea |
| K2581        | Full Size | 16 gauge  | 25¾"L x 17¾"W    | 1 ea |
| K2569        | 1∕₂ Size  | 18 gauge  | 17¾"L x 127⁄8"W  | 1 ea |
| K2574        | 1/4 Size  | 16 gauge  | 13"L x 91⁄2"W    | 1 ea |
| Perforated F | Pans      |           |                  |      |
| K2669        | 1/2 Size  | 18 gauge  | 17¾"L x 121⁄8"W  | 1 ea |
| Value Line   |           |           |                  |      |
| 1118229      | 1/8 Size  | 18 gauge  | 10"L x 6"W       | 1 ea |
| 1151932      | 1/6 Size  | 18 gauge  | 121⁄2"L x 61⁄2"W | 1 ea |
| 1060718      | 1/4 Size  | 18 gauge  | 13"L x 91⁄2"W    | 1 ea |
| 1060717      | 1/2 Size  | 18 gauge  | 17¾"L x 127⁄8"W  | 1 ea |
| 1060716      | Full Size | 18 gauge  | 18"L x 26"W      | 1 ea |
| 1192698      | Square    | 18 Gauge  | 8"L x 8"W        | 1 ea |



#### Tray Tag (Pen Included)

| ., .,              | · · · · <b>,</b>            |       |
|--------------------|-----------------------------|-------|
| Tray Tag           |                             |       |
| DON#               | Size                        | Qty   |
| 1126203            | 41⁄2"L x 11⁄2"W             | 24/pk |
| Pan Liners         |                             |       |
| 1118248            | 16%"L x 121∕₅"W             | 2M/cs |
| 1118249            | 16¾"L x 24¾"W               | 1M/cs |
| Full Size Icing/I  | Draining Grate for * abov   | e     |
| K4567              | 241⁄2"L x 161⁄2"W           | 1 ea  |
|                    | ON Sales Representative for |       |
| stocking locations | ;                           |       |



## **Non-Stick Bun Pans**

#### Vollrath

- Proteins, starches and typical sweets remove easily, greatly decreasing the amount of time spent scrubbing
- $\bullet$  Designed for baking operations up to 400° F
- 18-gauge aluminum, 1/4 size is 16 gauge

| DON#                | Size           | Qty  |
|---------------------|----------------|------|
| A. 1139403          | 1/4 Size       | 1 ea |
| 1139404             | 1/2 Size       | 1 ea |
| B. 1139405          | Full Size      | 1 ea |
| NOTE: Shipped FOB f | rom WI (53081) |      |

## Pizza Screens and Trays

• Pizza screens are made of heavy commercial aluminum for long service

• Pizza trays are standard weight, 1 mm thick aluminum

| Screens         |                   |               | Trays |          |      |      |
|-----------------|-------------------|---------------|-------|----------|------|------|
| DON#            | Size              | Qty           | DON#  | Desc     | Size | Qty  |
| K2583           | 12"               | 1 ea          | K2586 | 23 gauge | 11"  | 1 ea |
| K2584           | 14"               | 1 ea          | K2595 | 18 gauge | 12"  | 1 ea |
| K2585           | 16"               | 1 ea          | K2587 | 18 gauge | 13"  | 1 ea |
| NOTE: Ask you   | r DON Sales Repre | sentative for | K2588 | 18 gauge | 15"  | 1 ea |
| stocking locati | ons               |               | K2589 | 18 gauge | 17"  | 1 ea |




## **Wood Pizza Peels**

#### American Metalcraft

- Tapered sides for smooth handling in and out of the oven
- More sanitary than traditional wood peels; pressed peels are NSF and USDA listed
- Natural, durable wood construction

| Standard BI        | ade Long Handle                 |                       |      |
|--------------------|---------------------------------|-----------------------|------|
| DON#               | Blade Size                      | Handle Length         | Qty  |
| K2519              | 12" x 13"                       | 42"                   | 1 ea |
| K2512              | 20" x 21"                       | 42"                   | 1 ea |
| Standard BI        | ade Short Handle                |                       |      |
| K2498              | 12" x 13"                       | 22"                   | 1 ea |
| K1945              | 16" x 17"                       | 26"                   | 1 ea |
| Standard Pr        | essed Peels                     |                       |      |
| K4434              | 12" x 14"                       | 22"                   | 1 ea |
| <b>Round Press</b> | sed Peels                       |                       |      |
| K4437              | 11" Dia                         | 5"                    | 1 ea |
| K4460              | 13" Dia                         | 5"                    | 1 ea |
| K4511              | 15" Dia                         | 5"                    | 1 ea |
| NOTE: Ask voi      | ur DON Sales Representative for | or stocking locations |      |





## **Number Tents**

#### American Metalcraft

- Dishwasher-safe, high-heat stainless steel construction
- Double-sided and embossed
- Great for quick-serve applications

| DON#                      | Desc      | Qty  |
|---------------------------|-----------|------|
| 1159675                   | #1 to #99 | 1/pk |
| NOTE: Shipped FOB from II | L (60131) |      |

| Deep Dish Pans      | 4 |
|---------------------|---|
| American Metalcraft |   |

- Heavyweight 14 gauge, 1.5 mm aluminum construction
- Seamless corners and beads
- Straight sided

| DON#                              |
|-----------------------------------|
|                                   |
| K1856                             |
|                                   |
| 1022490                           |
| 1000550                           |
| 1039559                           |
| NOTE: Shipped FOB from IL (60131) |
|                                   |
|                                   |

| Size                 | Qtv  |
|----------------------|------|
| 10"L x 10"W x 1"D    | 1 ea |
| 10"L x 10"W x 11⁄2"D | 1 ea |
| 10"L x 10"W x 2"D    | 1 ea |
|                      |      |




## **Pro Cart Ultra**

#### Cambro

- Exterior is rust-proof and dent-resistant for lasting service
- Transform the Pro Cart Ultra with additional optional passive or electric (hot and cold) modules
- $\bullet$  Energy efficient hot electric module heats between 150° F to 165° F (65.5° C to 74° C)
- Holds up to 32 GN 1/1 2½" (6,4 cm) deep food pans or 16 full-size 18" x 26" (46 x 66 cm) sheet pans or pizza boxes

| DON#          | Desc                      | Size                  | Qty  |
|---------------|---------------------------|-----------------------|------|
| 1175373       | Enclosed Food Pan Cabinet | 35¾"L x 28"W x 66"H   | 1 ea |
| 1175372       | Enclosed Food Pan Cabinet | 361⁄2"L x 28"W x 66"H | 1 ea |
| 1189429       | Enclosed Food Pan Cabinet | 28"L x 361⁄2"W x 40"H | 1 ea |
| 1175374       | Enclosed Food Pan Cabinet | 361⁄2"L x 28"W x 40"H | 1 ea |
| 1218549       | Food Pan Carrier          | 34"L x 21%"W x 66%"H  | 1 ea |
| 1218550       | Food Pan Carrier          | 34"L x 21%"W x 66%"H  | 1 ea |
| 1218555       | Food Pan Carrier          | 38"L x 30"W x 671⁄8"H | 1 ea |
| 1218556       | Food Pan Carrier          | 38"L x 30"W x 671⁄8"H | 1 ea |
| NOTE: Shipped | I FOB from CA (92647)     |                       |      |





## Cam GoBox®

#### Cambro

- Professional-grade insulated carriers protect food quality and safety while lightening the load for employees
- Made of high-tech, expanded polypropylene material that provides thermal insulation; outstanding impact and chemical resistance with a remarkably high strength-to-weight ratio
- Budget-friendly solution for catering, delivery and curbside service
- Holds temperature for up to four hours

|    |              | -  |                                 |      |
|----|--------------|--|---------------------------------|------|
|    | DON#         | Desc   | Size                            | Qty  |
|    | 1166616      | Top Load, Holds 1 6"D Half Size Pan              | 15%"L x 13"W x 10"H             | 1 ea |
| Α. | 1158100      | Top Load, Holds 1 8"D Half Size Pan              | 15%"L x 13"W x 12%"H            | 1 ea |
|    | 1200502      | Top Load, Holds 1 4"D Full Size Pan              | 23%"L x 15%"W x 81⁄2"H          | 1 ea |
|    | 1166613      | Top Load, Holds 1 6"D Full Size Pan              | 231⁄52"L x 15⅔"W x 10"H         | 1 ea |
|    | 1200793      | Top Load w/Flip Lid, Holds 1 8"D Full Size Pan   | 23%"L x 15%"W x 12%"H           | 1 ea |
|    | 1166618      | Front Load, Holds 3 4"D Full Size Pans           | 251∕₅"L x 171⁄₃"W x 18⅔"H       | 1 ea |
| Β. | 1158101      | Front Load, Holds 4 4"D Full Size Pans           | 251⁄5"L x 171⁄3"W x 243⁄5"H     | 1 ea |
|    | 1199187      | Top Load Extender                                | 23¾"L x 15⅔"W x 4"H             | 1 ea |
|    | 1200794      | Flip Lid - Fits Full Size Top Load               | 24"L x 16"W x 2"H               | 1 ea |
|    | 1196986      | 3 Comp Beverage Holder                           | 12 <del>%</del> "L x 4½"W x 5"H | 2/cs |
|    | 1196987      | 3 Comp Beverage Holder                           | 12 <del>%</del> "L x 4½"W x 5"H | 5/cs |
|    | 1190704      | Milk Crate Box                                   | 16"L x 16"W x 16"H              | 1 ea |
|    | 1197461      | Camdolly Cart                                    | 25"L x 171⁄2"W x 71⁄3"H         | 1 ea |
| C. | 1199177      | Camdolly Cart                                    | 251⁄3"L x 181⁄2"W x 7"H         | 1 ea |
| NO | )TE: Ask you | r DON Sales Representative for stocking location | S                               |      |



## Mightylite<sup>™</sup> Insulated Pan Carrier

#### Metro

(NSF.

- Ultra light—Mightylite pan carriers weigh less than traditional, polymer molded and urethane foam-filled carriers
- Keeps food safe for 5+ hours, transport hot or cold food at safe, appetizing temperatures with confidence
- Ergonomic design—ultra light with convenient built-in handles that are ideal for easily lifting, carrying and moving hot and cold food in any situation

| <b>Food Carrier</b> | S                     |                                       |                           |         |
|---------------------|-----------------------|---------------------------------------|---------------------------|---------|
| DON#                | Desc                  | Size                                  | Holds                     | Qty     |
| 1158779             | Top Load              | 15¾"W x 11%"H x 26%"D                 | 3 Full Size Pans          | 1 ea    |
| 1158780             | Top Load              | 15¾"W x 161⁄%"H x 265⁄%"D             | 5 Full Size Pans          | 1 ea    |
| 1140106             | Front Load            | 171⁄4"W x 193⁄4"H x 27"D              | 4 Full Size Pans          | 1 ea    |
| 1140107             | Front Load            | 171⁄4"W x 253⁄4"H x 27"D              | 6 Full Size Pans          | 1 ea    |
| Accessories         |                       |                                       |                           |         |
| DON#                | Desc                  | Size                                  |                           | Qty     |
| 1140108             | Wire Caddy            | 13"W x 1"H x 21"D                     |                           | 1 ea    |
| 1140109             | Dolly w/ Strap        | 20¾"W x 9½"H x 29¾"D                  |                           | 1 ea    |
| 1140110             | Thermal Partition     | 13"W x 11⁄2"H x 21"D                  |                           | 1 ea    |
| NOTE: Ask you       | r DON Sales Represent | ative for stocking locations; Also av | ailable in Black, Blue an | d Grey. |

90



## **GoBags**®

## Cambro

- Vinyl interior to control moisture and odors
- Extra-dense insulation to keep food hot or cold during holding or delivery
- Foldable black bags feature thick, sturdy nylon fabric that folds flat when not in use
- Multiple pockets designed to hold receipts, coupons, condiments and more

| <b>GoBags</b> ® |                  |                                |          |                           |                |                             |      |
|-----------------|------------------|--------------------------------|----------|---------------------------|----------------|-----------------------------|------|
| DON#            | Desc             | Size                           | Qty      | DON#                      | Desc           | Size                        | Qty  |
| 1167744         | Delivery         | 13"L x 9"W x 13"H              | 4/cs     | 1167764                   | Pizza Delivery | 191⁄2"L x 191⁄2"W x 121⁄2"H | 4/cs |
| 1167747         | Delivery         | 18"L x 14"W x 12"H             | 4/cs     | 1167761                   | Pizza Delivery | 20¾"L x 21¾"W x 6½"H        | 4/cs |
| 1167750         | Delivery         | 21"L x 15"W x 17"H             | 1 ea     | 1167779                   | Thermal Pad    | 10"L x 14½"W                | 1 ea |
| 1166435         | Pizza Delivery   | 161⁄2"L x 18"W x 61⁄2"H        | 1 ea     | 1167778                   | Thermal Pad    | 201⁄2"L x 14"W              | 1 ea |
| 1166436         | Pizza Delivery   | 171⁄2"L x 20"W x 71⁄2"H        | 1 ea     | 1167777                   | Thermal Pad    | 271⁄4"L x 211⁄4"W           | 1 ea |
| Backpac         | k Delivery GoBa  | igs®                           |          | Foldable Delivery GoBags® |                |                             |      |
| DON#            |                  | Size                           | Qty      | DON#                      |                | Size                        | Qty  |
| 1201689         |                  | 11"L x 14"W x 17"H             | 1 ea     | 1167738                   |                | 10"L x 10"W x 11"H          | 1 ea |
| 1201690         |                  | 15"L x 14"W x 17"H             | 1 ea     | 1167739                   |                | 12"L x 15"W x 15"H          | 1 ea |
| NOTE: Ask       | your DON Sales I | Representative for stocking lo | ocations | 1167740                   |                | 21"L x 14"W x 17"H          | 1 ea |

#### Durable construction and reinforced stitching

Durable zipper closures with fold-over flap



## **1-Series Delivery Bags**

#### Vollrath

- Moisture-resistant outer shell material shelters food from the elements and helps maintain temperature
- Carrying straps with a sturdy floor bottom
- · Polyester lining is easy to clean

| DON#   | Desc           | Size                     | Qty  |  |  |
|--|----------------|--------------------------|------|--|--|
| 1205078  | Catering       | 11"L x 10"W x 12"H       | 1 ea |  |  |
| 1205077  | Catering       | 17"L x 13"W x 13"H       | 1 ea |  |  |
| 1205083  | Catering       | 19"L x 27"W x 9"H        | 1 ea |  |  |
| 1205076  | Catering       | 23"L x 15"W x 14"H       | 1 ea |  |  |
| 1205079  | Delivery       | 151⁄2"L x 151⁄2"W x 14"H | 1 ea |  |  |
| 1205080  | Pizza Delivery | 171⁄2"L x 171⁄2"W x 9"H  | 1 ea |  |  |
| 1205081  | Pizza Delivery | 19"L x 19"W x 9"H        | 1 ea |  |  |
| 1205082  | Snack Delivery | 15"L x 15"W x 6"H        | 1 ea |  |  |
| NOTE: Shipped FOB from WI (53081). All bags are black. |                |                          |      |  |  |

## **Insulated Food Carriers**

#### Sterno

- Seamless, watertight antimicrobial liners prevent sauces or liquids from seeping through to form mold, bacteria and odor in the insulation
- Multi-layered design to help protect it from outside temperatures while maintaining temperature inside
- Constructed to outlast others on the market by using superior grade, tear-resistant vinyl liners and reinforced stitching in high-abuse areas to prevent rips and tears

|   | DON#      | Size                           | Interior (L x W x H) | Exterior (L x W x H) | Holds                     |
|---|-----------|--------------------------------|----------------------|----------------------|---------------------------|
|   | 1151709   | Small                          | 12½" x 12½" x 13"    | 14½" x 14½" x 14"    | Three Half Food Pans      |
| CATERING  | 1151710   | Medium                         | 14" x 22" x 7"       | 16" x 24" x 8"       | One Full Food Pan         |
| OATENING  | 1164785   | Space Saver Large              | 14" x 22" x 13"      | 16" x 24" x 14"      | Three Full Food Pans      |
|   | 1172617   | Space Saver X-Large            | 14" x 22" x 16¾"     | 16" x 24" x 17¾"     | Four Full Food Pans       |
|   | 1151717   | Small                          | 10" x 12½" x 11"     | 12" x 14½" x 13"     | Four Meal Containers*     |
|   | 1151718   | Medium                         | 10" x 12½" x 15½"    | 12" x 14½" x 16½"    | Five Meal Containers      |
|   | 1151719   | Large                          | 10" x 14" x 15½"     | 12" x 16" x 16½"     | Five+ Meal Containers     |
| DELIVERY DL)  | ( 1172619 | Space Saver X-Large            | 11" x 20" x 13"      | 13" x 22" x 14"      | Eight Meal Containers     |
|   | 1172620   | Space Saver 2X-Large           | 11" x 20" x 16¾"     | 13" x 22" x 17¾"     | Ten Meal Containers       |
|   | 1172621   | Space Saver 3X-Large           | 11" x 20" x 18¾"     | 13" x 22" x 19¾"     | 12 Meal Containers        |
|   | 1172622   | Space Saver 4X-Large           | 11" x 30" x 16¾"     | 13" x 32" x 17¾"     | 15 Meal Containers        |
|   | 1151713   | Large                          | 9½" x 9½" x 11"      | 11½" x 11½" x 12"    | Three Meal Containers     |
| DELIVERY  | 1151714   | X-Large                        | 9½" x 16" x 10½"     | 11½" x 18" x 11½"    | Six Sandwich Containers** |
| DELIVENT  | 1151715   | 2X-Large                       | 12½" x 12½" x 13"    | 14½" x 14½" x 14"    | Four Meal Containers      |
|   | 1172618   | Space Saver 3X-Large           | 11" x 20" x 13"      | 13" x 22" x 14"      | Eight Meal Containers     |
|   | 1153409   | Small                          | 16" x 16" x 6½"      | 17" x 17" x 7"       | Three 16" Pizza Boxes     |
| PIZZA   | 1153410   | Medium                         | 18" x 18" x 6½"      | 19" x 19" x 7"       | Three 18" Pizza Boxes     |
| FILLA   | 1153461   | Large                          | 20" x 20" x 6½"      | 21" x 21" x 7"       | Three 20" Pizza Boxes     |
|   | 1151724   | X-Large                        | 16½" x 34" x 13"     | 18½" x 36" x 14"     | Ten 16" Pizza Boxes       |
|   | 1151705   | Small                          | 16½" x 16½" x 11½"   | 18½" x 18½" x 12½"   | Two 16" Dome Trays        |
| ALL PURPOSE   | 1151706   | Medium                         | 16½" x 16½" x 13½"   | 18½" x 18½" x 14½"   | Three 16" Dome Trays      |
| ALL I UNI USL   | 1151707   | Large                          | 20" x 20" x 11½"     | 22" x 22" x 12½"     | Two 20" Dome Trays        |
|   | 1151708   | X-Large                        | 20" x 20" x 13½"     | 22" x 22" x 14½"     | Three 20" Dome Trays      |
|   | 1151725   | Medium                         | 16" x 9½" x 10½"     | 18" x 11½" x 11½"    | 48 - Hot Dogs             |
| STADIUM   | 1151726   | Large                          | 20" x 11" x 13"      | 22" x 13" x 14"      | 90 - Hot Dogs             |
|   | 1151727   | Drink Carrier w/20 Hole Insert |                      | 24" x 20" x 6"       | 20 Cups                   |
| NOTE: Shipped FOB from TN (38113). * Meal Container is 9" x 9" x 3". ** Sandwich Container is 6" x 6" x 3". |           |                                |                      |                      |                           |



All Purpose



**Delivery DLX** 



## **Dough Boxes**

#### Cambro

- Prevents crusting to increase the storage life of dough
- Dough boxes won't bend or lose their shape
- Withstands temperatures from -40° F to 210° F
- Available in 3" and 6" depths

| DON#        | Desc                       | Size                      | Qty  |
|-------------|----------------------------|---------------------------|------|
| K9940       | Dough Box                  | 26"L x 18"W x 3"H         | 1 ea |
| K9943       | Dough Box                  | 26"L x 18"W x 6"H         | 1 ea |
| K9942       | Lid                        | 26"L x 18"W               | 1 ea |
| NOTE: Ask y | our DON Sales Representati | ve for stocking locations |      |

## **Poly Food Storage Boxes**

#### Cambro

- Great for storing bulk produce and ingredients; reduces the risk of cross contamination by transferring product out of cardboard boxes upon receipt
- Made of impact-, stain-, and chemical-resistant solid white plastic
- Withstands temperatures from -40° F to 160° F (-40° C to 70° C)
- Snug-fitting polyethylene lids

| 12" x 18" S  | torage Boxes           |                              |      |
|--------------|------------------------|------------------------------|------|
| DON#         | Depth                  | Cap'y                        | Qty  |
| K9458        | 31⁄2"                  | 1¾ gal                       | 1 ea |
| K9453        | 6"                     | 3 gal                        | 1 ea |
| K9456        | 9"                     | 43⁄4 gal                     | 1 ea |
| 18" x 26" S  | torage Boxes           |                              |      |
| K9457        | 31⁄2"                  | 5 gal                        | 1 ea |
| K9452        | 6"                     | 8¾ gal                       | 1 ea |
| K9451        | 9"                     | 13 gal                       | 1 ea |
| 1001540      | 12"                    | 17 gal                       | 1 ea |
| K9454        | 15"                    | 22 gal                       | 1 ea |
| Lids         |                        |                              |      |
| DON#         | Desc                   | Size                         | Qty  |
| K9460        | Half Size              | 18"W x 12"L                  | 1 ea |
| K9459        | Full Size              | 18"W x 26"L                  | 1 ea |
| NOTE: Ask yo | ur DON Sales Represent | ative for stocking locations |      |

## Today's consumer is much more aware of how their buying habits affect the environment.

Food waste is the enemy. It costs you money and it creates a negative image for your business. Whether you operate a restaurant, hotel kitchen, healthcare facility or catering company, choosing the right material for storage can help extend the freshness of your food and prolong the life of your storage containers.

# Cambro offers storage solutions in several different materials:

## Camwear® Polycarbonate

Resistant to staining and odor absorption. Clear polycarbonate allows for at a glance inventory management. Withstands temperatures from -40° F to 210° F.

## High Heat H-Pans<sup>™</sup>

Safe for use in heating and holding applications. Withstands extreme temperatures from -40° F to 375° F.

## Polypropylene

Translucent material provides high chemical resistance. Withstands temperatures from  $-40^{\circ}$  F to  $160^{\circ}$  F.



## Camwear<sup>®</sup> Food Storage Boxes

#### Cambro

NSE

- Withstands temperatures from -40° F to 210° F and flash freezing
- Clear polycarbonate construction resistant to stains, acids and odors
- Sliding lid minimizes handling and reduces cross-contamination

| DON#          | Depth    | Cap'y       | Qty  |
|---------------|----------|-------------|------|
| K9476         | 31/2"    | 13⁄4 gal    | 1 ea |
| K9471         | 6"       | 3 gal       | 1 ea |
| K9477         | 9"       | 4¾ gal      | 1 ea |
| 18" x 26" Cle | ar Boxes |             |      |
| K9478         | 31⁄2"    | 5 gal       | 1 ea |
| K9473         | 6"       | 8¾ gal      | 1 ea |
| K9474         | 9"       | 13 gal      | 1 ea |
| 1001540       | 12"      | 17 gal      | 1 ea |
| K9479         | 15"      | 22 gal      | 1 ea |
| Lids          |          |             |      |
| DON#          | Desc     | Size        | Qty  |
| K9472         | Flat     | 18"W x 12"L | 1 ea |
| K9475         | Flat     | 18"W x 26"L | 1 ea |
| K9491         | Sliding  | 18"W x 12"L | 1 ea |
| K9490         | Sliding  | 18"W x 26"L | 1 ea |

NSE

NOTE: Ask your DON Sales Representative for stocking locations



## Camsquares® Camwear® Food Containers

## Cambro

- Takes up to 33% less space than round containers; wide handles are ideal for lifting apart
- Withstands temperatures from -40° F to 210° F (-40° C to 99° C)
- Dishwasher-safe

|                 | <b>€</b><br>4"L x 71⁄4"W x 37⁄8"H<br>4"L x 71⁄4"W x 73∕8"H | <b>Cap'y</b><br>2 qt | <b>Qty</b><br>1 ea | DON#<br>1001664 | Qty<br>1 ea |
|-----------------|--|----------------------|--------------------|-----------------|-------------|
|                 |  |                      | 1 ea               | 1001664         | 1 ea        |
| K4642 71/       | "I v 71/4"\\/ v 73/6"H                                     |                      |                    |                 |             |
|                 | + L A / /4 W A / /6 II                                     | 4 qt                 | 1 ea               | 1001664         | 1 ea        |
| K4643 83/       | 5"L x 8%"₩ x 71⁄4"H  | 6 qt                 | 1 ea               | 1001663         | 1 ea        |
| K4644 83/       | 5"L x 8%"W x 91∕8"H  | 8 qt                 | 1 ea               | 1001663         | 1 ea        |
| K4648 12        | 1⁄4"L x 111⁄4"W x 8¾"H                                     | 12 qt                | 1 ea               | 1001665         | 1 ea        |
| K4649 12        | 1⁄4"L x 111⁄4"W x 125⁄8"H                                  | 18 qt                | 1 ea               | 1001665         | 1 ea        |
| <b>K4650</b> 12 | 1⁄4"L x 111⁄4"W x 15¾"H                                    | 22 qt                | 1 ea               | 1001665         | 1 ea        |



## **CamSquares® FreshPro Storage Containers**

Cambro

(NSF)

- Available in 2 to 22 qts (1.9 to 10.8 L)
- Molded in handles on all sizes offer ergonomic lifting
- Curved corners enable safer, four-sided pouring

| Containers | S      |         |      | Drain Shelv | es    |      |
|------------|--------|---------|------|-------------|-------|------|
| DON#       | Cap'y  | Lid     | Qty  | DON#        | Color | Qty  |
| 1227135    | 1 qt   | 1227145 | 1 ea | 1227132     | Blue  | 1 ea |
| 1227143    | 1/2 qt | 1227145 | 1 ea | 1227137     | Green | 1 ea |
| 1227138    | 2 qt   | 1227146 | 1 ea | 1227140     | Red   | 1 ea |
| 1227139    | 4 qt   | 1227146 | 1 ea |             |       |      |
| 1227141    | 6 qt   | 1227147 | 1 ea |             |       |      |
| 1227142    | 8 qt   | 1227147 | 1 ea |             |       |      |
| 1227133    | 12 qt  | 1227144 | 1 ea |             |       |      |
| 1227134    | 18 qt  | 1227144 | 1 ea |             |       |      |
| 1227136    | 22 at  | 1227144 | 1 ea |             |       |      |



## **CamSquares® Storage Containers**

#### Cambro

- Withstands temperatures from -40° F to 160° F; commercial dishwasher safe
- Stackable design provides up to 33% more storage efficiency than round containers

| Translucer | nt Containers - Polypre | opylene |      | Color Lid | s     |      |
|------------|-------------------------|---------|------|-----------|-------|------|
| DON#       | Size                    | Cap'y   | Qty  | DON#      | Color | Qty  |
| K1892      | 71⁄4"sq x 37∕8"H        | 2 qt    | 1 ea | K4645     | Green | 1 ea |
| K9553      | 71⁄4"sq x 73∕8"H        | 4 qt    | 1 ea | K4645     | Green | 1 ea |
| K8482      | 83⁄8"sq x 71⁄4"H        | 6 qt    | 1 ea | K4646     | Red   | 1 ea |
| K9552      | 83⁄8"sq x 91⁄8"H        | 8 qt    | 1 ea | K4646     | Red   | 1 ea |
| 1010851    | 121⁄4"L x 8¾"H          | 12 qt   | 1 ea | K4647     | Blue  | 1 ea |
| K3652      | 111⁄4″L x 125⁄8″H       | 18 qt   | 1 ea | K4647     | Blue  | 1 ea |
| K3653      | 111⁄4"L x 153⁄4"H       | 22 qt   | 1 ea | K4647     | Blue  | 1 ea |

- Chemical-resistant and extremely durable
- Snap-tight polyethylene lids feature thumb tabs for easy removal

| White C  | ontainers - Polyethylene    |                 |                | Color Lid | S     |      |
|----------|-----------------------------|-----------------|----------------|-----------|-------|------|
| DON#     | Size                        | Cap'y           | Qty            | DON#      | Color | Qty  |
| K5674    | 71⁄₄"sq x 37∕₅"H            | 2 qt            | 1 ea           | K4645     | Green | 1 ea |
| K5673    | 71⁄₄"sq x 73∕8"H            | 4 qt            | 1 ea           | K4645     | Green | 1 ea |
| K5776    | 8¾"sq x 7¼"H                | 6 qt            | 1 ea           | K4646     | Red   | 1 ea |
| K4659    | 91⁄8"L x 8¾"W x 8¾"H        | 8 qt            | 1 ea           | K4646     | Red   | 1 ea |
| K4657    | 111⁄4″L x 8¾″H              | 12 qt           | 1 ea           | K4647     | Blue  | 1 ea |
| K9026    | 11¼"L x 12%"H               | 18 qt           | 1 ea           | K4647     | Blue  | 1 ea |
| K5777    | 111⁄4"L x 15¾"H             | 22 qt           | 1 ea           | K4647     | Blue  | 1 ea |
| NOTE: As | k your DON Sales Representa | ative for stock | king locations |           |       |      |

(NSF;



## H-Pan<sup>™</sup> Food Pans and Covers

#### Cambro

- Withstands temperature extremes from -40° F to 375° F
- Stain-resistant, won't warp, chip, or dent, reduces handling and saves expenses (NSF)
- Microwave safe

| Full Size P             | Pans                              |                                   |   |                                    | 1/2 Size                          | Pans                              |                                 |  |                                    |
|-------------------------|-----------------------------------|-----------------------------------|---|------------------------------------|-----------------------------------|-----------------------------------|---------------------------------|--|------------------------------------|
| K9006 H<br>K9007 H      | Black#<br>K9206<br>K9207<br>K9216 | <b>Depth</b><br>21⁄2"<br>4"<br>6" | <b>Cap'y</b><br>8%₀ qt<br>137⁄1₀ qt<br>203⁄5 qt | <b>Qty</b><br>1 ea<br>1 ea<br>1 ea | Amber#<br>K9059<br>K9017<br>K9018 | Black#<br>K9215<br>K9217<br>K9218 | <b>Depth</b><br>2½"<br>4"<br>6" | <b>Cap'y</b><br>41/10 qt<br>61/3 qt<br>92/5 qt | <b>Qty</b><br>1 ea<br>1 ea<br>1 ea |
| 1/2 Size L              |                                   | -                                 | 2075 qi   | i ca                               | 1/3 Size                          |                                   | 0                               | 975 YI   | i ea                               |
| 1038437                 | •                                 | <b>3</b><br>2½"                   | 31∕s qt   | 1 ea                               | K9058                             | K9226                             | 21⁄2"                           | 21⁄2 gt  | 1 ea                               |
| 1038438                 |                                   | 4"                                | 51⁄3 qt   | 1 ea                               | K9027                             | K9227                             | 4"                              | 34∕s qt  | 1 ea                               |
| 1/4 Size P              | ans                               |                                   |   |                                    | K9028                             | K9228                             | 6"                              | 5% qt  | 1 ea                               |
| K8745 I                 | K9229                             | 21⁄2"                             | 14∕s qt   | 1 ea                               | 1/6 Size                          | Pans                              |                                 |  |                                    |
| 1023599 I               |                                   | 4"                                | 27/10 qt  | 1 ea                               |                                   | 1020099                           |                                 | 1 1⁄10 qt                                      | 1 ea                               |
| 1002459                 |                                   | 6"                                | 3%10 qt   | 1 ea                               | K9047                             | K9247                             | 4"                              | 13∕s qt  | 1 ea                               |
| 1/8 Size P              |                                   |                                   |   |                                    | K9048                             | K9248                             | 6"                              | 2⅔ qt  | 1 ea                               |
| 1123293 -               |                                   | 21/2"                             | 7∕10 qt   | 1 ea                               | 1/9 Size                          |                                   | 0                               |  |                                    |
| 1123294 -<br>1123295 -  |                                   | 4"<br>6"                          | 11/10 qt  | 1 ea                               | K9072                             | 1036988                           | 2½"<br>4"                       | 3∕s qt   | 1 ea                               |
| 1123295 -               | _                                 | 0                                 | 1½ qt   | 1 ea                               | K9073<br>1176725                  | 1025830                           | 4"<br>6"                        | ‱ qt<br>1⅔ qt                                  | 1 ea<br>1 ea                       |
| Drain Shel              | lves - Ar                         | nhor                              |   |                                    | 11/0/25                           | _                                 | 0                               | 175 YL   | i ea                               |
| DON#                    | 1VC3 - AI                         | Size                              |   | Qty                                | DON#                              |                                   | Size                            |  | Qty                                |
| K9000                   |                                   | Full Size                         | e   | 1 ea                               | K8746                             |                                   | 1/4 Size                        |  | 1 ea                               |
| K9010                   |                                   | 1/2 Siz                           |   | 1 ea                               | K9045                             |                                   | 1/6 Size                        |  | 1 ea                               |
| 1038436                 |                                   | 1/2 Siz                           | e Long  | 1 ea                               | 1123292                           |                                   | 1/8 Size                        |  | 1 ea                               |
| K9025                   |                                   | 1/3 Siz                           | e   | 1 ea                               | 1032841                           |                                   | 1/9 Size                        |  | 1 ea                               |
| Flat Cover              | s - Amb                           | er                                |   |                                    |                                   |                                   |                                 |  |                                    |
| K9090                   |                                   | Full Size                         |   | 1 ea                               | 1043352                           |                                   | 1/4 Size                        |  | 1 ea                               |
| K9091                   |                                   | 1/2 Size                          |   | 1 ea                               | K9051                             |                                   | 1/6 Size                        |  | 1 ea                               |
| 1003848                 |                                   | 1/2 Size                          |   | 1 ea                               | 1123289                           |                                   | 1/8 Size                        |  | 1 ea                               |
| K9031                   |                                   | 1/3 Size                          |   | 1 ea                               | 1003053                           |                                   | 1/9 Size                        |  | 1 ea                               |
| Covers wit              | th Handl                          |                                   |   | 4                                  | 4400070                           |                                   | 1/4 0:                          |  | 4                                  |
| 1103506<br>K8744        |                                   | Full Size<br>1/2 Size             |   | 1 ea<br>1 ea                       | 1123278<br>1016585                |                                   | 1/4 Size<br>1/6 Size            |  | 1 ea<br>1 ea                       |
| K61                     |                                   | 1/2 Size                          |   | 1 ea                               | 1123290                           |                                   | 1/8 Size                        |  | 1 ea                               |
|                         | overe w                           |                                   | dle - Amber                                     |                                    | 1123230                           |                                   | 170 3126                        |  | i ca                               |
| Notonicu u              |                                   | Full Size                         |   | 1 ea                               | K9057                             |                                   | 1/4 Size                        |  | 1 ea                               |
| K0015                   |                                   | 1/2 Size                          |   | 1 ea                               | K9049                             |                                   | 1/4 Size                        |  | 1 ea                               |
|                         |                                   |                                   |   |                                    |                                   |                                   |                                 |  |                                    |
| K9015<br>K9019<br>K9029 |                                   | 1/2 Size                          |   | 1 ea                               | 1123291                           |                                   | 1/8 Size                        |  | 1 ea                               |

#### Also Available:

Cambro Colander Pans, for use with both the H-Pans<sup>™</sup> and Camwear<sup>®</sup> pans; ask your DON Sales Representative for more info.

K9375



## **Camwear® Food Pans**

#### Cambro

- Camwear polycarbonate is virtually unbreakable
- Nest without wedging or sticking
- Temperature range from -40° F to 210° F

| Full Size Par    | ns          |                        |            |          |          |          |      |
|------------------|-------------|------------------------|------------|----------|----------|----------|------|
| Clear#           | Black#      | White#                 |            | Height   | Cap'y    |          | Qty  |
| K9001            | K9350       | 112325                 | i8         | 21⁄2"    | 8%10 qt  | t        | 1 ea |
| K9002            | K9351       | 112325                 | <b>i</b> 9 | 4"       | 137/10 ( |          | 1 ea |
| K9003            | K9352       | 112326                 | 61         | 6"       | 203∕s q  |          | 1 ea |
| K3654            | 1123262     | _                      |            | 8"       | 27 gt '  |          | 1 ea |
| 1/2 Size Par     | IS          |                        |            |          |          |          |      |
| K9011            | 1016078     | 112326                 | 63         | 21⁄2"    | 41⁄10 gt | t        | 1 ea |
| K9012            | K9353       | 112326                 | 6          | 4"       | 6⅓ qt    |          | 1 ea |
| K9013            | K9354       | 112326                 | 69         | 6"       | 9⅔ qt    |          | 1 ea |
| K4658            | —           | _                      |            | 8"       | 12% q    | t        | 1 ea |
| 1/2 Size Lon     | ig Pans     |                        |            |          |          |          |      |
| K8990            | K1665       | 112326                 | 4          | 21⁄2"    | 31∕s qt  |          | 1 ea |
| K4656            | K1666       | 112326                 | 7          | 4"       | 5⅓ qt    |          | 1 ea |
| 1/3 Size Par     | IS          |                        |            |          |          |          |      |
| K9021            | K1667       | 112327                 | '1         | 21⁄2"    | 21⁄2 qt  |          | 1 ea |
| K9022            | K9355       | 112327                 | '3         | 4"       | 3⁴⁄s qt  |          | 1 ea |
| K9023            | K9356       | 112327                 | '5         | 6"       | 5% qt    |          | 1 ea |
| K3655            | 1123276     | 112327                 | 7          | 8"       | 71∕₃ qt  |          | 1 ea |
| 1/4 Size Par     | IS          |                        |            |          |          |          |      |
| K9035            | K1668       | 112327                 | '9         | 21⁄2"    | 1⁴⁄s qt  |          | 1 ea |
| K9032            | K9357       | 112328                 |            | 4"       | 27/10 q1 | t        | 1 ea |
| K9036            | K9358       | 112328                 | 81         | 6"       | 3%1o qt  |          | 1 ea |
| 1/6 Size Par     | IS          |                        |            |          |          |          |      |
| K9041            | K1877       | 112328                 |            | 21⁄2"    | 11⁄10 q  | t        | 1 ea |
| K9042            | K9359       | 112328                 |            | 4"       | 13∕s qt  |          | 1 ea |
| K9043            | K9360       | 112328                 | 8          | 6"       | 2⅔ qt    |          | 1 ea |
| 1/9 Size Par     | IS          |                        |            |          |          |          |      |
| K9046            | 1008507     | 112329                 |            | 21⁄2"    | 3∕s qt   |          | 1 ea |
| K9052            | K9361       | 112329                 | 7          | 4"       | %10 qt   |          | 1 ea |
| 1138336          | -           | -                      |            | 6"       | 11⁄4 lt  |          | 1 ea |
| 1/8 Size Par     | -           |                        |            | 1/8 Pans |          |          |      |
| Clear#           | Depth       |                        | Qty        | DON#     | Desc     |          | Qty  |
| 1115640          | 21⁄2"       |                        | 1 ea       | 1115636  | Flat     |          | 1 ea |
| 1115641          | 4"          |                        | 1 ea       | 1115637  | Handle   |          | 1 ea |
| 1115642          | 6"          |                        | 1 ea       | 1115638  | Notche   | d Handle | 1 ea |
| Drain Shelve     |             |                        |            |          |          |          |      |
| Clear#           | Black#      | Size                   | Qty        | Clear#   | Black#   | Size     | Qty  |
| K9005            | —           | Full Size              | 1 ea       | 1032977  |          | 1/4 Size | 1 ea |
| K9016            | —           | 1/2 Size               | 1 ea       | K9076    | 1123282  |          | 1 ea |
| 1038435<br>K9077 | <br>1123270 | 1∕₂ Size L<br>1∕₃ Size | 1 ea       | 1115639  | _        | 1/8 Size | 1 ea |
|                  |             |                        | 1 ea       | 1004514  |          | 1/9 Size | 1 ea |

For cold and ambient storage applications



## **Translucent Food Pans**

Cambro

**Full Size Pans** DON# Size Cap'y **1197462** 124/7"L x 203/5"W x 21/2"H 71⁄2 qt 207/8"L x 123/4"W x 4"H . 137⁄10 qt K9560 K9564 201/8"L x 123/4"W x 6"H 20% qt 1190695 12%"L x 20%"W x 8"H 27 qt 1/2 Size Pans **1197463** 10¼"L x 123/5"W x 21/2"H 41⁄10 qt K9559 12¾"L x 107⁄16"W x 4"H 6⅓ qt K4723 12¾"L x 107⁄16"W x 6"H 9⅔ qt **1197464** 123/5"L x 101/4"W x 8"H 12% qt NOTE: Ask your DON Sales Representative for stocking locations and corresponding lids/drain shelves for use with translucent food pans

• Withstands temperatures from -40° F to 160° F

• Commercial dishwasher safe

Qty

1 ea

| 1/3 Size P |                            |          |      |
|------------|----------------------------|----------|------|
|            |                            | Oraba    | 01.  |
| DON#       | Size                       | Cap'y    | Qty  |
| 1197465    | 121/5"L x 61/5"W x 21/2"H  | 21⁄2 qt  | 1 ea |
| 1004065    | 12¾"L x 6"W x 4"H          | 34∕s qt  | 1 ea |
| K9558      | 12¾"L x 6"W x 6"H          | 5% qt    | 1 ea |
| 1197466    | 67⁄9"L x 123⁄5"W x 8"H     | 7¾10 qt  | 1 ea |
| 1/6 Size P | ans                        |          |      |
| 1197468    | 61⁄3"L x 6%/"W x 21⁄2"H    | 11⁄10 qt | 1 ea |
| 1030032    | 615⁄16"L x 63⁄8"W x 4"H    | 1% qt    | 1 ea |
| K9555      | 615⁄16"L x 63⁄8"W x 6"H    | 2⅔ qt    | 1 ea |
| 1/9 Size P | ans                        |          |      |
| 1173300    | 615/16"L x 41/4"W x 21/2"H | 1⁄2 qt   | 1 ea |
| K9561      | 615⁄16"L x 41⁄4"W x 4"H    | %10 qt   | 1 ea |
|            |                            |          |      |

NSF



**Cover with Handle** Deep molded handle for secure grip. Available in clear and amber.



#### FlipLid®

Keeps contents covered yet flips up easily for service. Notched FlipLid contains notch so spoon can rest in contents with lid closed.



**Flat Cover** Basic cover available in all pan sizes.



GripLid®

Lid "grips" the side of the pan, reducing spills and points of cross contamination. Fits Camwear Polycarbonate and



**Notched Cover with Handle** Allows utensils to remain in pan and off of potentially contaminated counters. Includes a hanging hole for drying.



Economical cover for all pan sizes. Fits Camwear

Translucent Polycarbonate and High Heat Pans.

High Heat Pans.


| Covers with |                  |      |         |           |      |
|-------------|------------------|------|---------|-----------|------|
| Clear#      | Size             | Qty  | Amber#  | Size      | Qty  |
| K9053       | Full Size        | 1 ea | 1103506 | Full Size | 1 ea |
| K9014       | 1/2 Size         | 1 ea | K8744   | 1/2 Size  | 1 ea |
| K9030       | 1∕₃ Size         | 1 ea | K61     | 1∕3 Size  | 1 ea |
| K9034       | 1/4 Size         | 1 ea | 1123278 | 1/4 Size  | 1 ea |
| K9044       | 1/6 Size         | 1 ea | 1016585 | 1/6 Size  | 1 ea |
| 1115637     | 1/8 Size         | 1 ea | 1123290 | 1/8 Size  | 1 ea |
| Notched Co  | vers with Handle |      |         |           |      |
| K9004       | Full Size        | 1 ea | K9015   | Full Size | 1 ea |
| K2124       | 1/2 Size         | 1 ea | K9019   | 1/2 Size  | 1 ea |
| K2136       | 1/3 Size         | 1 ea | K9029   | 1∕3 Size  | 1 ea |
| K9280       | 1/4 Size         | 1 ea | K9057   | 1/4 Size  | 1 ea |
| K9281       | 1/6 Size         | 1 ea | K9049   | 1/6 Size  | 1 ea |
| 1115638     | 1/8 Size         | 1 ea | 1123291 | 1/8 Size  | 1 ea |
| FlipLids®   |                  |      |         |           |      |
| Clear#      | Size             | Qty  | Amber#  | Size      | Qty  |
| K9094       | 1/2 Size         | 1 ea | K9088   | 1/2 Size  | 1 ea |
| K9085       | 1∕3 Size         | 1 ea | K9089   | 1/3 Size  | 1 ea |
| K9086       | 1/6 Size         | 1 ea | K9092   | 1/6 Size  | 1 ea |

NOTE: Ask your DON Sales Representative for stocking locations



|    | DON#        | Desc                 | Size                      | Cap'y     | Qty  |
|----|-------------|----------------------|---------------------------|-----------|------|
|    | E329        | Angled Slide Lid     | 291⁄2"L x 13"W x 28"H     | 21 gal    | 1 ea |
| Α. | E330        | Angled Slide Lid     | 295⁄8"L x 165⁄16"W x 28"H | 27 gal    | 1 ea |
|    | E2965       | Flat Side Lid        | 301/8"L x 13"W x 29"H     | 27 gal    | 1 ea |
|    | E2966       | Flat Side Lid        | 24"L x 22"W x 23"H        | 32 gal    | 1 ea |
| Β. | E2967       | Flat Side Lid        | 291⁄2"L x 151⁄4"W x 29"H  | 34 gal    | 1 ea |
|    | E2968       | Flat Side Lid        | 291⁄2"L x 181⁄2"W x 29"H  | 421⁄2 gal | 1 ea |
| NO | TE Aslesses | DON Calas Deservated | for standing landing      |           |      |

NOTE: Ask your DON Sales Representative for stocking locations





## Soak Tanks

Cambro • Soaking bin for utensils or as an ingredient bin or vegetable crisper, can also

- be used to brine meat • Two swivel and two rigid 3" casters for mobility; sturdy, seamless polyethylene
- construction; will not rust
- · Drain elbow can be maneuvered to facilitate emptying

| DON#         | Color          | Size                     | Cap'y  | Qty  |
|--------------|----------------|--------------------------|--------|------|
| 1181512      | White          | 291⁄2"L x 211⁄2"W x 28"H | 37 gal | 1 ea |
| 1181513      | Yellow         | 291⁄2"L x 211⁄2"W x 28"H | 37 gal | 1 ea |
| NOTE: Shippe | ed FOB from CA | (91789)                  |        |      |





## Camwear® Translucent PolyPro Round Containers

## Cambro

- $\bullet$  Withstands temperatures from -40° F to 160° F (-40° C to 70° C)
- Translucent material that is both durable and resistant to stains
- Easy to read imprinted graduations on the outside for inventory at-a-glance

| Containers |                     |       |       | Lids    |       |
|------------|---------------------|-------|-------|---------|-------|
| DON#       | Size                | Cap'y | Qty   | DON#    | Qty   |
| 1124377    | 51∕₅"W x 5"H        | 1 qt  | 1 ea  | 1138961 | 12/cs |
| K5676      | 8¾16"W x 4¾16"H     | 2 qt  | 12/cs | K5675   | 12/cs |
| 1041719    | 8¾16"W X 8%16"H     | 4 qt  | 1 ea  | K5675   | 12/cs |
| 1059874    | 915/16"W x 715/16"H | 6 qt  | 1 ea  | 1041721 | 1 ea  |
| 1041720    | 915⁄16"W x 107⁄8"H  | 8 qt  | 1 ea  | 1041721 | 1 ea  |
| 1046752    | 141%"W x 8%"H       | 12 qt | 1 ea  | K8747   | 1 ea  |
| 1020981    | 141/8"W x 12"H      | 18 qt | 1 ea  | K8747   | 1 ea  |
| K5672      | 141⁄8"W x 15"H      | 22 qt | 1 ea  | K8747   | 1 ea  |

NOTE: Ask your DON Sales Representative for stocking locations

应 don.com

## **Camwear® Round Storage Containers**

#### Cambro

- $\bullet$  Withstands temperatures of -40° F to 210° F
- Made of durable clear polycarbonate for easy product identification
- Red graduated markings, tight fitting covers keep food fresh longer
- Dishwasher safe


| Storage Co   | ntainers             |                  |              |              |      |
|--------------|----------------------|------------------|--------------|--------------|------|
| DON#         | Size                 |                  |              | Cap'y        | Qty  |
| K5600        | 61⁄6"L x 61⁄6"W      | к 5"Н            |              | 1 qt         | 1 ea |
| K5601        | 83⁄16"L X 83⁄16"V    | / x 4¾16"H       |              | 2 qt         | 1 ea |
| K5602        | 83⁄16"L X 83⁄16"V    | / x 8%16"H       |              | 4 qt         | 1 ea |
| K5603        | 915⁄16"L X 915⁄16    | 'W x 7¹5⁄16"H    |              | 6 qt         | 1 ea |
| K5604        | 915⁄16"L X 915⁄16    | 'W x 107∕8"H     |              | 8 qt         | 1 ea |
| K5605        | 147⁄8"L x 147⁄8"     | W x 8%/"H        |              | 12 qt        | 1 ea |
| K5606        | 141⁄8"L x 141⁄8"     | W x 12"H         |              | 18 qt        | 1 ea |
| K5609        | 141⁄8"L x 141⁄8"     | W x 15"H         |              | 22 qt        | 1 ea |
| Flat Lids    |                      |                  | Camwea       | r® Seal Lids |      |
| DON#         | Cap'y                | Qty              | DON#         | Cap'y        | Qty  |
| K5622        | 1 qt                 | 1 ea             | K6622        | 1 qt         | 1 ea |
| K5607        | 2–4 qt               | 1 ea             | K6607        | 2–4 qt       | 1 ea |
| K5608        | 6–8 qt               | 1 ea             | K6608        | 6–8 qt       | 1 ea |
| K5610        | 12–22 qt             | 1 ea             | K6610        | 12–22 qt     | 1 ea |
| NOTE: Ask vo | our DON Sales Repres | sentative for st | tocking loca | tions        |      |



## **Poly Round Storage Containers**

- Cambro
- Resists stains and chemicals
- Withstands temperatures from -40° F to 160° F; commercial dishwasher safe
- Snap tight covers (sold separately) fit tightly to protect contents

| Round St | torage Containers   |       |      | Lids  |      |
|----------|---------------------|-------|------|-------|------|
| DON#     | Size                | Cap'y | Qty  | DON#  | Qty  |
| K5660    | 61⁄16"W x 5"Н       | 1 qt  | 1 ea | K5668 | 1 ea |
| K5661    | 8¾16"W x 4¾16"H     | 2 qt  | 1 ea | K5669 | 1 ea |
| K5662    | 8¾16"W X 8%16"H     | 4 qt  | 1 ea | K5669 | 1 ea |
| K5663    | 915⁄16"W x 715⁄16"H | 6 qt  | 1 ea | K5670 | 1 ea |
| K5664    | 915⁄16"W x 107⁄8"H  | 8 qt  | 1 ea | K5670 | 1 ea |
| K5665    | 147⁄8"W x 8¾"H      | 12 qt | 1 ea | K5671 | 1 ea |
| K5666    | 141⁄8"W x 12"H      | 18 qt | 1 ea | K5671 | 1 ea |
| K5667    | 147⁄8"W x 15"H      | 22 at | 1 ea | K5671 | 1 ea |





NSF

## 🚥 Bain Maries, Steam Table Insets, and Lids

• Durable 24-gauge stainless steel

| <b>Bain Mari</b> | es                 |                             |          |      |
|------------------|--------------------|-----------------------------|----------|------|
| DON#             | Depth              | Cap'y                       | Fits     | Qty  |
| K8136            | 5¾"                | 11⁄4 qt                     | 41⁄2"    | 1 ea |
| K8137            | 61⁄2"              | 2 qt                        | 5"       | 1 ea |
| K8138            | 71⁄4"              | 31⁄2 qt                     | 61⁄4"    | 1 ea |
| K8139            | 75⁄8"              | 41⁄4 qt                     | 6%"      | 1 ea |
| K8140            | 81⁄2"              | 6 qt                        | 73⁄8"    | 1 ea |
| K8141            | 93⁄4"              | 81⁄4 qt                     | 81⁄8"    | 1 ea |
| K7962            | 10"                | 12 qt                       | 91⁄8"    | 1 ea |
| Steam Par        | n Insets           |                             |          |      |
| K8132            | 61⁄16"             | 41∕s qt                     | 61⁄2"    | 1 ea |
| K8133            | 6"                 | 71⁄4 qt                     | 81⁄2"    | 1 ea |
| K8134            | 6"                 | 11 qt                       | 101⁄2"   | 1 ea |
| Lids             |                    |                             |          |      |
| K8151            |                    |                             | K8131    | 1 ea |
| K8152            |                    |                             | K8132    | 1 ea |
| K8153            |                    |                             | K8133    | 1 ea |
| K8154            |                    |                             | K8134    | 1 ea |
| NOTE: Ask        | your DON Sales Rep | presentative for stocking l | ocations |      |







- 18-gauge stainless steel construction
- Fits most full-size chafing dishes
- Accepts standard size pans

| DON#                    | Size                                     | Qty  |
|-------------------------|--|------|
| K8119                   | 221/16"L x 141/8"W x 31/2"H              | 1 ea |
| NOTE: Ask your DON Sale | es Representative for stocking locations |      |



## Icing/ Draining Grates

• Nickel-chrome plated steel, fits most popular steam table pans and sheet pans

| 1/2 Size         | Grate for Steam                      | Table Pans          |                        |      |  |
|------------------|--------------------------------------|---------------------|------------------------|------|--|
| DON#             | Size                                 | Fits 22-Gauge Pans  | Fits 25-Gauge Pans     | Qty  |  |
| K4569            | 97∕a"L x 8"W                         | K9884, K9885, K9886 | 9K9884, 9K9885, 9K9886 | 1 ea |  |
| <b>Full Size</b> | Full Size Grate for Steam Table Pans |                     |                        |      |  |
| DON#             | Size                                 | Fits 22-Gauge Pans  | Fits 25-Gauge Pans     | Qty  |  |
| K4571            | 18"L x 97⁄8"W                        | K9881, K9882, K9883 | 9K9881, 9K9882, 9K9883 | 1 ea |  |
| Full Size        | Grate for Sheet                      | Pans                |                        |      |  |
| DON#             | Size                                 | Fits 18-Gauge Pans  | Fits 16-Gauge Pans     | Qty  |  |
| K4567            | 241⁄2"L x 161⁄2"W                    | 1060716 K2582       | K2581                  | 1 ea |  |



| DON#              | Desc                | Size                       | Height | Qty  |
|-------------------|---------------------|----------------------------|--------|------|
| A. K7143          | Hinged              | Full Size                  | 3"     | 1 ea |
| B. <b>K8162</b>   | Lift Off            | Full Size                  | 21⁄2"  | 1 ea |
| NOTE: Ask your DO | ON Sales Representa | tive for stocking location | S      |      |



## Perforated Pans

- 24-gauge, 18/8 stainless steel
- Perforations along sides and bottom keep steam circulating
- Set a perforated pan into a deeper solid pan for steaming

| Size                 | Cap'y  | Qty  |
|----------------------|--|--|
| 13"L x 10"W x 4"D    | 61⁄5 qt  | 1 ea   |
|                      |  |  |
| 21"L x 13"W x 21⁄2"D | 81∕s qt  | 1 ea   |
| 21"L x 13"W x 4"D    | 14 qt  | 1 ea   |
| 21"L x 13"W x 6"D    | 20 qt  | 1 ea   |
|                      | 13"L x 10"W x 4"D<br>21"L x 13"W x 2½"D<br>21"L x 13"W x 2½"D<br>21"L x 13"W x 4"D | 13"L x 10"W x 4"D         6% qt           21"L x 13"W x 2½"D         8½ qt           21"L x 13"W x 4"D         14 qt |

**NSF** 



1/2 Size Pans

| Full Size | Pans    |                         |      | 1/2 Size | Pans    |                    |  |
|-----------|---------|-------------------------|------|----------|---------|--------------------|--|
| DON#      | Cap'y   | Size                    | Qty  | DON#     | Cap'y   | Size               |  |
| 9K9881    | 8 qt    | 20"L x 121⁄2"W x 21⁄2"H | 1 ea | 9K9884   | 41∕s qt | 12"L x 10"W x 2½"H |  |
| 9K9882    | 14 qt   | 20"L x 121⁄2"W x 4"H    | 1 ea | 9K9885   | 6⁴⁄s qt | 12"L x 10"W x 4"H  |  |
| 9K9883    | 20 qt   | 20"L x 12½"W x 6"H      | 1 ea | 9K9886   | 10 qt   | 12"L x 10"W x 6"H  |  |
| 1/3 Size  | Pans    |                         |      | 1/6 Size | Pans    |                    |  |
| 9K9808    | 4% qt   | 12"L x 6"W x 4"H        | 1 ea | 9K9814   | 14∕s qt | 7"L x 6"W x 4"H    |  |
| 9K9809    | 61⁄2 qt | 12"L x 6"W x 6"H        | 1 ea | 9K9815   | 25⁄7 qt | 7"L x 6"W x 6"H    |  |
| 1/9 Size  | Pans    |                         |      |          |         |                    |  |
| 9K9820    | 11⁄9 qt | 7"L x 4"W x 4"H         | 1 ea |          |         |                    |  |

**Qty** 1 ea 1 ea 1 ea

1 ea 1 ea





(NSF)

## Super Pan V<sup>®</sup> Food Pans

#### Vollrath

- 22-gauge 18/8 stainless steel with newly designed pour corners are up to 300% stronger
- Easy-to-pour corners and traditional body size is compatible with all Super Pan II<sup>®</sup> pans, covers and accessories
- Lifetime guarantee; made in the USA

#### **Full Size Pans**

| 1 411 0120 1 4115 |                           |                            |      |
|-------------------|---------------------------|----------------------------|------|
| DON#              | Cap'y                     | Size                       | Qty  |
| K7130             | 4 qt                      | 20¾"L x 12¾"W x 1¼"H       | 1 ea |
| K8101             | 85⁄16 qt                  | 20¾"L x 12¾"W x 21⁄2"H     | 1 ea |
| K8102             | 14 qt                     | 20¾"L x 12¾"W x 4"H        | 1 ea |
| K8103             | 21 qt                     | 20¾"L x 12¾"W x 6"H        | 1 ea |
| 1/2 Size Pans     |                           |                            |      |
| K7126             | 2 qt                      | 10%"L x 12¾"W x 1¼"H       | 1 ea |
| K8104             | 45⁄16 qt                  | 10%"L x 12¾"W x 2½"H       | 1 ea |
| K8105             | 6¾ qt                     | 10%"L x 12¾"W x 4"H        | 1 ea |
| K8106             | 10 qt                     | 10%"L x 12¾"W x 6"H        | 1 ea |
| 1/2 Long Pans     |                           |                            |      |
| 1023077           | 2 qt                      | 20¾"L x 67⁄16"W x 11⁄4"H   | 1 ea |
| K7131             | 4 qt                      | 20¾"L x 67⁄16"W x 21⁄2"H   | 1 ea |
| K7132             | 6 qt                      | 20¾"L x 67⁄16"W x 4"H      | 1 ea |
| K7133             | 87⁄10 qt                  | 20¾"L x 67⁄16"W x 6"H      | 1 ea |
| 2/3 Size Pans     |                           |                            |      |
| 1004868           | 3 qt                      | 137⁄8"L x 123⁄4"W x 11⁄4"H | 1 ea |
| K7127             | 5¾ qt                     | 137⁄8"L x 123⁄4"W x 21⁄2"H | 1 ea |
| K7128             | 9¾10 qt                   | 137%"L x 1234"W x 4"H      | 1 ea |
| K8121             | 14 qt                     | 137%"L x 1234"W x 6"H      | 1 ea |
| NOTE: Ask your D  | ON Sales Representative f | for stocking locations     |      |



| 1/3 Size Pan | -        | 0:  | 01.  |
|--------------|----------|---|------|
| DON#         | Cap'y    | Size                                      | Qty  |
| K7124        | 11⁄з qt  | 67%"L x 1234"W x 11⁄4"H                   | 1 ea |
| K8107        | 2⅔ qt    | 67/8"L x 123/4"W x 21/2"H                 | 1 ea |
| K8108        | 4 qt     | 61/8"L x 123/4"W x 4"H                    | 1 ea |
| K7127        | 5% qt    | 137⁄8"L x 123⁄4"W x 21⁄2"H                | 1 ea |
| K8109        | 6 qt     | 67∕8"L x 123⁄4"W x 6"H                    | 1 ea |
| 1/4 Size Pan | S        |   |      |
| K8110        | 1⁄8 qt   | 63%"L x 103%"W x 21⁄2"H                   | 1 ea |
| K8111        | 3 qt     | 6% "L x 10% "W x 4"H                      | 1 ea |
| K8112        | 41⁄2 qt  | 6% "L x 10% "W x 6"H                      | 1 ea |
| 1/6 Size Pan | S        |   |      |
| K8113        | 1 1∕s qt | 61/211/21/21/21/21/21/21/21/21/21/21/21/2 | 1 ea |
| K8114        | 14∕s qt  | 61/8"L x 61/4"W x 4"H                     | 1 ea |
| K8115        | 27/10 qt | 61/8"L x 61/4"W x 6"H                     | 1 ea |
| 1/9 Size Pan | S        |   |      |
| K8123        | 3∕s qt   | 61/8"L x 41/4"W x 21/2"H                  | 1 ea |
| K8120        | 1 qt     | 67/8"L x 41/4"W x 4"H                     | 1 ea |

Rapidly chills soups and stews out of the temperature danger zone according to the **HACCP** guidelines

#### Durable, food-safe and dishwasher safe plastic



## Rapi-Kool<sup>™</sup> Rapid Chilling Utensils

#### San Jamar

(NSF.)

Qty

1 ea

1 ea

- Reduces cooling load and the energy cost of refrigeration
- · Easily fills with water and freezes, reducing cooling load and the energy cost of refrigeration

| (NS) | (F          |
|------|-------------|
| (110 | <b>n</b> @/ |


Qty

1 ea

1 ea

1 ea

| 5    |        |                         |
|------|--------|-------------------------|
| DON# | Cap'y  | Size                    |
| K110 | 64 oz  | 131⁄2"L x 5"W x 131⁄2"H |
| K111 | 128 oz | 20¾"L x 5"W x 20¾"H     |
| K113 | 256 oz | 10½"L x 9"W x 10¾"H     |





- Fill-Rite<sup>™</sup> design eliminates over-filling when pre-freezing-fill with water, secure cap and freeze
- Integrated hanging hook on handle for sanitary storage

San Jamar

from the "inside-out"

• Durable, dishwasher safe polycarbonate

| DON#                               | Cap'y                         |
|------------------------------------|-------------------------------|
| 1002835                            | 64 oz                         |
| 1002836                            | 128 oz                        |
| NOTE: Ask your DON Sales Represent | tative for stocking locations |

600.777.4DON 99



## **Decialty Paper Products**

- Complete line of deli sheets, wax paper sheets and pan liners
- Easier and more efficient for prep work and cleanup

| DON#     |                | Size            | Qty    |
|----------|----------------|-----------------|--------|
| 1127124  |                | 51⁄2"L x 51⁄2"W | 1M/pk  |
| 1127128  |                | 6"L x 10¾"W     | 500/pk |
| 1127125  |                | 10"L x 10¾"W    | 500/pł |
| 1127126  |                | 12"L x 10¾"W    | 500/pł |
| 1127127  |                | 15"L x 10¾"W    | 500/pł |
| Wax Pape | r—Colors       |                 |        |
| DON#     | Color          | Size            | Qty    |
| 1127121  | Black Checkers | 12"L x 12"W     | 1M/pł  |
| 1127120  | Green Checkers | 12"L x 12"W     | 1M/pł  |
| 1127119  | Kraft          | 12"L x 12"W     | 1M/pl  |
| 1127518  | Newsprint      | 12"L x 12"W     | 1M/pl  |
| 1127123  | Red Checkers   | 12"L x 12"W     | 1M/pł  |
|          | White          | 12"I x 12"W     | 1M/pł  |



## 2 Dissolve-A-Way™ Food Rotation System

- Dissolves in any water temperature leaving no sticky residue
- Dissolves in 30 seconds or less in hot water
- Bilingual labels in English and Spanish
- 1" x 1" labels come 500 per roll; refills sold separately
- Dispenser box comes loaded with one roll (500 labels) for each day of the week

| Box Wi            | th Labels                   |                      |        |                         |                |        |      |
|-------------------|-----------------------------|----------------------|--------|-------------------------|----------------|--------|------|
| DON#              |                             | Cap'y                |        | Size                    |                |        | Qty  |
| M5401             |                             | 500 pe               | r roll | 16½" x                  | 12%" x 9%      | 0"     | 7/pk |
| Label F           | Refills - 1" x              | 1"                   |        |                         |                |        |      |
| DON#              | Pattern                     | Color                | Qty    | DON#                    | Pattern        | Color  | Qty  |
| M546              | Sunday                      | Black                | 2/pk   | M543                    | Thursday       | Brown  | 2/pk |
| M540              | Monday                      | Blue                 | 2/pk   | M544                    | Friday         | Green  | 2/pk |
| M541              | Tuesday                     | Yellow               | 2/pk   | M545                    | Saturday       | Orange | 2/pk |
| M542              | Wednesday                   | Red                  | 2/pk   |                         |                |        |      |
| Shelf L           | ife Label                   |                      |        |                         |                |        |      |
| DON#              |                             | Color                |        | Size                    |                |        | Qty  |
| 111626<br>Note: A | <b>65</b><br>.sk your DON S | White/E<br>Sales Rep |        | 2" x 3"<br>ve for stock | king locations | 3      | 1 ea |



## TamperSeal<sup>™</sup> Labels

#### DayMark

- Ensures that food is appropriately labeled and handled during delivery
- Aggressive adhesive keeps label attached to package
- · Security slits prove food hasn't been tampered with
- Direct thermal labels designed for use with MenuPilot® app and Matt85  $^{\rm \tiny M}$  printer
- Working temperature: -65° F to 220° F; minimum application temperature: 35° F

| Direct Thermal Labels |                 | На      | nd-Wri | itable Labels |                    |       |
|-----------------------|-----------------|---------|--------|---------------|--------------------|-------|
| DON#                  | Shape           | Qty     | DO     | N#            | Size               | Qty   |
| 1181034               | Rectangular     | 24/cs   | 11     | 81032         | 3"W                | 24/cs |
| 1181033               | Rectangular     | 24/cs   | 12     | 00142         | 4"L x 2"W x 2%/"H  | 24/cs |
| NOTE: FOB             | shipped from OH | (43402) | 12     | 00141         | 2"L x 2"W x 21⁄5"H | 24/cs |
|                       |                 |         | 12     | 00143         | 8"L x 1"W x 11/8"H | 24/cs |



## 💯 Clear Plastic Film

- · Heavy duty plastic wrap clings and stretches for tight seal
- A great insulator-keeps hot foods hot and cold foods cold longer

| DON#   | Size          | Qty  |
|--------|---------------|------|
| 5P1049 | 12"W x 2000'L | 1 ea |
| 5P1050 | 18"W x 2000'L | 1 ea |
| 5P1069 | 24"W x 2000'L | 1 ea |



## Saf-T-Wrap® Film/Foil and Date Label Dispenser

#### San Jamar

- · Combine safe dispensing of film or foil with fast, convenient labeling
- · Mounts on wire shelves or with included wall brackets
- Integrated writing surface and storage compartment for pens and cutters; dispenses dating labels of varying sizes and styles

| DON#          | Style               | Size                  | Qty  |
|---------------|---------------------|-----------------------|------|
| M1525         | Foil w/Safety Blade | Holds 12" to 18" Roll | 1 ea |
| 1030699       | Film w/Slide Cutter | Holds 12" to 18" Roll | 1 ea |
| NOTE: Shipped | FOB from WI (53121) |                       |      |



## **Clear Value Plastic Film**

#### Pactiv

- Easy Glide<sup>™</sup> slide cutter reduces waste by allowing for
- precise lengths to be cut from the roll
- · Can be used in freezers, refrigerators blast chillers or at room temperature

| Rolls       |                       | Perforated Sheets |                  |             |         |
|-------------|-----------------------|-------------------|------------------|-------------|---------|
| DON#        | Size                  | Qty               | DON#             | Size        | Qty     |
| 1139700     | 12"W x 2000'L         | 1/cs              | 1134089          | 5"L x 6"W   | 3M/cs   |
| 1139701     | 18"W x 2000'L         | 1/cs              | 1161932          | 10"L x 10"W | 1900/cs |
| 1139703     | 24"W x 2000'L         | 1/cs              | 1161933          | 12"L x 12"W | 1600/cs |
| NOTE: Ask y | our DON Sales Represe | ntative for sto   | ocking locations |             |         |



## 💯 Aluminum Foil Roll

- Tough, flexible foil in standard, economy and heavy duty gauge
- Convenient safety edge dispenser/cutter box

| Standard R | Roll Foil     |      | Heavy Duty | Roll Foil     |      |
|------------|---------------|------|------------|---------------|------|
| DON#       | Size          | Qty  | DON#       | Size          | Qty  |
| 5P1040     | 12"W x 1000'L | 1 ea | 5P1033     | 18"W x 500'L  | 1 ea |
| 5P1031     | 18"W x 500'L  | 1 ea | 5P1034     | 18"W x 1000'L | 1 ea |
| 5P1052     | 18"W x 1000'L | 1 ea |            |               |      |



## Saf-T-Wrap® Stacker

#### San Jamar

(NSF;)

- Film and foil rolls are fully enclosed to help prevent cross-contamination
- · Includes a safety blade for film, foil and paper; or slide-cutting for one-handed film dispensing

| DON#                              | Size             | Qty  |
|-----------------------------------|------------------|------|
| 1059432                           | Holds 12"        | 1 ea |
| 1059433                           | Holds 15" to 18" | 1 ea |
| NOTE: Shipped FOB from WI (53121) |                  |      |



## SaferFood<sup>™</sup> Solutions KenKut<sup>®</sup> 3 Film and Foil Dispenser TableCraft Products

- Holds 12"-18" rolls up to 6" diameter (3000 foot roll)
- Hygienic patented design complies to HACCP and food code standard
- · Reinforced durable hinge system, wall-mounting option and non-slip feet
- Interchangeable and replaceable foil and film cutting blades included

| DON#                         | Size                               | Qty  |
|------------------------------|------------------------------------|------|
| 1006936                      | 22"L x 7½"W x 6½"H                 | 1 ea |
| NOTE: Ask your DON Sales Rep | resentative for stocking locations |      |

600.777.4DON 101

(NSF;



## Mop Bucket and Wringer

• Compact 35 qt basin with a side-press wringer

• Built-in clamp to hold mop handle in place

• Durable polypropylene, with non-marking casters

| DON#   | Desc               | Qty  |  |  |
|--|--------------------|------|--|--|
| 1130330  | Mop/ Wringer Combo | 1 ea |  |  |
| 1133792  | Wringer            | 1 ea |  |  |
| NOTE: Ask your DON Sales Representative for stocking locations |                    |      |  |  |



## **Description** Tile and Grout Cleaner/Restorer

- Penetrates micro-pores to restore grout as well as porcelain, ceramic and quarry tiles
- Use in bathrooms, lobbies, food prep areas, schools, warehouses and many other areas
- Clean and restore in a single step

| DON#                                     | Size                     | Qty   |
|--|--------------------------|-------|
| 1139579                                  | 32 oz                    | 12/cs |
| NOTE: Ask your DON<br>stocking locations | Sales Representative for |       |

# A. 2 Dura-Pro® Cotton Mops

- 100% natural cotton dries floors quickly
- 4-ply cut-end for general-purpose cleaning
- 100% post-industrial recycled cotton
- 1" headband

| DON#             | Size                        | Color                | Qty  |
|------------------|-----------------------------|----------------------|------|
| 1179956          | Large                       | White                | 6/cs |
| 1189964          | X-Large                     | White                | 6/cs |
| NOTE: Ask your D | ON Sales Representative for | r stocking locations |      |

## B. **De Swinger**<sup>®</sup> Loop Mops

- 4-ply blend of cotton and synthetic yarn
- Tailband and looped end eliminate tangling
- 55% post-industrial cotton and 18% PET plastic
- 5" headband

| DON#                 | Size                            | Color      | Qty  |
|----------------------|---------------------------------|------------|------|
| 1058966              | Medium                          | Blue       | 1 ea |
| 1058968              | Medium                          | White      | 1 ea |
| 1058969              | Large                           | Green      | 1 ea |
| 1220011              | Large                           | White      | 6/cs |
| NOTE: Aak your DON C | alaa Baaraaantatiya far ataakin | alooptiono |      |


NOTE: Ask your DON Sales Representative for stocking locations

## C. 2 Super Stitch® Blend Mops

- Balanced blend of cotton and synthetic yarns for absorbency and strength
- Looped end and tailband for great floor coverage
- 55% post-industrial cotton and 18% PET plastic
- 1" headband

| DON#              | Size                          | Color            | Qty  |
|-------------------|-------------------------------|------------------|------|
| 1235768           | Medium                        | Blue             | 6/cs |
| J628              | Large                         | Blue             | 6/cs |
| NOTE: Ask your DO | N Sales Representative for st | ocking locations |      |





Qty

200/cs

200/cs

500/cs

200/cs

200/cs

## 2 Surefit™ High-Density Trash Container Liners

- No banding required and bag won't slip
- Heavy duty, high-grade plastic has leak proof seams and puncture-resistant side walls

| 44 Gallon     |                |                                |        |        |
|---------------|----------------|--------------------------------|--------|--------|
| 1041964       | Clear          | 52"L x 37"W                    | 14 mic | 150/cs |
| 1050143       | Natural        | 52"L x 37"W                    | 16 mic | 200/cs |
| 56 Gallon     |                |                                |        |        |
| 1041966       | Clear          | 57"L x 44"W                    | 14 mic | 100/cs |
| NOTE: Ask you | r DON Sales Re | presentative for stocking loca | itions |        |

## Traditional Can Liners

Color

Clear

Clear

Clear

Clear

Natural

20 Gallon DON#

1041971

1050141

32 Gallon 1041962

1050142

Slim Jim<sup>®</sup> - 23 gal 1041971

• High-density with star bottom liners for heavy, bulky trash

Size

44"L x 29"W

44"L x 29"W

44"L x 29"W

46"L x 33"W

45"L x 33"W

• Low-density with flat bottom liners for sharp trash

| Low - Densi                    | ity - Star B | ottom, Coreless R                   | olls                         |           |        |
|--------------------------------|--------------|-------------------------------------|------------------------------|-----------|--------|
| DON#                           | Color        | Size                                | Cap'y                        | Thickness | Qty    |
| 1041941                        | Clear        | 32"L x 24"W                         | 16 gal                       | .40 mil   | 500/cs |
| 1041944                        | Black        | 46"L x 40"W                         | 40-45 gal                    | 1.2 mil   | 100/cs |
| 1041947                        | Black        | 46"L x 40"W                         | 40-45 gal                    | 1.4 mil   | 100/cs |
| 1056515                        | Clear        | 37"L x 50"W                         | 44 gal                       | 1.2 mil   | 100/cs |
| 1041939                        | Black        | 58"L x 36"W                         | 55 gal                       | 1.7 mil   | 100/cs |
| 1041955                        | Black        | 58"L x 38"W                         | 55-60 gal                    | 1 mil     | 100/cs |
| 1041982                        | Black        | 58"L x 38"W                         | 55-60 gal                    | 1.5 mil   | 100/cs |
| 1041992                        | Black        | 58"L x 38"W                         | 55-60 gal                    | 1.7 mil   | 100/cs |
| 1041938                        | Black        | 47"L x 43"W                         | 56 gal                       | .90 mil   | 100/cs |
| 1041948                        | Black        | 47"L x 43"W                         | 56 gal                       | 1.5 mil   | 100/cs |
| Hi - Density                   | Star Botto   | om, Coreless Rolls                  |                              |           |        |
| 1175036                        | Clear        | 17"L x 18"W                         | 4 gal                        | 6 mic     | 1M/cs  |
| 1041972                        | Clear        | 23"L x 24"W                         | 7-10 gal                     | 6 mic     | 1M/cs  |
| 1041973                        | Clear        | 31"L x 24"W                         | 16 gal                       | 6 mic     | 1M/cs  |
| 1041959                        | Clear        | 31"L x 24"W                         | 16 gal                       | 8 mic     | 500/cs |
| 1041974                        | Clear        | 37"L x 30"W                         | 20-30 gal                    | 10 mic    | 500/cs |
| 1041975                        | Clear        | 33"L x 39"W                         | 31-33 gal                    | 16 mic    | 250/cs |
| 1041976                        | Clear        | 46"L x 40"W                         | 40-45 gal                    | 12 mic    | 250/cs |
| 1041993                        | Clear        | 46"L x 40"W                         | 40-45 gal                    | 16 mic    | 250/cs |
| 1041980                        | Clear        | 58"L x 38"W                         | 55-60 gal                    | 14 mic    | 200/cs |
| 1041977                        | Clear        | 60"L x 38"W                         | 55-60 gal                    | 16 mic    | 200/cs |
| 1041997                        | Clear        | 58"L x 38"W                         | 55-60 gal                    | 17 mic    | 200/cs |
| 1041985                        | Clear        | 58"L x 38"W                         | 55-60 gal                    | 22 mic    | 150/cs |
| 1041978                        | Clear        | 47"L x 43"W                         | 56 gal                       | 15 mic    | 200/cs |
| Super Blend                    | I            |                                     |                              |           |        |
| 1040244                        |              | 40"L x 46"W                         | 40-45 gal                    | 13 mic    | 250/cs |
| <b>1040243</b><br>NOTE: Ask yo | ur DON Sale  | 38"L x 58"W<br>s Representative for | 55-60 gal stocking locations | 13 mic    | 200/cs |

Thickness

14 mic

14 mic

16 mic

13 mic

16 mic







#### **Customer Number**

**Current Business or** 

All products subject to stock availability. We reserve the right to correct any printing errors. KE24 © 2024, Edward Don & Company.

For California customers: To find out if an item falls under Prop 65, log into your account at don.com and look for the Prop 65 warning icon A displayed next to the product. Prop 65 warnings are only required in the state of California.



## Camshelving® Wine Racks and Cradle Kits NEW

#### Cambro

- A high-performance alternative to wire, metal or wood racks
- Ideal for bulk wine storage anywhere, especially in wine/beverage coolers
- Made of highly durable plastic material, these racks will never rust, corrode, peel or dent
- Camshelving Wine Cradles are compatible with 14" or 18" deep Camshelving units
- Standard shelves fit above and below one shelf of wine cradles, allowing you to maximize storage capacity
- Maximum stack of cradles with connectors is three each to ensure bottles are stored safely

Don

|    | DON#        | Desc                               | Size                 | Cap'y       | Qt  |
|----|-------------|------------------------------------|----------------------|-------------|-----|
| ۹. | 1247810     | Premium Wine Rack                  | 48"L x 14"W x 72"H   | 144 Bottles | 16  |
| З. | 1247819     | Elements XTRA Wine Rack            | 48"L x 14"W x 72"H   | 144 Bottles | 16  |
| Ca | mshelving   | <sup>®</sup> Wine Cradle Kits      |                      |             |     |
|    | 1247813     | Single Cradle Add On Kits          | 13⅔″L x 11%″W x 1½″H | 3 Bottles   | 1 e |
|    | 1247816     | Single Cradle Add On Kits          | 17⅔″L x 11⅛"W x 1½"H | 3 Bottles   | 1 e |
|    | 1247811     | 4 Cradle Shelf Kits, Single Stack  | 13¾"L x 11%"W x 1½"H | 12 Bottles  | 1 e |
|    | 1247812     | 4 Cradle Shelf Kits, Single Stack  | 17¾"L x 11%"W x 1½"H | 12 Bottles  | 1 e |
| С. | 1247815     | 8 Cradle Shelf Kits, Double Stack  | 13⅔″L x 11%″W x 1½″H | 24 Bottles  | 1 e |
|    | 1247818     | 8 Cradle Shelf Kits, Double Stack  | 17⅔″L x 11%″W x 1½″H | 24 Bottles  | 1 e |
| ). | 1247814     | 12 Cradle Shelf Kits, Triple Stack | 13¾"L x 11%"W x 1½"H | 36 Bottles  | 1 e |
|    | 1247817     | 12 Cradle Shelf Kits, Triple Stack | 17¾"L x 11%"W x 1½"H | 36 Bottles  | 1 e |
| ٧0 | TE: Shipped | FOB from CA (92647)                |                      |             |     |

Since 1921, Edward Don & Company has been a trusted name with a proven reputation of doing what it takes to serve your business better.

- Trained and knowledgeable sales force
- Customer focused
- Integrated solutions
- Network of the best suppliers and brands
  - Quality products at competitive prices

Isn't it time you turn to DON?